



Motors - DC 12.0X30.0 mm

9/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

INFORMATION

6.0V - 22800 RPM

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/ogue/tech/>
<http://www.minibearings.com.au/categories/batteries/all/pics/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Motors - DC 12.0X30.0 mm

Part Number	Body Diameter mm	Overall Length mm	Operating Voltage V	Nominal Voltage V	Shaft Size mm	Body Type	Current (No Load/Max Effic) amps	Speed (No Load) RPM	Speed (Max Efficiency) RPM	Direction
AD1230CASAD	12.0 <i>0.472</i>	30.0 <i>1.181</i>	1.5-9.0	6.0	1.5 <i>0.059</i>	Cylindrical	0.12/0.37	22800	20850	Reversable

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

