



Mounts - Cylindrical - Special Purpose

9/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

INFORMATION

Vibration dampening

Natural rubber with bonded in studs. 50 Durometer hardness. Use up to 65 Degrees C (150 Deg F).

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Mounts - Cylindrical - Special Purpose

Part Number	Nom. Body Dia. (D) mm	Body Length (H) mm	Lip Thickness mm	Compression Load kgf (lbs)	Shear Load kgf (lbs)	Thread Size	Thread Length (L1) mm	Material	Other Information
	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>		
# CSP-024-17-064C	23.8	16.5	6.35	9	-	1/4 UNC (20 TPI)	12.7	Natural Rubber / Steel	
	<i>0.937</i>	<i>0.650</i>	<i>0.250</i>				<i>0.500</i>		
# CSP-024-17-M06	24.0	17.0	6.0	9	-	M6x1	13.0	Natural Rubber / Steel	
	<i>0.945</i>	<i>0.669</i>	<i>0.236</i>				<i>0.512</i>		

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 4

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

