



# **Mounts - Leveling - Elastomer Base - OSHA Yellow Steel Cover**

9/4/2018

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## INFORMATION



Protects general metalworking processes equipment including punch presses, milling machines, lathes, mixers, injection moulding machines, grinders from shock and vibration. Adjusters.

Simplifies installation. 63.5mm of neoprene provides controlled deflections under load.

High isolation efficiency for vibration and shock forces, and reduction of transmitted sound. Adjustable up to 12.7mm above loaded height by a few turns of the leveling bolt and tightening the checknut.

Corrosion resistant outer housing provides high strength. Neoprene elastomer resists oil, grease, ozone and caustics.

Zinc plated hardware resists rust. Hex head bolt and locknut finished with mounts. Height dimensions indicate free height of mount under no load.



# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Mounts - Leveling - Elastomer Base - OSHA Yellow Steel Cover

Part Number	Load Rating Kg	Base Diameter (A) mm <i>inches</i>	Base Height (B) mm <i>inches</i>	Thread Size	Thread Length mm <i>inches</i>
# MLV-0050-0635F-044-S2	50	50.800 <i>2.000</i>	25.400 <i>1.000</i>	1/4-28 UNF (6.350mm)	44.450 <i>1.750</i>
# MLV-0140-0953F-076-S2	140	79.375 <i>3.125</i>	38.100 <i>1.500</i>	3/8-24 UNF (9.525mm)	76.200 <i>3.000</i>
# MLV-0450-1270C-203-S2	450	120.650 <i>4.750</i>	38.100 <i>1.500</i>	1/2-13 UNC (12.700)	203.200 <i>8.000</i>
# MLV-0450-1270C-127-S2	450	120.650 <i>4.750</i>	38.100 <i>1.500</i>	1/2-13 UNC (12.700)	127.000 <i>5.000</i>
# MLV-1910-1270C-127-S2	1910	160.325 <i>6.312</i>	41.275 <i>1.625</i>	1/2-13 UNC (12.700)	127.000 <i>5.000</i>
# MLV-1910-0953C-127-S2	1910	160.325 <i>6.312</i>	41.275 <i>1.625</i>	3/8-16 UNC (9.525mm)	127.000 <i>5.000</i>
# MLV-1910-1905C-254-S2	1910	160.325 <i>6.312</i>	41.275 <i>1.625</i>	3/4-10 UNC (19.050mm)	254.000 <i>10.000</i>
# MLV-1910-1905C-127-S2	1910	160.325 <i>6.312</i>	41.275 <i>1.625</i>	3/4-10 UNC (19.050mm)	127.000 <i>5.000</i>
# MLV-1910-1905C-203-S2	1910	160.325 <i>6.312</i>	41.275 <i>1.625</i>	3/4-10 UNC (19.050mm)	203.200 <i>8.000</i>
# MLV-4540-1905C-127-S2	4540	184.150 <i>7.250</i>	41.275 <i>1.625</i>	3/4-10 UNC (19.050mm)	127.000 <i>5.000</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Mounts - Leveling - Elastomer Base - OSHA Yellow Steel Cover

Part Number	Load Rating Kg	Base Diameter (A) mm	Base Height (B) mm	Thread Size	Thread Length mm
		<i>inches</i>	<i>inches</i>		<i>inches</i>
# MLV-4540-1905C-203-S2	4540	184.150 <i>7.250</i>	41.275 <i>1.625</i>	3/4-10 UNC (19.050mm)	203.200 <i>8.000</i>
# MLV-4540-1270C-127-S2	4540	184.150 <i>7.250</i>	41.275 <i>1.625</i>	1/2-13 UNC (12.700)	127.000 <i>5.000</i>
# MLV-5900-2540F-127-S2-A	5900	228.600 <i>9.000</i>	57.150 <i>2.250</i>	1-14 UNF (25.400mm)	127.000 <i>5.000</i>
# MLV-5900-2540F-203-S2-A	5900	228.600 <i>9.000</i>	57.150 <i>2.250</i>	1-14 UNF (25.400mm)	203.200 <i>8.000</i>
# MLV-5900-1590C-127-S2	5900	228.600 <i>9.000</i>	63.500 <i>2.500</i>	5/8-11 UNC (15.875mm)	127.000 <i>5.000</i>
# MLV-5900-1905C-127-S2	5900	228.600 <i>9.000</i>	63.500 <i>2.500</i>	3/4-10 UNC (19.050mm)	127.000 <i>5.000</i>
# MLV-5900-2540F-127-S2-B	5900	228.600 <i>9.000</i>	63.500 <i>2.500</i>	1-14 UNF (25.400mm)	127.000 <i>5.000</i>
# MLV-5900-2540F-203-S2-B	5900	228.600 <i>9.000</i>	63.500 <i>2.500</i>	1-14 UNF (25.400mm)	203.200 <i>8.000</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

