



Nuts - Hexagonal - Half - Stainless Steel

9/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

INFORMATION


UNC - UNF - METRIC

Note! Thickness (H) and A/F (A) dimensions are usually considered not critical and may vary.
If the A and H dimensions are critical for your application please consult us prior to ordering.

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Half - Stainless Steel

| Part Number | Thread Size | Thickness (H) mm | Width Across Flats (A) mm | Material | Type | Pitch mm |
|----------------|----------------------------|----------------------|---------------------------|---------------|----------|-----------------------|
| | | <i>inches</i> | <i>inches</i> | | | <i>inches</i> |
| NT025M-HH-S4 | M2.5x0.45 (2.5mm Standard) | 1.35 <i>0.053</i> | 5.0 <i>0.197</i> | 304 Stainless | Half Nut | 0.450 <i>0.018</i> |
| NT030M-HH-S4 | M3x0.5 (3mm Standard) | 1.55 <i>0.061</i> | 5.5 <i>0.217</i> | 304 Stainless | Half Nut | 0.500 <i>0.020</i> |
| NT030M-HH-S6 | M3x0.5 (3mm Standard) | 1.55 <i>0.061</i> | 5.5 <i>0.217</i> | 316 Stainless | Half Nut | 0.500 <i>0.020</i> |
| NT040M-HH-S4 | M4x0.7 (4mm Standard) | 1.95 <i>0.077</i> | 7.0 <i>0.276</i> | 304 Stainless | Half Nut | 0.700 <i>0.028</i> |
| NT040M-HH-S6 | M4x0.7 (4mm Standard) | 1.95 <i>0.077</i> | 7.0 <i>0.276</i> | 316 Stainless | Half Nut | 0.700 <i>0.028</i> |
| NT050M-HH-S6 | M5x0.8 (5mm Standard) | 2.45 <i>0.096</i> | 8.0 <i>0.315</i> | | Standard | 0.800 <i>0.031</i> |
| NT050M-HH-S4 | M5x0.8 (5mm Standard) | 2.45 <i>0.096</i> | 8.0 <i>0.315</i> | 304 Stainless | Half Nut | 0.800 <i>0.031</i> |
| NT060M-HH-S4 | M6x1 (6mm Standard) | 2.90 <i>0.114</i> | 10.0 <i>0.394</i> | 304 Stainless | Half Nut | 1.000 <i>0.039</i> |
| NT060M-HH-S6 | M6x1 (6mm Standard) | 2.90 <i>0.114</i> | 10.0 <i>0.394</i> | 316 Stainless | Half Nut | 1.000 <i>0.039</i> |
| # NT064C-HH-S4 | 1/4-20 UNC (6.35mm) | 2.7 <i>0.106</i> | 11.11 <i>0.437</i> | 304 Stainless | Half Nut | 1.270 <i>0.050</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Half - Stainless Steel

| Part Number | Thread Size | Thickness (H) mm | Width Across Flats (A) mm | Material | Type | Pitch mm |
|----------------|--------------------------|----------------------|------------------------------|---------------|----------|-----------------------|
| | | <i>inches</i> | <i>inches</i> | | | <i>inches</i> |
| # NT064C-HH-S6 | 1/4-20 UNC (6.35mm) | 2.7 <i>0.106</i> | 11.11 <i>0.437</i> | 316 Stainless | Half Nut | 1.270 <i>0.050</i> |
| # NT064F-HH-S6 | 1/4-28 UNF (6.35mm) | 2.1 <i>0.083</i> | 11.11 <i>0.437</i> | 316 Stainless | Half Nut | 0.907 <i>0.036</i> |
| # NT079C-HH-S6 | 5/16-18 UNC (7.938mm) | 4.1 <i>0.161</i> | 12.7 <i>0.500</i> | 316 Stainless | Half Nut | 1.411 <i>0.056</i> |
| NT079C-HH-S4 | 5/16-18 UNC (7.938mm) | 4.1 <i>0.161</i> | 12.7 <i>0.500</i> | 304 Stainless | Half Nut | 1.411 <i>0.056</i> |
| NT080MEF-HH-S6 | M8x0.75 (8mm Extra Fine) | 3.70 <i>0.146</i> | 13.0 <i>0.512</i> | 316 Stainless | Half Nut | 0.750 <i>0.030</i> |
| NT080MF-HH-S6 | M8x1 (8mm Fine) | 3.70 <i>0.146</i> | 13.0 <i>0.512</i> | 316 Stainless | Half Nut | 1.000 <i>0.039</i> |
| NT080M-HH-S4 | M8x1.25 (8mm Standard) | 3.70 <i>0.146</i> | 13.0 <i>0.512</i> | 304 Stainless | Half Nut | 1.250 <i>0.049</i> |
| NT080M-HH-S6 | M8x1.25 (8mm Standard) | 3.70 <i>0.146</i> | 13.0 <i>0.512</i> | 316 Stainless | Half Nut | 1.250 <i>0.049</i> |
| NT095C-HH-S4 | 3/8-16 UNC (9.525mm) | 4 <i>0.157</i> | 15 <i>0.591</i> | 304 Stainless | Half Nut | 1.588 <i>0.063</i> |
| # NT095C-HH-S6 | 3/8-16 UNC (9.525mm) | 4 <i>0.157</i> | 15 <i>0.591</i> | 316 Stainless | Half Nut | 1.588 <i>0.063</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Half - Stainless Steel

| Part Number | Thread Size | Thickness (H) mm | Width Across Flats (A) mm | Material | Type | Pitch mm |
|------------------|----------------------------|----------------------|------------------------------|---------------|----------|-----------------------|
| | | <i>inches</i> | <i>inches</i> | | | <i>inches</i> |
| NT100MEF-HH-S6 | M10x1 (10mm Extra Fine) | 4.70 <i>0.185</i> | 17.0 <i>0.669</i> | 316 Stainless | Half Nut | 1.000 <i>0.039</i> |
| NT100MF-HH-S6 | M10x1.25 (10mm Fine) | 4.70 <i>0.185</i> | 17.0 <i>0.669</i> | 316 Stainless | Half Nut | 1.250 <i>0.049</i> |
| NT100M-HH-S4 | M10x1.5 (10mm Standard) | 4.70 <i>0.185</i> | 17.0 <i>0.669</i> | 304 Stainless | Half Nut | 1.500 <i>0.059</i> |
| NT100M-HH-S6 | M10x1.5 (10mm Standard) | 4.70 <i>0.185</i> | 17.0 <i>0.669</i> | 316 Stainless | Half Nut | 1.500 <i>0.059</i> |
| NT111C-HH-S4 | 7/16-14 UNC (11.113mm) | 5 <i>0.197</i> | 17 <i>0.669</i> | 304 Stainless | Half Nut | 1.814 <i>0.071</i> |
| # NT120MEF-HH-S6 | M12x1.25 (12mm Extra Fine) | 5.70 <i>0.224</i> | 19.0 <i>0.748</i> | 316 Stainless | Half Nut | 1.250 <i>0.049</i> |
| # NT120MF-HH-S6 | M12x1.5 (12mm Fine) | 5.70 <i>0.224</i> | 19.0 <i>0.748</i> | 316 Stainless | Half Nut | 1.500 <i>0.059</i> |
| NT120M-HH-S6 | M12x1.75 (12mm Standard) | 5.70 <i>0.224</i> | 19.0 <i>0.748</i> | 316 Stainless | Half Nut | 1.750 <i>0.069</i> |
| NT120M-HH-S4 | M12x1.75 (12mm Standard) | 5.70 <i>0.224</i> | 19.0 <i>0.748</i> | 304 Stainless | Half Nut | 1.750 <i>0.069</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Half - Stainless Steel

| Part Number | Thread Size | Thickness (H) mm | Width Across Flats (A) mm | Material | Type | Pitch mm |
|------------------|---------------------------|----------------------|---------------------------|---------------|----------|-----------------------|
| | | <i>inches</i> | <i>inches</i> | | | <i>inches</i> |
| # NT127C-HH-S4 | 1/2-13 UNC (12.7mm) | 6 <i>0.236</i> | 21 <i>0.827</i> | 304 Stainless | Half Nut | 1.954 <i>0.077</i> |
| # NT127C-HH-S6 | 1/2-13 UNC (12.7mm) | 6 <i>0.236</i> | 21 <i>0.827</i> | 316 Stainless | Half Nut | 1.954 <i>0.077</i> |
| NT140M-HH-S4 | M14x2 (14mm Standard) | 6.42 <i>0.253</i> | 22.0 <i>0.866</i> | 304 Stainless | Half Nut | 2.000 <i>0.079</i> |
| # NT140M-HH-S6 | M14x2 (14mm Standard) | 6.42 <i>0.253</i> | 22.0 <i>0.866</i> | 316 Stainless | Half Nut | 2.000 <i>0.079</i> |
| # NT159C-HH-S4 | 5/8-11 UNC (15.875mm) | 7.2 <i>0.283</i> | 23.81 <i>0.937</i> | 304 Stainless | Half Nut | 2.309 <i>0.091</i> |
| # NT159C-HH-S6 | 5/8-11 UNC (15.875mm) | 7.2 <i>0.283</i> | 23.81 <i>0.937</i> | 316 Stainless | Half Nut | 2.309 <i>0.091</i> |
| # NT160MEF-HH-S6 | M16x1.5 (16mm Extra Fine) | 7.42 <i>0.292</i> | 24.0 <i>0.945</i> | 316 Stainless | Half Nut | 1.500 <i>0.059</i> |
| # NT160M-HH-S4 | M16x2 (16mm Standard) | 7.42 <i>0.292</i> | 24.0 <i>0.945</i> | 304 Stainless | Half Nut | 2.000 <i>0.079</i> |
| # NT160M-HH-S6 | M16x2 (16mm Standard) | 7.42 <i>0.292</i> | 24.0 <i>0.945</i> | 316 Stainless | Half Nut | 2.000 <i>0.079</i> |
| NT191C-HH-S4 | 3/4-10 UNC (19.05mm) | - | | 304 Stainless | Half Nut | 2.540 <i>0.100</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Half - Stainless Steel

| Part Number | Thread Size | Thickness (H) mm <i>inches</i> | Width Across Flats (A) mm <i>inches</i> | Material | Type | Pitch mm <i>inches</i> |
|------------------|---------------------------|-----------------------------------|---|---------------|----------|---------------------------|
| # NT191C-HH-S6 | 3/4-10 UNC (19.05mm) | - | | 316 Stainless | Half Nut | 2.540 <i>0.100</i> |
| # NT200MF-HH-S6 | M20x2 (20mm Fine) | 9.10 <i>0.358</i> | 30.0 <i>1.181</i> | 316 Stainless | Half Nut | 2.000 <i>0.079</i> |
| # NT200M-HH-S4 | M20x2.5 (20mm Standard) | 9.10 <i>0.358</i> | 30.0 <i>1.181</i> | 304 Stainless | Half Nut | 2.500 <i>0.098</i> |
| # NT200MEF-HH-S6 | M20x1.5 (20mm Extra Fine) | 9.10 <i>0.358</i> | 30.0 <i>1.181</i> | 316 Stainless | Half Nut | 1.500 <i>0.059</i> |
| # NT200M-HH-S6 | M20x2.5 (20mm Standard) | 9.10 <i>0.358</i> | 30.0 <i>1.181</i> | 316 Stainless | Half Nut | 2.500 <i>0.098</i> |
| # NT220M-HH-S4 | M22x2.5 (22mm Standard) | 9.90 <i>0.390</i> | 34.0 <i>1.339</i> | 304 Stainless | Half Nut | 2.500 <i>0.098</i> |
| # NT222C-HH-S4 | 7/8-9 UNC (22.225mm) | - | | 304 Stainless | Half Nut | 2.822 <i>0.111</i> |
| # NT222C-HH-S6 | 7/8-9 UNC (22.225mm) | - | | 316 Stainless | Half Nut | 2.822 <i>0.111</i> |
| # NT240M-HH-S4 | M24x3 (24mm Standard) | 10.90 <i>0.429</i> | 36.0 <i>1.417</i> | 304 Stainless | Half Nut | 3.000 <i>0.118</i> |
| # NT240M-HH-S6 | M24x3 (24mm Standard) | 10.90 <i>0.429</i> | 36.0 <i>1.417</i> | 316 Stainless | Half Nut | 3.000 <i>0.118</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Half - Stainless Steel

| Part Number | Thread Size | Thickness (H) mm <i>inches</i> | Width Across Flats (A) mm <i>inches</i> | Material | Type | Pitch mm <i>inches</i> |
|----------------|-------------------------|-----------------------------------|---|---------------|----------|---------------------------|
| # NT254C-HH-S4 | 1-8 UNC (25.4mm) | - | - | 304 Stainless | Half Nut | 3.175 <i>0.125</i> |
| # NT254C-HH-S6 | 1-8 UNC (25.4mm) | - | - | 316 Stainless | Half Nut | 3.175 <i>0.125</i> |
| # NT270M-HH-S4 | M27x3 (27mm Standard) | 12.40 <i>0.488</i> | 41.0 <i>1.614</i> | 304 Stainless | Half Nut | 3.000 <i>0.118</i> |
| # NT300M-HH-S4 | M30x3.5 (30mm Standard) | 13.90 <i>0.547</i> | 46.0 <i>1.811</i> | 304 Stainless | Half Nut | 3.500 <i>0.138</i> |
| # NT300M-HH-S6 | M30x3.5 (30mm Standard) | 13.90 <i>0.547</i> | 46.0 <i>1.811</i> | 316 Stainless | Half Nut | 3.500 <i>0.138</i> |
| # NT330M-HH-S4 | M33x3.5 (33mm Standard) | 15.90 <i>0.626</i> | 50.0 <i>1.969</i> | 304 Stainless | Half Nut | 3.500 <i>0.138</i> |
| # NT360M-HH-S6 | M36x4 (36mm Standard) | 16.90 <i>0.665</i> | 55.0 <i>2.165</i> | 316 Stainless | Half Nut | 4.000 <i>0.157</i> |
| # NT360M-HH-S4 | M36x4 (36mm Standard) | 16.90 <i>0.665</i> | 55.0 <i>2.165</i> | 304 Stainless | Half Nut | 4.000 <i>0.157</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

