



Nuts - Hexagonal - Nylon Insert - Stainless Steel

9/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 14

INFORMATION

Nylon Insert for Locking. NylocTM and other brands.


Note! Thickness (H) and A/F (A) dimensions are usually considered not critical and may vary.

If the A and H dimensions are critical for your application please consult us prior to ordering.

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	A/F mm	H mm	Pitch mm
				<i>inches</i>	<i>inches</i>	<i>inches</i>
NT020M-NI-S4	M2x0.4 (2mm Standard)	304 Stainless	Standard			0.400 <i>0.016</i>
NT020M-NI-S6	M2x0.4 (2mm Standard)	316 Stainless	Standard			0.400 <i>0.016</i>
NT022C-NI-S4	2-56 UNC (2.184mm)	304 Stainless	Standard	6.4 <i>0.252</i>	3.7 <i>0.146</i>	0.454 <i>0.018</i>
# NT022C-NI-S6	2-56 UNC (2.184mm)	316 Stainless	Standard	6.4 <i>0.252</i>	4 <i>0.157</i>	0.454 <i>0.018</i>
NT025M-NI-S4	M2.5x0.45 (2.5mm Standard)	304 Stainless	Standard	5.0 <i>0.197</i>	3.5 <i>0.138</i>	0.450 <i>0.018</i>
# NT025M-NI-S6	M2.5x0.45 (2.5mm Standard)	316 Stainless	Standard	5.0 <i>0.197</i>	3.5 <i>0.138</i>	0.450 <i>0.018</i>
NT025C-NI-S4	3-48 UNC (2.515mm)	304 Stainless	Standard			0.529 <i>0.021</i>
# NT025C-NI-S6	3-48 UNC (2.515mm)	316 Stainless	Standard			0.529 <i>0.021</i>
NT028C-NI-S4	4-40 UNC (2.845mm)	304 Stainless	Standard	6.4 <i>0.252</i>	3.7 <i>0.146</i>	0.635 <i>0.025</i>
# NT028C-NI-S6	4-40 UNC (2.845mm)	316 Stainless	Standard	6 <i>0.236</i>	4 <i>0.157</i>	0.635 <i>0.025</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 14

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	A/F mm	H mm	Pitch mm
				<i>inches</i>	<i>inches</i>	<i>inches</i>
NT030M-NI-S4	M3x0.5 (3mm Standard)	304 Stainless	Standard	5.5 <i>0.217</i>	4.0 <i>0.157</i>	0.500 <i>0.020</i>
NT030M-NI-S6	M3x0.5 (3mm Standard)	316 Stainless	Standard	5.5 <i>0.217</i>	4.0 <i>0.157</i>	0.500 <i>0.020</i>
NT032C-NI-S4	5-40 UNC (3.175mm)	304 Stainless	Standard			0.635 <i>0.025</i>
# NT032C-NI-S6	5-40 UNC (3.175mm)	316 Stainless	Standard			0.635 <i>0.025</i>
NT035C-NI-S4	6-32 UNC (3.5mm)	304 Stainless	Standard	7.7 <i>0.303</i>	4.2 <i>0.165</i>	0.794 <i>0.031</i>
# NT035C-NI-S6	6-32 UNC (3.5mm)	316 Stainless	Standard	8 <i>0.315</i>	4 <i>0.157</i>	0.794 <i>0.031</i>
NT040M-NI-S4	M4x0.7 (4mm Standard)	304 Stainless	Standard	7.0 <i>0.276</i>	5.0 <i>0.197</i>	0.700 <i>0.028</i>
NT040M-NI-S6	M4x0.7 (4mm Standard)	316 Stainless	Standard	7.0 <i>0.276</i>	5.0 <i>0.197</i>	0.700 <i>0.028</i>
NT042C-NI-S4	8-32 UNC (4.166mm)	304 Stainless	Standard	8.7 <i>0.343</i>	5.9 <i>0.232</i>	0.794 <i>0.031</i>
# NT042C-NI-S6	8-32 UNC (4.166mm)	316 Stainless	Standard	9 <i>0.354</i>	6 <i>0.236</i>	0.794 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	A/F mm	H mm	Pitch mm
				<i>inches</i>	<i>inches</i>	<i>inches</i>
NT048C-NI-S4	10-24 UNC (4.762mm)	304 Stainless	Standard	9.4 <i>0.370</i>	6.1 <i>0.240</i>	1.058 <i>0.042</i>
# NT048C-NI-S6	10-24 UNC (4.762mm)	316 Stainless	Standard	9.4 <i>0.370</i>	6.1 <i>0.240</i>	1.058 <i>0.042</i>
NT048F-NI-S4	10-32 UNF (4.762mm)	304 Stainless	Standard	6.1 <i>0.240</i>		0.794 <i>0.031</i>
# NT048F-NI-S6	10-32 UNF (4.762mm)	316 Stainless	Standard	6 <i>0.236</i>		0.794 <i>0.031</i>
NT050M-NI-S4	M5x0.8 (5mm Standard)	304 Stainless	Standard	8.0 <i>0.315</i>	5.0 <i>0.197</i>	0.800 <i>0.031</i>
NT050M-NI-S6	M5x0.8 (5mm Standard)	316 Stainless	Standard	8.0 <i>0.315</i>	5.0 <i>0.197</i>	0.800 <i>0.031</i>
NT060M-NI-S4	M6x1 (6mm Standard)	304 Stainless	Standard	10.0 <i>0.394</i>	6.0 <i>0.236</i>	1.000 <i>0.039</i>
NT060M-NI-S6	M6x1 (6mm Standard)	316 Stainless	Standard	10.0 <i>0.394</i>	6.0 <i>0.236</i>	1.000 <i>0.039</i>
NT064C-NIH-S4	1/4-20 UNC (6.35mm)	304 Stainless	Thin	7.9 <i>0.311</i>		1.270 <i>0.050</i>
NT064C-NI-S4	1/4-20 UNC (6.35mm)	304 Stainless	Standard	11.0 <i>0.433</i>	7.9 <i>0.311</i>	1.270 <i>0.050</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	A/F mm <i>inches</i>	H mm <i>inches</i>	Pitch mm <i>inches</i>
# NT064C-NIH-S6	1/4-20 UNC (6.35mm)	316 Stainless	Thin	8 <i>0.315</i>		1.270 <i>0.050</i>
# NT064C-NI-S6	1/4-20 UNC (6.35mm)	316 Stainless	Standard			1.270 <i>0.050</i>
# NT064F-NI-S4	1/4-28 UNF (6.35mm)	304 Stainless	Standard	7.9 <i>0.311</i>		0.907 <i>0.036</i>
# NT064F-NI-S6	1/4-28 UNF (6.35mm)	316 Stainless	Standard			0.907 <i>0.036</i>
# NT079C-NIH-S4	5/16-18 UNC (7.938mm)	304 Stainless	Thin			1.058 <i>0.042</i>
NT079C-NI-S4	5/16-18 UNC (7.938mm)	304 Stainless	Standard	12.5 <i>0.492</i>	8.6 <i>0.339</i>	1.411 <i>0.056</i>
# NT079C-NI-S6	5/16-18 UNC (7.938mm)	316 Stainless	Standard			1.411 <i>0.056</i>
# NT079F-NI-S4	5/16-24 UNF (7.938mm)	304 Stainless	Standard			1.058 <i>0.042</i>
# NT079F-NIH-S4	5/16-24 UNF (7.938mm)	304 Stainless	Thin			1.058 <i>0.042</i>
# NT079F-NIH-S6	5/16-24 UNF (7.938mm)	316 Stainless	Thin			1.058 <i>0.042</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	A/F mm <i>inches</i>	H mm <i>inches</i>	Pitch mm <i>inches</i>
# NT079F-NI-S6	5/16-24 UNF (7.938mm)	316 Stainless	Standard			1.058 <i>0.042</i>
NT080M-NI-S4	M8x1.25 (8mm Standard)	304 Stainless	Standard	13.0 <i>0.512</i>	8.0 <i>0.315</i>	1.250 <i>0.049</i>
NT080M-NI-S6	M8x1.25 (8mm Standard)	316 Stainless	Standard	13.0 <i>0.512</i>	8.0 <i>0.315</i>	1.250 <i>0.049</i>
# NT095C-NIH-S4	3/8-16 UNC (9.525mm)	304 Stainless	Thin			1.588 <i>0.063</i>
NT095C-NI-S4	3/8-16 UNC (9.525mm)	304 Stainless	Standard			1.588 <i>0.063</i>
# NT095C-NIH-S6	3/8-16 UNC (9.525mm)	316 Stainless	Thin			1.588 <i>0.063</i>
# NT095C-NI-S6	3/8-16 UNC (9.525mm)	316 Stainless	Standard			1.588 <i>0.063</i>
NT095F-NIH-S4	3/8-24 UNF (9.525mm)	304 Stainless	Thin			1.058 <i>0.042</i>
NT095F-NI-S4	3/8-24 UNF (9.525mm)	304 Stainless	Standard			1.058 <i>0.042</i>
# NT095F-NI-S6	3/8-24 UNF (9.525mm)	316 Stainless	Standard			1.058 <i>0.042</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	A/F mm	H mm	Pitch mm
				<i>inches</i>	<i>inches</i>	<i>inches</i>
NT100M-NI-S4	M10x1.5 (10mm Standard)	304 Stainless	Standard	17.0 <i>0.669</i>	10.0 <i>0.394</i>	1.500 <i>0.059</i>
# NT100M-NI-S6	M10x1.5 (10mm Standard)	316 Stainless	Standard	17.0 <i>0.669</i>	10.0 <i>0.394</i>	1.500 <i>0.059</i>
# NT111C-NI-S4	7/16-14 UNC (11.113mm)	304 Stainless	Standard			1.814 <i>0.071</i>
# NT111C-NI-S6	7/16-14 UNC (11.113mm)	316 Stainless	Standard			1.814 <i>0.071</i>
# NT111F-NI-S4	7/16-20 UNF (11.113mm)	304 Stainless	Standard			1.270 <i>0.050</i>
# NT111F-NI-S6	7/16-20 UNF (11.113mm)	316 Stainless	Standard			1.270 <i>0.050</i>
NT120M-NI-S4	M12x1.75 (12mm Standard)	304 Stainless	Standard	19.0 <i>0.748</i>	12.0 <i>0.472</i>	1.750 <i>0.069</i>
# NT120M-NI-S6	M12x1.75 (12mm Standard)	316 Stainless	Standard	19.0 <i>0.748</i>	12.0 <i>0.472</i>	1.750 <i>0.069</i>
# NT127C-NIH-S4	1/2-13 UNC (12.7mm)	304 Stainless	Thin			1.954 <i>0.077</i>
# NT127C-NI-S4	1/2-13 UNC (12.7mm)	304 Stainless	Standard			1.954 <i>0.077</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	A/F mm <i>inches</i>	H mm <i>inches</i>	Pitch mm <i>inches</i>
# NT127C-NI-S6	1/2-13 UNC (12.7mm)	316 Stainless	Standard			1.954 <i>0.077</i>
# NT127W-NI-S4	1/2-12 BSW (12.7mm)	304 Stainless	Standard	20.62 <i>0.812</i>		2.117 <i>0.083</i>
# NT127W-N19I-S4	1/2-12 BSW (12.7mm)	304 Stainless	Standard	19.1 <i>0.752</i>		2.117 <i>0.083</i>
# NT127W-N19I-S6	1/2-12 BSW (12.7mm)	316 Stainless	Standard	19.1 <i>0.752</i>		2.117 <i>0.083</i>
# NT127W-NI-S6	1/2-12 BSW (12.7mm)	316 Stainless	Standard	20.62 <i>0.812</i>		2.117 <i>0.083</i>
# NT127F-NI-S4	1/2-20 UNF (12.7mm)	304 Stainless	Standard			1.270 <i>0.050</i>
# NT127F-NIH-S4	1/2-20 UNF (12.7mm)	304 Stainless	Thin			1.270 <i>0.050</i>
# NT127F-NI-S6	1/2-20 UNF (12.7mm)	316 Stainless	Standard			1.270 <i>0.050</i>
# NT140M-NI-S4	M14x2 (14mm Standard)	304 Stainless	Standard	22.0 <i>0.866</i>	14.0 <i>0.551</i>	2.000 <i>0.079</i>
# NT140M-NI-S6	M14x2 (14mm Standard)	316 Stainless	Standard	22.0 <i>0.866</i>	14.0 <i>0.551</i>	2.000 <i>0.079</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	A/F mm <i>inches</i>	H mm <i>inches</i>	Pitch mm <i>inches</i>
# NT159C-NI-S4	5/8-11 UNC (15.875mm)	304 Stainless	Standard			2.309 <i>0.091</i>
# NT159C-NI-S6	5/8-11 UNC (15.875mm)	316 Stainless	Standard			2.309 <i>0.091</i>
# NT159F-NI-S4	5/8-18 UNF (15.875mm)	304 Stainless	Standard			1.411 <i>0.056</i>
# NT159F-NI-S6	5/8-18 UNF (15.875mm)	316 Stainless	Standard			1.411 <i>0.056</i>
NT160M-NI-S4	M16x2 (16mm Standard)	304 Stainless	Standard	24.0 <i>0.945</i>	16.0 <i>0.630</i>	2.000 <i>0.079</i>
# NT160M-NI-S6	M16x2 (16mm Standard)	316 Stainless	Standard	24.0 <i>0.945</i>	16.0 <i>0.630</i>	2.000 <i>0.079</i>
# NT180M-NI-S4	M18x2.5 (18mm Standard)	304 Stainless	Standard	27.0 <i>1.063</i>	18.5 <i>0.728</i>	2.500 <i>0.098</i>
# NT180M-NI-S6	M18x2.5 (18mm Standard)	316 Stainless	Standard	27.0 <i>1.063</i>	18.5 <i>0.728</i>	2.500 <i>0.098</i>
# NT191C-NI-S4	3/4-10 UNC (19.05mm)	304 Stainless	Standard			2.540 <i>0.100</i>
# NT191C-NI-S6	3/4-10 UNC (19.05mm)	316 Stainless	Standard			2.540 <i>0.100</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 11 of 14

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	A/F mm <i>inches</i>	H mm <i>inches</i>	Pitch mm <i>inches</i>
# NT191F-NI-S4	3/4-16 UNF (19.05mm)	304 Stainless	Standard			1.588 <i>0.063</i>
# NT191F-NI-S6	3/4-16 UNF (19.05mm)	316 Stainless	Standard			1.588 <i>0.063</i>
# NT200M-NI-S4	M20x2.5 (20mm Standard)	304 Stainless	Standard	30.0 <i>1.181</i>	20.0 <i>0.787</i>	2.500 <i>0.098</i>
# NT200M-NI-S6	M20x2.5 (20mm Standard)	316 Stainless	Standard	30.0 <i>1.181</i>	20.0 <i>0.787</i>	2.500 <i>0.098</i>
# NT220M-NI-S4	M22x2.5 (22mm Standard)	304 Stainless	Standard	32.0 <i>1.260</i>	22.0 <i>0.866</i>	2.500 <i>0.098</i>
# NT220M-NI-S6	M22x2.5 (22mm Standard)	316 Stainless	Standard	32.0 <i>1.260</i>	22.0 <i>0.866</i>	2.500 <i>0.098</i>
# NT222C-NI-S4	7/8-9 UNC (22.225mm)	304 Stainless	Standard			2.822 <i>0.111</i>
# NT222C-NI-S6	7/8-9 UNC (22.225mm)	316 Stainless	Standard			2.822 <i>0.111</i>
# NT222F-NI-S4	7/8-14 UNF (22.225mm)	304 Stainless	Standard			1.814 <i>0.071</i>
# NT222F-NI-S6	7/8-14 UNF (22.225mm)	316 Stainless	Standard			1.814 <i>0.071</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	A/F mm <i>inches</i>	H mm <i>inches</i>	Pitch mm <i>inches</i>
# NT240M-NI-S4	M24x3 (24mm Standard)	304 Stainless	Standard	36.0 <i>1.417</i>	24.0 <i>0.945</i>	3.000 <i>0.118</i>
# NT240M-NI-S6	M24x3 (24mm Standard)	316 Stainless	Standard	36.0 <i>1.417</i>	24.0 <i>0.945</i>	3.000 <i>0.118</i>
# NT250M-NI-S6	M25x3 (25mm Standard)	316 Stainless	Standard			3.000 <i>0.118</i>
# NT254C-NI-S4	1-8 UNC (25.4mm)	304 Stainless	Standard			3.175 <i>0.125</i>
# NT254C-NI-S6	1-8 UNC (25.4mm)	316 Stainless	Standard			3.175 <i>0.125</i>
# NT254F-NI-S4	1-12 UNF (25.4mm)	304 Stainless	Standard			2.117 <i>0.083</i>
# NT254F-NI-S6	1-12 UNF (25.4mm)	316 Stainless	Standard			2.117 <i>0.083</i>
# NT270M-NI-S4	M27x3 (27mm Standard)	304 Stainless	Standard	41.0 <i>1.614</i>	27.0 <i>1.063</i>	3.000 <i>0.118</i>
# NT270M-NI-S6	M27x3 (27mm Standard)	316 Stainless	Standard	41.0 <i>1.614</i>	27.0 <i>1.063</i>	3.000 <i>0.118</i>
# NT286C-NI-S6	1.1/8-7 UNC (28.575mm)	316 Stainless	Standard			3.629 <i>0.143</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 13 of 14

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Stainless Steel

Part Number	Thread Size	Material	Type	A/F mm <i>inches</i>	H mm <i>inches</i>	Pitch mm <i>inches</i>
# NT300M-NI-S4	M30x3.5 (30mm Standard)	304 Stainless	Standard	46.0 <i>1.811</i>	30.0 <i>1.181</i>	3.500 <i>0.138</i>
# NT300M-NI-S6	M30x3.5 (30mm Standard)	316 Stainless	Standard	5.5 <i>0.217</i>	4.0 <i>0.157</i>	3.500 <i>0.138</i>
# NT317C-NI-S6	1.1/4-7 UNC (31.75mm)	316 Stainless	Standard			3.629 <i>0.143</i>
# NT330M-NI-S4	M33x3.5 (33mm Standard)	304 Stainless	Standard	48.0 <i>1.890</i>	33.0 <i>1.299</i>	3.500 <i>0.138</i>
# NT360M-NI-S4	M36x4 (36mm Standard)	304 Stainless	Standard	55.0 <i>2.165</i>	36.0 <i>1.417</i>	4.000 <i>0.157</i>
# NT381C-NI-S6	1.1/2-6 UNC (38.10mm)	316 Stainless	Standard			4.233 <i>0.167</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

