

Nuts - Hexagonal - Nylon Insert - Steel

9/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 9

INFORMATION

Nylon Insert for Locking. NylocTM and other brands.


Note! Thickness (H) and A/F (A) dimensions are usually considered not critical and may vary.

If the A and H dimensions are critical for your application please consult us prior to ordering.

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Steel

| Part Number | Thread Size | Material | Type | A/F mm <i>inches</i> | H mm <i>inches</i> | Pitch mm <i>inches</i> |
|--------------|----------------------------|---------------------|----------|-------------------------|-----------------------|---------------------------|
| NT020M-NI-CS | M2x0.4 (2mm Standard) | Steel - Zinc Plated | Standard | 4.0 <i>0.157</i> | 2.3 <i>0.091</i> | 0.400 <i>0.016</i> |
| NT022C-NI-CS | 2-56 UNC (2.184mm) | Steel - Zinc Plated | Standard | 6.4 <i>0.252</i> | 3.7 <i>0.146</i> | 0.454 <i>0.018</i> |
| NT025M-NI-CS | M2.5x0.45 (2.5mm Standard) | Steel - Zinc Plated | Standard | 5.0 <i>0.197</i> | 3.5 <i>0.138</i> | 0.450 <i>0.018</i> |
| NT025C-NI-CS | 3-48 UNC (2.515mm) | Steel - Zinc Plated | Standard | 6.4 <i>0.252</i> | 3.7 <i>0.146</i> | 0.529 <i>0.021</i> |
| NT028C-NI-CS | 4-40 UNC (2.845mm) | Steel - Zinc Plated | Standard | 6.4 <i>0.252</i> | 3.7 <i>0.146</i> | 0.635 <i>0.025</i> |
| NT030M-NI-CS | M3x0.5 (3mm Standard) | Steel - Zinc Plated | Standard | 5.5 <i>0.217</i> | 4.0 <i>0.157</i> | 0.500 <i>0.020</i> |
| NT032C-NI-CS | 5-40 UNC (3.175mm) | Steel - Zinc Plated | Standard | 6.4 <i>0.252</i> | 3.7 <i>0.146</i> | 0.635 <i>0.025</i> |
| NT035C-NI-CS | 6-32 UNC (3.5mm) | Steel - Zinc Plated | Standard | 7.7 <i>0.303</i> | 4.2 <i>0.165</i> | 0.794 <i>0.031</i> |
| NT040M-NI-CS | M4x0.7 (4mm Standard) | Steel (Din 985) | Standard | 7.0 <i>0.276</i> | 5.0 <i>0.197</i> | 0.700 <i>0.028</i> |
| NT042C-NI-CS | 8-32 UNC (4.166mm) | Steel - Zinc Plated | Standard | 8.7 <i>0.343</i> | 5.9 <i>0.232</i> | 0.794 <i>0.031</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Steel

| Part Number | Thread Size | Material | Type | A/F mm <i>inches</i> | H mm <i>inches</i> | Pitch mm <i>inches</i> |
|----------------|-----------------------|----------------------|----------|-------------------------|-----------------------|---------------------------|
| NT048C-NI-CS | 10-24 UNC (4.762mm) | Steel - Zinc Plated | Standard | 9.4 <i>0.370</i> | 6.1 <i>0.240</i> | 1.058 <i>0.042</i> |
| NT048F-NI-CS | 10-32 UNF (4.762mm) | Steel - Zinc Plated | Standard | 9.4 <i>0.370</i> | 6.1 <i>0.240</i> | 0.794 <i>0.031</i> |
| NT050M-NI-CS | M5x0.8 (5mm Standard) | Steel (Din 985) | Standard | 8.0 <i>0.315</i> | 5.0 <i>0.197</i> | 0.800 <i>0.031</i> |
| # NT055C-NI-CS | 12-24 UNC (5.486mm) | Steel - Zinc Plated | Standard | 11.1 <i>0.437</i> | 7.94 <i>0.313</i> | |
| NT060M-NI-CS | M6x1 (6mm Standard) | Steel (Din 985) | Standard | 10.0 <i>0.394</i> | 6.0 <i>0.236</i> | 1.000 <i>0.039</i> |
| NT064C-NI-CS | 1/4-20 UNC (6.35mm) | Steel - Zinc Plated | Standard | 11.0 <i>0.433</i> | 7.9 <i>0.311</i> | 1.270 <i>0.050</i> |
| NT064F-NI-CZ | 1/4-28 UNF (6.35mm) | Steel (Din 985) Zinc | Standard | 11.0 <i>0.433</i> | 7.9 <i>0.311</i> | 0.907 <i>0.036</i> |
| # NT070M-NI-CS | M7x1 (7mm Standard) | Steel - Zinc Plated | Standard | 11.0 <i>0.433</i> | 7.5 <i>0.295</i> | |
| NT079C-NI-CS | 5/16-18 UNC (7.938mm) | Steel (Din 985) | Standard | 12.5 <i>0.492</i> | 8.6 <i>0.339</i> | 1.411 <i>0.056</i> |
| # NT079F-NI-CS | 5/16-24 UNF (7.938mm) | Steel (Din 985) | Standard | 12.5 <i>0.492</i> | 8.6 <i>0.339</i> | 1.058 <i>0.042</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Steel

| Part Number | Thread Size | Material | Type | A/F mm <i>inches</i> | H mm <i>inches</i> | Pitch mm <i>inches</i> |
|------------------|-------------------------|---------------------|----------|-------------------------|-----------------------|---------------------------|
| # NT080MF-NI-CS | M8x1 (8mm Fine) | Steel - Zinc Plated | Standard | 13.0 <i>0.512</i> | 8.0 <i>0.315</i> | |
| NT080M-NI-CS | M8x1.25 (8mm Standard) | Steel (Din 985) | Standard | 13.0 <i>0.512</i> | 8.0 <i>0.315</i> | 1.250 <i>0.049</i> |
| # NT095C-NI-CS | 3/8-16 UNC (9.525mm) | Steel (Din 985) | Standard | | | 1.588 <i>0.063</i> |
| # NT095F-NI-CS | 3/8-24 UNF (9.525mm) | Steel (Din 985) | Standard | | | 1.058 <i>0.042</i> |
| # NT095F-NI-CZ | 3/8-24 UNF (9.525mm) | Steel - Zinc Plated | Standard | | | |
| # NT100MEF-NI-CS | M10x1 (10mm Extra Fine) | Steel - Zinc Plated | Standard | 17.0 <i>0.669</i> | 10.0 <i>0.394</i> | |
| # NT100MF-NI-CS | M10x1.25 (10mm Fine) | Steel - Zinc Plated | Standard | 17.0 <i>0.669</i> | 10.0 <i>0.394</i> | |
| NT100M-NI-CS | M10x1.5 (10mm Standard) | Steel (Din 985) | Standard | 17.0 <i>0.669</i> | 10.0 <i>0.394</i> | 1.500 <i>0.059</i> |
| # NT111C-NI-CS | 7/16-14 UNC (11.113mm) | Steel (Din 985) | Standard | | | 1.814 <i>0.071</i> |
| # NT111F-NI-CS | 7/16-20 UNF (11.113mm) | Steel (Din 985) | Standard | | | 1.270 <i>0.050</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Steel

| Part Number | Thread Size | Material | Type | A/F mm | H mm | Pitch mm |
|------------------|----------------------------|---------------------|----------|----------------------|----------------------|-----------------------|
| | | | | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # NT120MEF-NI-CS | M12x1.25 (12mm Extra Fine) | Steel - Zinc Plated | Standard | 19.0 <i>0.748</i> | 12.0 <i>0.472</i> | |
| # NT120MF-NI-CS | M12x1.5 (12mm Fine) | Steel - Zinc Plated | Standard | 19.0 <i>0.748</i> | 12.0 <i>0.472</i> | |
| NT120M-NI-CS | M12x1.75 (12mm Standard) | Steel (Din 985) | Standard | 19.0 <i>0.748</i> | 12.0 <i>0.472</i> | 1.750 <i>0.069</i> |
| NT127C-NI-CS | 1/2-13 UNC (12.7mm) | Steel (Din 985) | Standard | | | 1.954 <i>0.077</i> |
| # NT127W-NI-CS | 1/2-12 BSW (12.7mm) | Steel (Din 985) | Standard | | | 2.117 <i>0.083</i> |
| # NT127F-NI-CS | 1/2-20 UNF (12.7mm) | Steel - Zinc Plated | Standard | | | |
| # NT140MF-NI-CS | M14x1.5 (14mm Fine) | Steel - Zinc Plated | Standard | 22.0 <i>0.866</i> | 14.0 <i>0.551</i> | |
| # NT140M-NI-CS | M14x2 (14mm Standard) | Steel (Din 985) | Standard | 22.0 <i>0.866</i> | 14.0 <i>0.551</i> | 2.000 <i>0.079</i> |
| # NT143C-NI-CS | 9/16-12 UNC (14.288mm) | Steel (Din 985) | Standard | | | 2.117 <i>0.083</i> |
| # NT143F-NI-CS | 9/16-18 UNF (14.288mm) | Steel (Din 985) | Standard | | | 1.411 <i>0.056</i> |

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 9

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Steel

| Part Number | Thread Size | Material | Type | A/F mm | H mm | Pitch mm |
|----------------|-------------------------|----------------------|----------|----------------------|----------------------|-----------------------|
| | | | | <i>inches</i> | <i>inches</i> | <i>inches</i> |
| # NT143F-NI-CZ | 9/16-18 UNF (14.288mm) | Steel - Zinc Plated | Standard | | | |
| # NT159C-NI-CZ | 5/8-11 UNC (15.875mm) | Steel - Zinc Plated | Standard | | | |
| # NT159C-NI-CS | 5/8-11 UNC (15.875mm) | Steel (Din 985) | Standard | | | 2.309 <i>0.091</i> |
| # NT159F-NI-CZ | 5/8-18 UNF (15.875mm) | Steel (Din 985) Zinc | Standard | | | 1.411 <i>0.056</i> |
| # NT160M-NI-CS | M16x2 (16mm Standard) | Steel (Din 985) | Standard | 24.0 <i>0.945</i> | 16.0 <i>0.630</i> | 2.000 <i>0.079</i> |
| # NT180M-NI-CS | M18x2.5 (18mm Standard) | Steel - Zinc Plated | Standard | 27.0 <i>1.063</i> | 18.5 <i>0.728</i> | |
| # NT191C-NI-CS | 3/4-10 UNC (19.05mm) | Steel - Zinc Plated | Standard | | | |
| # NT191F-NI-CS | 3/4-16 UNF (19.05mm) | Steel - Zinc Plated | Standard | | | |
| # NT200M-NI-CS | M20x2.5 (20mm Standard) | Steel - Zinc Plated | Standard | 30.0 <i>1.181</i> | 20.0 <i>0.787</i> | |
| # NT222C-NI-CS | 7/8-9 UNC (22.225mm) | Steel - Zinc Plated | Standard | | | |
| # NT222F-NI-CS | 7/8-14 UNF (22.225mm) | Steel - Zinc Plated | Standard | | | |
| # NT240M-NI-CS | M24x3 (24mm Standard) | Steel - Zinc Plated | Standard | 36.0 <i>1.417</i> | 24.0 <i>0.945</i> | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Nylon Insert - Steel

| Part Number | Thread Size | Material | Type | A/F mm <i>inches</i> | H mm <i>inches</i> | Pitch mm <i>inches</i> |
|----------------|------------------|---------------------|----------|-------------------------|-----------------------|---------------------------|
| # NT254C-NI-CS | 1-8 UNC (25.4mm) | Steel - Zinc Plated | Standard | | | |
| # NT254F-NI-CS | 1-14 (25.4mm) | Steel - Zinc Plated | Standard | | | |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

