



Nuts - Hexagonal - Stainless Steel

9/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

INFORMATION


UNC - UNF - BA - METRIC - BSW - Course - Fine - Extra Fine.

Note! Thickness (H) and A/F (A) dimensions are usually considered not critical and may vary.
If the A and H dimensions are critical for your application please consult us prior to ordering.

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm	Width Across Flats (A) mm	Material	Type	Pitch mm
		<i>inches</i>	<i>inches</i>			<i>inches</i>
NT010M-HX-S4	M1x0.25 (1mm Standard)	1.00 <i>0.039</i>	2.50 <i>0.098</i>	304 Stainless	Standard	0.250 <i>0.010</i>
NT015F-HX-S4	0-80 UNF (1.524mm)	1.27 <i>0.050</i>	3.97 <i>0.156</i>	304 Stainless	Standard	0.318 <i>0.013</i>
NT016M-HX-S4	M1.6x0.35 (M1.6 Standard)	1.0 <i>0.039</i>	3.2 <i>0.126</i>	304 Stainless	Standard	0.350 <i>0.014</i>
# NT016M-HX-S6	M1.6x0.35 (M1.6 Standard)	1.0 <i>0.039</i>	3.2 <i>0.126</i>	316 Stainless	Standard	0.350 <i>0.014</i>
NT017M-HX-S4	M1.7x0.35 (1.7mm)	1.30 <i>0.051</i>	3.50 <i>0.138</i>	304 Stainless	Standard	0.350 <i>0.014</i>
# NT017B-HX-S4	10BA (1.7mm)	1.3 <i>0.051</i>	3.5 <i>0.138</i>	304 Stainless	Standard	0.350 <i>0.014</i>
NT019F-HX-S4	1-72 UNF (1.854mm)	1.3 <i>0.051</i>	3.5 <i>0.138</i>	304 Stainless	Standard	0.353 <i>0.014</i>
# NT019F-HX-S6	1-72 UNF (1.854mm)	1.3 <i>0.051</i>	3.5 <i>0.138</i>	316 Stainless	Standard	0.353 <i>0.014</i>
NT020M-HX-S4	M2x0.4 (2mm Standard)	1.50 <i>0.059</i>	4.0 <i>0.157</i>	304 Stainless	Standard	0.400 <i>0.016</i>
NT020M-HX-S6	M2x0.4 (2mm Standard)	1.50 <i>0.059</i>	4.0 <i>0.157</i>	316 Stainless	Standard	0.400 <i>0.016</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm	Width Across Flats (A) mm	Material	Type	Pitch mm
		<i>inches</i>	<i>inches</i>			<i>inches</i>
NT022C-HX-S4	2-56 UNC (2.184mm)	1.68 <i>0.066</i>	4.76 <i>0.187</i>	304 Stainless	Standard	0.454 <i>0.018</i>
# NT022C-HX-S6	2-56 UNC (2.184mm)	1.68 <i>0.066</i>	4.76 <i>0.187</i>	316 Stainless	Standard	0.454 <i>0.018</i>
# NT022F-HX-S4	2-64 UNF (2.184mm)	1.68 <i>0.066</i>	4.57 <i>0.180</i>	304 Stainless	Standard	0.397 <i>0.016</i>
# NT022F-HX-S6	2-64 UNF (2.184mm)	1.68 <i>0.066</i>	4.57 <i>0.180</i>	316 Stainless	Standard	0.397 <i>0.016</i>
NT025M-HX-S4	M2.5x0.45 (2.5mm Standard)	2.00 <i>0.079</i>	5.0 <i>0.197</i>	304 Stainless	Standard	0.450 <i>0.018</i>
NT025M-HX-S6	M2.5x0.45 (2.5mm Standard)	2.00 <i>0.079</i>	5.0 <i>0.197</i>	316 Stainless	Standard	0.450 <i>0.018</i>
# NT025C-HX-S4	3-48 UNC (2.515mm)	1.6 <i>0.063</i>	4.73 <i>0.186</i>	304 Stainless	Standard	0.529 <i>0.021</i>
# NT025C-HX-S6	3-48 UNC (2.515mm)	1.6 <i>0.063</i>	4.73 <i>0.186</i>	316 Stainless	Standard	0.529 <i>0.021</i>
# NT025F-HX-S4	3-56 UNF (2.515mm)	2 <i>0.079</i>	5 <i>0.197</i>	304 Stainless	Standard	0.454 <i>0.018</i>
# NT025F-HX-S6	3-56 UNF (2.515mm)	2 <i>0.079</i>	5 <i>0.197</i>	316 Stainless	Standard	0.454 <i>0.018</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm	Width Across Flats (A) mm	Material	Type	Pitch mm
		<i>inches</i>	<i>inches</i>			<i>inches</i>
NT026M-HX-S4	M2.6x0.45 (2.6mm)	2.00 <i>0.079</i>	5.00 <i>0.197</i>	304 Stainless	Standard	0.450 <i>0.018</i>
# NT028B-HX-S4	6BA (2.794mm)	2.6 <i>0.102</i>	4.9 <i>0.193</i>	304 Stainless	Standard	0.530 <i>0.021</i>
# NT028B-HX-S6	6BA (2.794mm)	2.6 <i>0.102</i>	4.9 <i>0.193</i>	316 Stainless	Standard	0.530 <i>0.021</i>
NT028C-HX-S4	4-40 UNC (2.845mm)	2.5 <i>0.098</i>	6.35 <i>0.250</i>	304 Stainless	Standard	0.635 <i>0.025</i>
# NT028C-HX-S6	4-40 UNC (2.845mm)	2.5 <i>0.098</i>	6.35 <i>0.250</i>	316 Stainless	Standard	0.635 <i>0.025</i>
NT028F-HX-S4	4-48 UNF (2.845mm)	4.57 <i>0.180</i>	6.35 <i>0.250</i>	304 Stainless	Standard	0.529 <i>0.021</i>
# NT028F-HX-S6	4-48 UNF (2.845mm)	4.57 <i>0.180</i>	6.35 <i>0.250</i>	316 Stainless	Standard	0.529 <i>0.021</i>
NT030M-HX-S4	M3x0.5 (3mm Standard)	2.30 <i>0.091</i>	5.5 <i>0.217</i>	304 Stainless	Standard	0.500 <i>0.020</i>
NT030M-HX-S6	M3x0.5 (3mm Standard)	2.30 <i>0.091</i>	5.5 <i>0.217</i>	316 Stainless	Standard	0.500 <i>0.020</i>
NT032C-HX-S4	5-40 UNC (3.175mm)	2.7 <i>0.106</i>	5.8 <i>0.228</i>	304 Stainless	Standard	0.635 <i>0.025</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm	Width Across Flats (A) mm	Material	Type	Pitch mm
		<i>inches</i>	<i>inches</i>			<i>inches</i>
# NT032C-HX-S6	5-40 UNC (3.175mm)	2.7 <i>0.106</i>	5.8 <i>0.228</i>	316 Stainless	Standard	0.635 <i>0.025</i>
NT032W-HX-S4	1/8-40 BSW (3.175mm)	2.7 <i>0.106</i>	5.8 <i>0.228</i>	304 Stainless	Standard	0.635 <i>0.025</i>
# NT032W-HX-S6	1/8-40 BSW (3.175mm)	2.7 <i>0.106</i>	5.8 <i>0.228</i>	316 Stainless	Standard	0.635 <i>0.025</i>
NT032F-HX-S4	5-44 UNF (3.175mm)	2.7 <i>0.106</i>	5.8 <i>0.228</i>	304 Stainless	Standard	0.577 <i>0.023</i>
# NT032F-HX-S6	5-44 UNF (3.175mm)	2.7 <i>0.106</i>	5.8 <i>0.228</i>	316 Stainless	Standard	0.577 <i>0.023</i>
NT035M-HX-S4	M3.5x0.6 (3.5mm Standard)	2.80 <i>0.110</i>	6.0 <i>0.236</i>	304 Stainless	Standard	0.600 <i>0.024</i>
# NT035M-HX-S6	M3.5x0.6 (3.5mm Standard)	2.80 <i>0.110</i>	6.0 <i>0.236</i>	316 Stainless	Standard	0.600 <i>0.024</i>
NT035C-HX-S4	6-32 UNC (3.5mm)	2.7 <i>0.106</i>	8 <i>0.315</i>	304 Stainless	Standard	0.794 <i>0.031</i>
# NT035C-HX-S6	6-32 UNC (3.5mm)	2.7 <i>0.106</i>	8 <i>0.315</i>	316 Stainless	Standard	0.794 <i>0.031</i>
# NT035F-HX-S4	6-40 UNF (3.5mm)	3.18 <i>0.125</i>	7.94 <i>0.313</i>	304 Stainless	Standard	0.635 <i>0.025</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm	Width Across Flats (A) mm	Material	Type	Pitch mm
		<i>inches</i>	<i>inches</i>			<i>inches</i>
# NT035F-HX-S6	6-40 UNF (3.5mm)	3.18 <i>0.125</i>	7.94 <i>0.313</i>	316 Stainless	Standard	0.635 <i>0.025</i>
# NT039W-HX-S4	5/32-32 BSW (3.969mm)	3.2 <i>0.126</i>	7 <i>0.276</i>	304 Stainless	Standard	0.794 <i>0.031</i>
# NT039W-HX-S6	5/32-32 BSW (3.969mm)	3.2 <i>0.126</i>	7 <i>0.276</i>	316 Stainless	Standard	0.794 <i>0.031</i>
NT040M-HX-S4	M4x0.7 (4mm Standard)	3.20 <i>0.126</i>	7.0 <i>0.276</i>	304 Stainless	Standard	0.700 <i>0.028</i>
# NT040M-HX-S6	M4x0.7 (4mm Standard)	3.20 <i>0.126</i>	7.0 <i>0.276</i>	316 Stainless	Standard	0.700 <i>0.028</i>
NT042C-HX-S4	8-32 UNC (4.166mm)	3.3 <i>0.130</i>	8.73 <i>0.344</i>	304 Stainless	Standard	0.794 <i>0.031</i>
NT042C-HX-S6	8-32 UNC (4.166mm)	3.3 <i>0.130</i>	8.73 <i>0.344</i>	316 Stainless	Standard	0.794 <i>0.031</i>
NT042F-HX-S4	8-36 UNF (4.166mm)	3.1 <i>0.122</i>	8.6 <i>0.339</i>	304 Stainless	Standard	0.706 <i>0.028</i>
# NT042F-HX-S6	8-36 UNF (4.166mm)	3.1 <i>0.122</i>	8.6 <i>0.339</i>	316 Stainless	Standard	0.706 <i>0.028</i>
NT047B-HX-S4	2BA (4.7mm)	4.1 <i>0.161</i>	8.2 <i>0.323</i>	304 Stainless	Standard	0.812 <i>0.032</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 8 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# NT047B-HX-S6	2BA (4.7mm)	4.1 <i>0.161</i>	8.2 <i>0.323</i>	316 Stainless	Standard	0.812 <i>0.032</i>
# NT048C-HX-S4	10-24 UNC (4.762mm)	6.35 <i>0.250</i>	9.3 <i>0.366</i>	304 Stainless	Standard	1.058 <i>0.042</i>
# NT048C-LHX-S4	10-24 UNC (4.762mm) Left Hand	6.35 <i>0.250</i>	9.27 <i>0.365</i>	304 Stainless	Left Hand	1.058 <i>0.042</i>
# NT048C-HX-S6	10-24 UNC (4.762mm)	6.35 <i>0.250</i>	9.3 <i>0.366</i>	316 Stainless	Standard	1.058 <i>0.042</i>
# NT048C-LHX-S6	10-24 UNC (4.762mm) Left Hand	6.35 <i>0.250</i>	9.27 <i>0.365</i>	316 Stainless	Left Hand	1.058 <i>0.042</i>
NT048W-HX-S4	3/16-24 BSW (4.762mm)	4 <i>0.157</i>	8 <i>0.315</i>	304 Stainless	Standard	1.058 <i>0.042</i>
# NT048W-HX-S6	3/16-24 BSW (4.762mm)	4 <i>0.157</i>	8 <i>0.315</i>	316 Stainless	Standard	1.058 <i>0.042</i>
NT048F-HX-S4	10-32 UNF (4.762mm)	3.3 <i>0.130</i>	9.3 <i>0.366</i>	304 Stainless	Standard	0.794 <i>0.031</i>
NT048F-HX-S6	10-32 UNF (4.762mm)	3.3 <i>0.130</i>	9.3 <i>0.366</i>	316 Stainless	Standard	0.794 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# NT050M-LHX-S4	M5x0.8 (5mm Standard) Left Hand	4.00 <i>0.157</i>	8.0 <i>0.315</i>	304 Stainless	Standard	0.800 <i>0.031</i>
NT050M-HX-S4	M5x0.8 (5mm Standard)	4.00 <i>0.157</i>	8.0 <i>0.315</i>	304 Stainless	Standard	0.800 <i>0.031</i>
NT050M-HX-S6	M5x0.8 (5mm Standard)	4.00 <i>0.157</i>	8.0 <i>0.315</i>	316 Stainless	Standard	0.800 <i>0.031</i>
NT055C-HX-S4	12-24 UNC (5.486mm)	4.1 <i>0.161</i>	11.1 <i>0.437</i>	304 Stainless	Standard	1.058 <i>0.042</i>
NT060M-HX-S4	M6x1 (6mm Standard)	5.00 <i>0.197</i>	10.0 <i>0.394</i>	304 Stainless	Standard	1.000 <i>0.039</i>
# NT060M-LHX-S4	M6x1 (6mm Standard) Left Hand	5.00 <i>0.197</i>	10.0 <i>0.394</i>	304 Stainless	Standard	1.000 <i>0.039</i>
NT060M-HX-S6	M6x1 (6mm Standard)	5.00 <i>0.197</i>	10.0 <i>0.394</i>	316 Stainless	Standard	1.000 <i>0.039</i>
# NT0600B-HX-S4	0BA (6mm)	5.00 <i>0.197</i>	10.00 <i>0.394</i>	304 Stainless	Standard	1.000 <i>0.039</i>
# NT0600B-HX-S6	0BA (6mm)	5.00 <i>0.197</i>	10.00 <i>0.394</i>	316 Stainless	Standard	1.000 <i>0.039</i>
# NT064C-HX-S18	1/4-20 UNC (6.35mm)	11.100 <i>0.437</i>	5.556 <i>0.219</i>	18-8 Stainless	Standard	1.270 <i>0.050</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 10 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm	Width Across Flats (A) mm	Material	Type	Pitch mm
		<i>inches</i>	<i>inches</i>			<i>inches</i>
# NT064C-LHX-S4	1/4-20 UNC (6.35mm) Left Hand	4.9 <i>0.193</i>	11.11 <i>0.437</i>	304 Stainless	Left Hand	1.270 <i>0.050</i>
NT064C-HX-S4	1/4-20 UNC (6.35mm)	4.9 <i>0.193</i>	11.11 <i>0.437</i>	304 Stainless	Standard	1.270 <i>0.050</i>
# NT064C-LHX-S6	1/4-20 UNC (6.35mm) Left Hand	4.9 <i>0.193</i>	11.11 <i>0.437</i>	316 Stainless	Left Hand	1.270 <i>0.050</i>
# NT064C-HX-S6	1/4-20 UNC (6.35mm)	4.9 <i>0.193</i>	11.11 <i>0.437</i>	316 Stainless	Standard	1.270 <i>0.050</i>
# NT064W-HX-S4	1/4-20 BSW (6.35mm)	4.9 <i>0.193</i>	11.11 <i>0.437</i>	304 Stainless	Standard	1.270 <i>0.050</i>
# NT064W-HX-S6	1/4-20 BSW (6.35mm)	4.9 <i>0.193</i>	11.11 <i>0.437</i>	316 Stainless	Standard	1.270 <i>0.050</i>
NT064F-HX-S4	1/4-28 UNF (6.35mm)	4.9 <i>0.193</i>	11.11 <i>0.437</i>	304 Stainless	Standard	0.907 <i>0.036</i>
# NT064F-HX-S6	1/4-28 UNF (6.35mm)	4.9 <i>0.193</i>	11.11 <i>0.437</i>	316 Stainless	Standard	0.907 <i>0.036</i>
# NT070M-HX-S4	M7x1 (7mm Standard)	6.50 <i>0.256</i>	13.0 <i>0.512</i>	304 Stainless	Standard	1.250 <i>0.049</i>
# NT070M-HX-S6	M7x1 (7mm Standard)	6.50 <i>0.256</i>	13.0 <i>0.512</i>	316 Stainless	Standard	1.250 <i>0.049</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 11 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm	Width Across Flats (A) mm	Material	Type	Pitch mm
		<i>inches</i>	<i>inches</i>			<i>inches</i>
# NT079C-HX-S18	5/16-18 UNC (7.938mm)	12.700 <i>0.500</i>	6.747 <i>0.266</i>	18-8 Stainless	Standard	1.411 <i>0.056</i>
# NT079C-LHX-S4	5/16-18 UNC (7.938mm) Left Hand	6.75 <i>0.266</i>	12.7 <i>0.500</i>	304 Stainless	Left Hand	1.411 <i>0.056</i>
NT079C-HX-S4	5/16-18 UNC (7.938mm)	6.75 <i>0.266</i>	12.7 <i>0.500</i>	304 Stainless	Standard	1.411 <i>0.056</i>
# NT079C-LHX-S6	5/16-18 UNC (7.938mm) Left Hand	6.75 <i>0.266</i>	12.7 <i>0.500</i>	316 Stainless	Left Hand	1.411 <i>0.056</i>
NT079C-HX-S6	5/16-18 UNC (7.938mm)	6.75 <i>0.266</i>	12.7 <i>0.500</i>	316 Stainless	Standard	1.411 <i>0.056</i>
# NT079W-HX-S4	5/16-18 BSW (7.938mm)	6.75 <i>0.266</i>	12.7 <i>0.500</i>	304 Stainless	Standard	1.411 <i>0.056</i>
# NT079W-HX-S6	5/16-18 BSW (7.938mm)	6.75 <i>0.266</i>	12.7 <i>0.500</i>	316 Stainless	Standard	1.411 <i>0.056</i>
NT079F-HX-S4	5/16-24 UNF (7.938mm)	6.75 <i>0.266</i>	12.7 <i>0.500</i>	304 Stainless	Standard	1.058 <i>0.042</i>
# NT079F-HX-S6	5/16-24 UNF (7.938mm)	6.75 <i>0.266</i>	12.7 <i>0.500</i>	316 Stainless	Standard	1.058 <i>0.042</i>
NT080MEF-HX-S6	M8x0.75 (8mm Extra Fine)	6.50 <i>0.256</i>	13.0 <i>0.512</i>	316 Stainless	Standard	0.750 <i>0.030</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 12 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm	Width Across Flats (A) mm	Material	Type	Pitch mm
		<i>inches</i>	<i>inches</i>			<i>inches</i>
NT080MF-HX-S6	M8x1 (8mm Fine)	6.50 <i>0.256</i>	13.0 <i>0.512</i>	316 Stainless	Standard	1.000 <i>0.039</i>
NT080M-HX-S4	M8x1.25 (8mm Standard)	6.50 <i>0.256</i>	13.0 <i>0.512</i>	304 Stainless	Standard	1.250 <i>0.049</i>
# NT080M-LHX-S4	M8x1.25 (8mm Standard) Left Hand	6.50 <i>0.256</i>	13.0 <i>0.512</i>	304 Stainless	Standard	1.250 <i>0.049</i>
NT080M-HX-S6	M8x1.25 (8mm Standard)	6.50 <i>0.256</i>	13.0 <i>0.512</i>	316 Stainless	Standard	1.250 <i>0.049</i>
# NT095C-HX-S18	3/8-16 UNC (9.525mm)	14.275 <i>0.562</i>	8.334 <i>0.328</i>	18-8 Stainless	Standard	1.588 <i>0.063</i>
# NT095C-HX-S4	3/8-16 UNC (9.525mm)	7.6 <i>0.299</i>	15 <i>0.591</i>	304 Stainless	Standard	1.588 <i>0.063</i>
# NT095C-HX-S6	3/8-16 UNC (9.525mm)	7.6 <i>0.299</i>	15 <i>0.591</i>	316 Stainless	Standard	1.588 <i>0.063</i>
# NT095W-HX-S4	3/8-16 BSW (9.525mm)	7.6 <i>0.299</i>	15 <i>0.591</i>	304 Stainless	Standard	1.588 <i>0.063</i>
# NT095W-HX-S6	3/8-16 BSW (9.525mm)	7.6 <i>0.299</i>	15 <i>0.591</i>	316 Stainless	Standard	1.588 <i>0.063</i>
# NT095F-HX-S4	3/8-24 UNF (9.525mm)	7.6 <i>0.299</i>	15 <i>0.591</i>	304 Stainless	Standard	1.058 <i>0.042</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 13 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# NT095F-HX-S6	3/8-24 UNF (9.525mm)	7.6 <i>0.299</i>	15 <i>0.591</i>	316 Stainless	Standard	1.058 <i>0.042</i>
# NT100MEF-HX-S6	M10x1 (10mm Extra Fine)	8.00 <i>0.315</i>	17.0 <i>0.669</i>	316 Stainless	Standard	1.000 <i>0.039</i>
# NT100MF-HX-S6	M10x1.25 (10mm Fine)	8.00 <i>0.315</i>	17.0 <i>0.669</i>	316 Stainless	Standard	1.250 <i>0.049</i>
NT100M-HX-S4	M10x1.5 (10mm Standard)	8.0 <i>0.315</i>	17.0 <i>0.669</i>	304 Stainless	Standard	1.500 <i>0.059</i>
# NT100M-LHX-S4	M10x1.5 (10mm) Left Hand	8.0 <i>0.315</i>	17.0 <i>0.669</i>	304 Stainless	Standard	1.500 <i>0.059</i>
# NT100M-HX-S6	M10x1.5 (10mm Standard)	8.0 <i>0.315</i>	17.0 <i>0.669</i>	316 Stainless	Standard	1.500 <i>0.059</i>
# NT111C-HX-S18	7/16-14 UNC (11.113mm)	26.975 <i>1.062</i>	9.525 <i>0.375</i>	18-8 Stainless	Standard	1.814 <i>0.071</i>
# NT111C-HX-S4	7/16-14 UNC (11.113mm)	9.5 <i>0.374</i>	17 <i>0.669</i>	304 Stainless	Standard	1.814 <i>0.071</i>
# NT111C-HX-S6	7/16-14 UNC (11.113mm)	9.5 <i>0.374</i>	17 <i>0.669</i>	316 Stainless	Standard	1.814 <i>0.071</i>
NT111F-HX-S4	7/16-20 UNF (11.113mm)	9.5 <i>0.374</i>	17 <i>0.669</i>	304 Stainless	Standard	1.270 <i>0.050</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 14 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm	Width Across Flats (A) mm	Material	Type	Pitch mm
		<i>inches</i>	<i>inches</i>			<i>inches</i>
# NT111F-HX-S6	7/16-20 UNF (11.113mm)	9.5 <i>0.374</i>	17 <i>0.669</i>	316 Stainless	Standard	1.270 <i>0.050</i>
# NT120MEF-HX-S4	M12x1.25 (12mm Extra Fine)	10.60 <i>0.417</i>	19.0 <i>0.748</i>	304 Stainless	Standard	1.250 <i>0.049</i>
# NT120MEF-HX-S6	M12x1.25 (12mm Extra Fine)	10.00 <i>0.394</i>	19.0 <i>0.748</i>	316 Stainless	Standard	1.250 <i>0.049</i>
# NT120MF-HX-S6	M12x1.5 (12mm Fine)	10.00 <i>0.394</i>	19.0 <i>0.748</i>	316 Stainless	Standard	1.500 <i>0.059</i>
# NT120M-H18X-S4	M12x1.75 (12mm Standard)	10.60 <i>0.417</i>	18.0 <i>0.709</i>	304 Stainless	Standard	1.750 <i>0.069</i>
NT120M-HX-S4	M12x1.75 (12mm Standard)	10.60 <i>0.417</i>	19.0 <i>0.748</i>	304 Stainless	Standard	1.750 <i>0.069</i>
# NT120M-LHX-S4	M12x1.75 (12mm Standard) Left Hand	10.60 <i>0.417</i>	19.0 <i>0.748</i>	304 Stainless	Standard	1.750 <i>0.069</i>
# NT120M-HX-S6	M12x1.75 (12mm Standard)	10.60 <i>0.417</i>	19.0 <i>0.748</i>	316 Stainless	Standard	1.750 <i>0.069</i>
# NT127C-HX-S18	1/2-13 UNC (12.7mm)	19.050 <i>0.750</i>	11.113 <i>0.438</i>	18-8 Stainless	Standard	1.954 <i>0.077</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 15 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm	Width Across Flats (A) mm	Material	Type	Pitch mm
		<i>inches</i>	<i>inches</i>			<i>inches</i>
NT127C-HX-S4	1/2-13 UNC (12.7mm)	11 <i>0.433</i>	21 <i>0.827</i>	304 Stainless	Standard	1.954 <i>0.077</i>
# NT127C-HX-S6	1/2-13 UNC (12.7mm)	11 <i>0.433</i>	21 <i>0.827</i>	316 Stainless	Standard	1.954 <i>0.077</i>
# NT127W-HX-S4	1/2-12 BSW (12.7mm)	11 <i>0.433</i>	21 <i>0.827</i>	304 Stainless	Standard	2.117 <i>0.083</i>
# NT127W-HX-S6	1/2-12 BSW (12.7mm)	11 <i>0.433</i>	21 <i>0.827</i>	316 Stainless	Standard	2.117 <i>0.083</i>
NT127F-HX-S4	1/2-20 UNF (12.7mm)	11 <i>0.433</i>	21 <i>0.827</i>	304 Stainless	Standard	1.270 <i>0.050</i>
# NT127F-HX-S6	1/2-20 UNF (12.7mm)	11 <i>0.433</i>	21 <i>0.827</i>	316 Stainless	Standard	1.270 <i>0.050</i>
NT140M-HX-S4	M14x2 (14mm Standard)	11.00 <i>0.433</i>	22.0 <i>0.866</i>	304 Stainless	Standard	2.000 <i>0.079</i>
# NT140M-HX-S6	M14x2 (14mm Standard)	11.00 <i>0.433</i>	22.0 <i>0.866</i>	316 Stainless	Standard	2.000 <i>0.079</i>
# NT143C-HX-S4	9/16-12 UNC (14.288mm)	11 <i>0.433</i>	22 <i>0.866</i>	304 Stainless	Standard	2.117 <i>0.083</i>
# NT143C-HX-S6	9/16-12 UNC (14.288mm)	11 <i>0.433</i>	22 <i>0.866</i>	316 Stainless	Standard	2.117 <i>0.083</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 16 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# NT159C-HX-S18	5/8-11 UNC (15.875mm)	33.325 <i>1.312</i>	13.891 <i>0.547</i>	18-8 Stainless	Standard	2.309 <i>0.091</i>
NT159C-HX-S4	5/8-11 UNC (15.875mm)	13.89 <i>0.547</i>	23.81 <i>0.937</i>	304 Stainless	Standard	2.309 <i>0.091</i>
# NT159C-HX-S6	5/8-11 UNC (15.875mm)	13.89 <i>0.547</i>	23.81 <i>0.937</i>	316 Stainless	Standard	2.309 <i>0.091</i>
# NT159W-HX-S4	5/8-11 BSW (15.875mm)	13.89 <i>0.547</i>	23.81 <i>0.937</i>	304 Stainless	Standard	2.309 <i>0.091</i>
# NT159W-HX-S6	5/8-11 BSW (15.875mm)	13.89 <i>0.547</i>	23.81 <i>0.937</i>	316 Stainless	Standard	2.309 <i>0.091</i>
# NT159F-HX-S4	5/8-18 UNF (15.875mm)	13.89 <i>0.547</i>	23.81 <i>0.937</i>	304 Stainless	Standard	1.411 <i>0.056</i>
# NT159F-HX-S6	5/8-18 UNF (15.875mm)	13.89 <i>0.547</i>	23.81 <i>0.937</i>	316 Stainless	Standard	1.411 <i>0.056</i>
# NT160MEF-HX-S6	M16x1.5 (16mm Extra Fine)	13.00 <i>0.512</i>	24.0 <i>0.945</i>	316 Stainless	Standard	1.500 <i>0.059</i>
# NT160MF-HX-S6	M16x1.75 (16mm Fine)	13.00 <i>0.512</i>	24.0 <i>0.945</i>	316 Stainless	Standard	1.750 <i>0.069</i>
# NT160M-HX-S4	M16x2 (16mm Standard)	13.00 <i>0.512</i>	24.0 <i>0.945</i>	304 Stainless	Standard	2.000 <i>0.079</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 17 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm	Width Across Flats (A) mm	Material	Type	Pitch mm
		<i>inches</i>	<i>inches</i>			<i>inches</i>
# NT160M-LHX-S4	M16x2 (16mm Standard) Left Hand	13.00 <i>0.512</i>	24.0 <i>0.945</i>	304 Stainless	Standard	2.000 <i>0.079</i>
# NT160M-HX-S6	M16x2 (16mm Standard)	13.00 <i>0.512</i>	24.0 <i>0.945</i>	316 Stainless	Standard	2.000 <i>0.079</i>
# NT180M-HX-S4	M18x2.5 (18mm Standard)	15.00 <i>0.591</i>	27.0 <i>1.063</i>	304 Stainless	Standard	2.500 <i>0.098</i>
# NT180M-HX-S6	M18x2.5 (18mm Standard)	15.00 <i>0.591</i>	27.0 <i>1.063</i>	316 Stainless	Standard	2.500 <i>0.098</i>
# NT191C-HX-S18	3/4-10 UNC (19.05mm)	28.575 <i>1.125</i>	16.272 <i>0.641</i>	18-8 Stainless	Standard	2.540 <i>0.100</i>
NT191C-HX-S4	3/4-10 UNC (19.05mm)	16.27 <i>0.641</i>	28.58 <i>1.125</i>	304 Stainless	Standard	2.540 <i>0.100</i>
# NT191W-HX-S4	3/4-10 BSW (19.05mm)	16.27 <i>0.641</i>	28.58 <i>1.125</i>	304 Stainless	Standard	2.540 <i>0.100</i>
NT191F-HX-S4	3/4-16 UNF (19.05mm)	16.27 <i>0.641</i>	28.58 <i>1.125</i>	304 Stainless	Standard	1.588 <i>0.063</i>
# NT200MF-HX-S6	M20x2 (20mm Fine)	16.00 <i>0.630</i>	30.0 <i>1.181</i>	316 Stainless	Standard	2.000 <i>0.079</i>
# NT200M-HX-S4	M20x2.5 (20mm Standard)	16.00 <i>0.630</i>	30.0 <i>1.181</i>	304 Stainless	Standard	2.500 <i>0.098</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 18 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm	Width Across Flats (A) mm	Material	Type	Pitch mm
		<i>inches</i>	<i>inches</i>			<i>inches</i>
# NT200M-LHX-S4	M20x2.5 (20mm Standard) Left Hand	16.00 <i>0.630</i>	30.0 <i>1.181</i>	304 Stainless	Standard	2.500 <i>0.098</i>
# NT200MEF-HX-S6	M20x1.5 (20mm Extra Fine)	16.00 <i>0.630</i>	30.0 <i>1.181</i>	316 Stainless	Standard	1.500 <i>0.059</i>
# NT200M-HX-S6	M20x2.5 (20mm Standard)	16.00 <i>0.630</i>	30.0 <i>1.181</i>	316 Stainless	Standard	2.500 <i>0.098</i>
# NT220M-HX-S4	M22x2.5 (22mm Standard)	18.00 <i>0.709</i>	34.0 <i>1.339</i>	304 Stainless	Standard	2.500 <i>0.098</i>
# NT220M-HX-S6	M22x2.5 (22mm Standard)	18.00 <i>0.709</i>	34.0 <i>1.339</i>	316 Stainless	Standard	2.500 <i>0.098</i>
# NT222C-HX-S4	7/8-9 UNC (22.225mm)	19.05 <i>0.750</i>	33.34 <i>1.313</i>	304 Stainless	Standard	2.822 <i>0.111</i>
# NT222C-HX-S6	7/8-9 UNC (22.225mm)	19.05 <i>0.750</i>	33.34 <i>1.313</i>	316 Stainless	Standard	2.822 <i>0.111</i>
# NT222W-HX-S4	7/8-9 BSW (22.225mm)	19.05 <i>0.750</i>	33.34 <i>1.313</i>	304 Stainless	Standard	2.822 <i>0.111</i>
# NT222F-HX-S4	7/8-14 UNF (22.225mm)	19.05 <i>0.750</i>	33.34 <i>1.313</i>	304 Stainless	Standard	1.814 <i>0.071</i>
# NT222F-HX-S6	7/8-14 UNF (22.225mm)	19.05 <i>0.750</i>	33.34 <i>1.313</i>	316 Stainless	Standard	1.814 <i>0.071</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 19 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# NT240M-HX-S4	M24x3 (24mm Standard)	19.00 <i>0.748</i>	36.0 <i>1.417</i>	304 Stainless	Standard	3.000 <i>0.118</i>
# NT240M-LHX-S4	M24x3 (24mm Standard) Left Hand	19.00 <i>0.748</i>	36.0 <i>1.417</i>	304 Stainless	Standard	3.000 <i>0.118</i>
# NT240M-HX-S6	M24x3 (24mm Standard)	19.00 <i>0.748</i>	36.0 <i>1.417</i>	316 Stainless	Standard	3.000 <i>0.118</i>
# NT254C-HX-S4	1-8 UNC (25.4mm)	21.83 <i>0.859</i>	38.1 <i>1.500</i>	304 Stainless	Standard	3.175 <i>0.125</i>
# NT254C-HX-S6	1-8 UNC (25.4mm)	21.83 <i>0.859</i>	38.1 <i>1.500</i>	316 Stainless	Standard	3.175 <i>0.125</i>
# NT254W-HX-S4	1-8 BSW (25.4mm)	21.83 <i>0.859</i>	38.1 <i>1.500</i>	304 Stainless	Standard	3.175 <i>0.125</i>
# NT254F-HX-S4	1-12 UNF (25.4mm)	21.83 <i>0.859</i>	38.1 <i>1.500</i>	304 Stainless	Standard	2.117 <i>0.083</i>
# NT254F-HX-S6	1-12 UNF (25.4mm)	21.83 <i>0.859</i>	38.1 <i>1.500</i>	316 Stainless	Standard	2.117 <i>0.083</i>
# NT270M-HX-S4	M27x3 (27mm Standard)	22.00 <i>0.866</i>	41.0 <i>1.614</i>	304 Stainless	Standard	3.000 <i>0.118</i>
# NT270M-HX-S6	M27x3 (27mm Standard)	22.0 <i>0.866</i>	41.0 <i>1.614</i>	316 Stainless	Standard	3.000 <i>0.118</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 20 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm	Width Across Flats (A) mm	Material	Type	Pitch mm
		<i>inches</i>	<i>inches</i>			<i>inches</i>
# NT286C-HX-S4	1.1/8-7 UNC (28.575mm)	24.6 <i>0.969</i>	42.86 <i>1.687</i>	304 Stainless	Standard	3.629 <i>0.143</i>
# NT286C-HX-S6	1.1/8-7 UNC (28.575mm)	24.6 <i>0.969</i>	42.86 <i>1.687</i>	316 Stainless	Standard	3.629 <i>0.143</i>
# NT286W-HX-S4	1.1/8-7 BSW (28.575mm)	24.6 <i>0.969</i>	42.86 <i>1.687</i>	304 Stainless	Standard	3.629 <i>0.143</i>
NT300M-HX-S4	M30x3.5 (30mm Standard)	24.00 <i>0.945</i>	46.0 <i>1.811</i>	304 Stainless	Standard	3.500 <i>0.138</i>
# NT300M-HX-S6	M30x3.5 (30mm Standard)	24.00 <i>0.945</i>	46.0 <i>18.110</i>	316 Stainless	Standard	3.500 <i>0.138</i>
# NT317C-HX-S4	1.1/4-7 UNC (31.75mm)	29.63 <i>1.167</i>	47.63 <i>1.875</i>	304 Stainless	Standard	3.629 <i>0.143</i>
# NT317C-HX-S6	1.1/4-7 UNC (31.75mm)	29.63 <i>1.167</i>	47.63 <i>1.875</i>	316 Stainless	Standard	3.629 <i>0.143</i>
# NT330M-HX-S4	M33x3.5 (33mm Standard)	26.00 <i>1.024</i>	50.0 <i>1.969</i>	304 Stainless	Standard	3.500 <i>0.138</i>
# NT330M-HX-S6	M33x3.5 (33mm Standard)	26.00 <i>1.024</i>	50.0 <i>1.969</i>	316 Stainless	Standard	3.500 <i>0.138</i>
# NT360M-HX-S4	M36x4 (36mm Standard)	29.00 <i>1.142</i>	55.0 <i>2.165</i>	304 Stainless	Standard	4.000 <i>0.157</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 21 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm <i>inches</i>	Width Across Flats (A) mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# NT360M-HX-S6	M36x4 (36mm Standard)	29.00 <i>1.142</i>	55.0 <i>2.165</i>	316 Stainless	Standard	4.000 <i>0.157</i>
# NT381C-HX-S4	1.1/2-6 UNC (38.10mm)	32.54 <i>1.281</i>	57.15 <i>2.250</i>	304 Stainless	Standard	4.233 <i>0.167</i>
# NT381C-HX-S6	1.1/2-6 UNC (38.10mm)	32.54 <i>1.281</i>	57.15 <i>2.250</i>	316 Stainless	Standard	4.233 <i>0.167</i>
# NT390M-HX-S4	M39x4 (39mm Standard)	31.00 <i>1.220</i>	60.0 <i>2.362</i>	304 Stainless	Standard	4.000 <i>0.157</i>
# NT390M-HX-S6	M39x4 (39mm Standard)	31.00 <i>1.220</i>	60.0 <i>2.362</i>	316 Stainless	Standard	4.000 <i>0.157</i>
# NT420M-HX-S4	M42x4.5 (42mm Standard)	34.00 <i>1.339</i>	65.0 <i>2.559</i>	304 Stainless	Standard	4.500 <i>0.177</i>
# NT420M-HX-S6	M42x4.5 (42mm Standard)	34.0 <i>1.339</i>	65.0 <i>2.559</i>	316 Stainless	Standard	4.500 <i>0.177</i>
# NT450MEF-HX-S4	M45x1.5 (45mm Extra Fine)	36.00 <i>1.417</i>	70.0 <i>2.756</i>	304 Stainless	Standard	4.500 <i>0.177</i>
# NT480M-HX-S4	M48x5 (48mm Standard)	38.00 <i>1.496</i>	75.0 <i>2.953</i>	304 Stainless	Standard	5.000 <i>0.197</i>
# NT480M-HX-S6	M48x5 (48mm Standard)	38.00 <i>1.496</i>	75.0 <i>2.953</i>	316 Stainless	Standard	5.000 <i>0.197</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 22 of 23

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Nuts - Hexagonal - Stainless Steel

Part Number	Thread Size	Thickness (H) mm	Width Across Flats (A) mm	Material	Type	Pitch mm
		<i>inches</i>	<i>inches</i>			<i>inches</i>
# NT508C-HX-S6	2-4.1/2 UNC (50.80mm)	43.65 <i>1.719</i>	76.2 <i>3.000</i>	316 Stainless	Standard	5.640 <i>0.222</i>
# NT520M-HX-S4	M52x5 (52mm)	42.00 <i>1.654</i>	80.0 <i>3.150</i>	304 Stainless	Standard	5.000 <i>0.197</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

