



O-Rings - Quattro

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

INFORMATION

Quadrings or quattrorings reduce the amount of squeeze needed for positive seal, reducing friction and extending seal life.

Temperature Range: -30^oC to +90^oC.

Nitrile: Excellent resistance to mineral oil based fluids, hydrocarbon fuels, greases and water.

Not suitable for aromatic hydrocarbons, chlorinated hydrocarbons, brake fluid and some fire resistant hydraulic fluids.

Also known as quad rings

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

O-Rings - Quattro

Part Number	Inside Diameter (I.D.) mm <i>inches</i>	Section (t) mm <i>inches</i>	Material	Hardness
# QR011RS	7.938 <i>0.313</i>	1.588 <i>0.063</i>	Nitrile	70
# QR016RS	15.875 <i>0.625</i>	1.588 <i>0.063</i>	Nitrile	70
# QR211RS	20.638 <i>0.813</i>	3.175 <i>0.125</i>	Nitrile	70
# QR218RS	31.750 <i>1.250</i>	3.175 <i>0.125</i>	Nitrile	70

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

