



Pins - Ball Lock - Flanged Receptacles

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

INFORMATION

Provide a permanent and proper mating hole for commercial and industrial type quick release ball lock pins. Also called detent pins.

Designed to be used on materials or in applications where the pin does not have anything to lock against.

Pin does not protrude past the bottom of the receptacle so they are ideal for blind hole applications.

303 Stainless Steel

Mounted with screws, rivets or bolts.

The quick release ball lock pins are inserted from the flanged end, and the ball extends into the wider opening at the top of the receptacle.

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Ball Lock - Flanged Receptacles

Part Number	Fits Pin Diameter mm <i>inches</i>	Style	Height (A) mm <i>inches</i>	Tube Diameter (B) mm <i>inches</i>	Flange Thickness (C) mm <i>inches</i>	Bolt Hole Spacing (D) mm <i>inches</i>	Flange Width (E) mm <i>inches</i>	Thread Size (F) mm <i>inches</i>
# BLP-064-A-REC-C	6.35 <i>0.250</i>	A	16.51 <i>0.650</i>	9.53 <i>0.375</i>	1.52 <i>0.060</i>	25.40 <i>1.000</i>	15.88 <i>0.625</i>	11841 <i>466.181</i>
BLP-064-B-REC-C	6.35 <i>0.250</i>	B	16.51 <i>0.650</i>	9.53 <i>0.375</i>	1.52 <i>0.060</i>	25.40 <i>1.000</i>	15.88 <i>0.625</i>	11841 <i>466.181</i>
# BLP-064-C-REC-C	6.35 <i>0.250</i>	C	16.51 <i>0.650</i>	9.53 <i>0.375</i>	1.52 <i>0.060</i>	25.40 <i>1.000</i>	15.88 <i>0.625</i>	11841 <i>466.181</i>
# BLP-064-D-REC-C	6.35 <i>0.250</i>	D	16.51 <i>0.650</i>	9.53 <i>0.375</i>	1.52 <i>0.060</i>	25.40 <i>1.000</i>		11841 <i>466.181</i>
# BLP-079-A-REC-C	7.94 <i>0.313</i>	A	19.89 <i>0.783</i>	11.91 <i>0.469</i>	1.52 <i>0.060</i>	25.40 <i>1.000</i>	15.88 <i>0.625</i>	11841 <i>466.181</i>
# BLP-079-B-REC-C	7.94 <i>0.313</i>	B	19.89 <i>0.783</i>	11.91 <i>0.469</i>	1.52 <i>0.060</i>	25.40 <i>1.000</i>	15.88 <i>0.625</i>	11841 <i>466.181</i>
# BLP-079-C-REC-C	7.94 <i>0.313</i>	C	19.89 <i>0.783</i>	11.91 <i>0.469</i>	1.52 <i>0.060</i>	25.40 <i>1.000</i>	15.88 <i>0.625</i>	11841 <i>466.181</i>
# BLP-079-D-REC-C	7.94 <i>0.313</i>	D	19.89 <i>0.783</i>	11.91 <i>0.469</i>	1.52 <i>0.060</i>	25.40 <i>1.000</i>		11841 <i>466.181</i>
# BLP-095-A-REC-C	9.53 <i>0.375</i>	A	23.19 <i>0.913</i>	14.28 <i>0.562</i>	1.52 <i>0.060</i>	25.40 <i>1.000</i>	15.88 <i>0.625</i>	11841 <i>466.181</i>
BLP-095-B-REC-C	9.53 <i>0.375</i>	B	23.19 <i>0.913</i>	14.28 <i>0.562</i>	1.52 <i>0.060</i>	25.40 <i>1.000</i>	15.88 <i>0.625</i>	11841 <i>466.181</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 5

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Ball Lock - Flanged Receptacles

Part Number	Fits Pin Diameter mm	Style	Height (A) mm	Tube Diameter (B) mm	Flange Thickness (C) mm	Bolt Hole Spacing (D) mm	Flange Width (E) mm	Thread Size (F) mm
	<i>inches</i>		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
# BLP-095-C-REC-C	9.53 <i>0.375</i>	C	23.19 <i>0.913</i>	14.28 <i>0.562</i>	1.52 <i>0.060</i>	25.40 <i>1.000</i>	15.88 <i>0.625</i>	11841 <i>466.181</i>
# BLP-095-D-REC-C	9.53 <i>0.375</i>	D	23.19 <i>0.913</i>	14.28 <i>0.562</i>	1.52 <i>0.060</i>	25.40 <i>1.000</i>		11841 <i>466.181</i>
# BLP-127-A-REC-C	12.70 <i>0.500</i>	A	30.35 <i>1.195</i>	19.05 <i>0.750</i>	2.54 <i>0.100</i>	28.58 <i>1.125</i>	22.23 <i>0.875</i>	11963 <i>470.984</i>
# BLP-127-C-REC-C	12.70 <i>0.500</i>	C	30.35 <i>1.195</i>	19.05 <i>0.750</i>	2.54 <i>0.100</i>	28.58 <i>1.125</i>	22.23 <i>0.875</i>	11963 <i>470.984</i>
# BLP-127-D-REC-C	12.70 <i>0.500</i>	D	30.35 <i>1.195</i>	19.05 <i>0.750</i>	2.54 <i>0.100</i>	28.58 <i>1.125</i>		11963 <i>470.984</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 5

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

