



Pins - Coiled - Stainless Steel - Standard Duty

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 31


INFORMATION

Spirol Pins. Coiled roll pin.

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
PSP-008-003-S2	0.79 <i>0.031</i>	3.18 <i>0.125</i>	0.79 - 0.81	0.85 - 0.91	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-008-003-S420	0.79 <i>0.031</i>	3.18 <i>0.125</i>	0.79 - 0.81	0.84 - 0.89	Standard Duty ISO8750	Hardened (RC46- 53)	420 Stainless	
# PSP-008-005-S2	0.79 <i>0.031</i>	4.75 <i>0.187</i>	0.79 - 0.81	0.85 - 0.91	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-008-005-S420	0.79 <i>0.031</i>	4.78 <i>0.188</i>	0.79 - 0.81	0.84 - 0.89	Standard Duty ISO8750	Hardened (RC46- 53)	420 Stainless	
PSP-008-006-S420	0.79 <i>0.031</i>	6.35 <i>0.250</i>	0.79 - 0.81	0.84 - 0.89	Standard Duty ISO8750	Hardened (RC46- 53)	420 Stainless	
# PSP-008-006-S2	0.79 <i>0.031</i>	6.35 <i>0.250</i>	0.79 - 0.81	0.85 - 0.91	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-008-008-S420	0.79 <i>0.031</i>	7.93 <i>0.312</i>	0.79 - 0.81	0.84 - 0.89	Standard Duty ISO8750	Hardened (RC46- 53)	420 Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-008-010-S2	0.79 <i>0.031</i>	9.53 <i>0.375</i>	0.79 - 0.81	0.85 - 0.91	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-008-010-S420	0.79 <i>0.031</i>	9.53 <i>0.375</i>	0.79 - 0.81	0.84 - 0.89	Standard Duty ISO8750	Hardened (RC46- 53)	420 Stainless	
# PSP-008-011-S420	0.79 <i>0.031</i>	11.13 <i>0.438</i>	0.79 - 0.81	0.84 - 0.89	Standard Duty ISO8750	Hardened (RC46- 53)	420 Stainless	
# PSP-008-013-S420	0.79 <i>0.031</i>	12.70 <i>0.500</i>	0.79 - 0.81	0.84 - 0.89	Standard Duty ISO8750	Hardened (RC46- 53)	420 Stainless	
PSP-008-013-S2	0.79 <i>0.031</i>	12.70 <i>0.500</i>	0.79 - 0.81	0.85 - 0.91	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
PSP-008-016-S2	0.79 <i>0.031</i>	15.88 <i>0.625</i>	0.79 - 0.81	0.85 - 0.91	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
PSP-008-004-S2	0.80 <i>0.031</i>	4.00 <i>0.157</i>	0.80 - 0.84	0.85 - 0.91	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-008-008-S2	0.80 <i>0.031</i>	8.00 <i>0.315</i>	0.80 - 0.84	0.85 - 0.91	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-008-012-S2	0.80 <i>0.031</i>	12.00 <i>0.472</i>	0.80 - 0.84	0.85 - 0.91	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-010-004-S2	1.00 <i>0.039</i>	4.00 <i>0.157</i>	1.00 - 1.04	1.05 - 1.15	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-010-005-S2	1.00 <i>0.039</i>	5.00 <i>0.197</i>	1.00 - 1.04	1.05 - 1.15	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-010-006-S2	1.00 <i>0.039</i>	6.00 <i>0.236</i>	1.00 - 1.04	1.05 - 1.15	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-010-008-S2	1.00 <i>0.039</i>	8.00 <i>0.315</i>	1.00 - 1.04	1.05 - 1.15	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-010-010-S2	1.00 <i>0.039</i>	10.00 <i>0.394</i>	1.00 - 1.04	1.05 - 1.15	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-010-012-S2	1.00 <i>0.039</i>	12.00 <i>0.472</i>	1.00 - 1.04	1.05 - 1.15	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-010-014-S2	1.00 <i>0.039</i>	14.00 <i>0.551</i>	1.00 - 1.04	1.05 - 1.15	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-010-016-S2	1.00 <i>0.039</i>	16.00 <i>0.630</i>	1.00 - 1.04	1.05 - 1.15	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-011-005-S2	1.19 <i>0.047</i>	4.75 <i>0.187</i>	1.22 - 1.22	1.25 - 1.31	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-011-006-S2	1.19 <i>0.047</i>	6.35 <i>0.250</i>	1.22 - 1.22	1.25 - 1.31	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-011-008-S2	1.19 <i>0.047</i>	7.94 <i>0.313</i>	1.19 - 1.22	1.25 - 1.32	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-011-010-S2	1.19 <i>0.047</i>	9.53 <i>0.375</i>	1.22 - 1.22	1.25 - 1.31	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-011-011-S2	1.19 <i>0.047</i>	11.11 <i>0.437</i>	1.19 - 1.22	1.25 - 1.32	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-011-013-S2	1.19 <i>0.047</i>	12.70 <i>0.500</i>	1.22 - 1.22	1.25 - 1.31	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-012-004-S2	1.20 <i>0.047</i>	4.00 <i>0.157</i>	1.20 - 1.24	1.25 - 1.35	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-012-008-S2	1.20 <i>0.047</i>	8.00 <i>0.315</i>	1.20 - 1.24	1.25 - 1.35	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-012-012-S2	1.20 <i>0.047</i>	12.00 <i>0.472</i>	1.20 - 1.24	1.25 - 1.35	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-013-003-S2	1.32 <i>0.052</i>	3.18 <i>0.125</i>	1.35 - 1.35	1.38 - 1.44	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-013-005-S2	1.32 <i>0.052</i>	4.76 <i>0.187</i>	1.32 - 1.35	1.37 - 1.45	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-013-006-S2	1.32 <i>0.052</i>	6.35 <i>0.250</i>	1.35 - 1.35	1.38 - 1.44	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-013-008-S2	1.32 <i>0.052</i>	7.94 <i>0.313</i>	1.32 - 1.35	1.37 - 1.45	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-013-010-S2	1.32 <i>0.052</i>	9.53 <i>0.375</i>	1.35 - 1.35	1.38 - 1.44	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-013-011-S2	1.32 <i>0.052</i>	11.11 <i>0.437</i>	1.32 - 1.35	1.37 - 1.45	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-013-013-S2	1.32 <i>0.052</i>	12.70 <i>0.500</i>	1.35 - 1.35	1.38 - 1.44	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-015-005-S2	1.50 <i>0.059</i>	5.00 <i>0.197</i>	1.50 - 1.60	1.62 - 1.73	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-015-006-S2	1.50 <i>0.059</i>	6.00 <i>0.236</i>	1.50 - 1.60	1.62 - 1.73	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-015-008-S2	1.50 <i>0.059</i>	8.00 <i>0.315</i>	1.50 - 1.60	1.62 - 1.73	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-015-010-S2	1.50 <i>0.059</i>	10.00 <i>0.394</i>	1.50 - 1.60	1.62 - 1.73	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-015-012-S2	1.50 <i>0.059</i>	12.00 <i>0.472</i>	1.50 - 1.60	1.62 - 1.73	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-015-014-S2	1.50 <i>0.059</i>	14.00 <i>0.551</i>	1.50 - 1.60	1.62 - 1.73	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-015-016-S2	1.50 <i>0.059</i>	16.00 <i>0.630</i>	1.50 - 1.60	1.62 - 1.73	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-015-020-S2	1.50 <i>0.059</i>	20.00 <i>0.787</i>	1.50 - 1.60	1.62 - 1.73	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-015-024-S2	1.50 <i>0.059</i>	24.00 <i>0.945</i>	1.50 - 1.60	1.62 - 1.73	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-016-006-S2	1.59 <i>0.063</i>	6.35 <i>0.250</i>	1.58 - 1.65	1.70 - 1.83	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-016-008-S2	1.59 <i>0.063</i>	7.94 <i>0.313</i>	1.67 - 1.74	1.70 - 1.83	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
PSP-016-010-S2	1.59 <i>0.063</i>	9.53 <i>0.375</i>	1.67 - 1.74	1.70 - 1.83	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-016-011-S2	1.59 <i>0.063</i>	11.11 <i>0.437</i>	1.58 - 1.65	1.70 - 1.83	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-016-013-S2	1.59 <i>0.063</i>	12.70 <i>0.500</i>	1.67 - 1.74	1.70 - 1.83	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

Page 10 of 31

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm	Length mm	Drill Size mm	Loose Diameter mm	ISO	Hardness	Material	Double Shear Strength Min. Kn
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# PSP-016-014-S2	1.59 <i>0.063</i>	14.29 <i>0.563</i>	1.58 - 1.65	1.70 - 1.83	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-016-016-S2	1.59 <i>0.063</i>	15.88 <i>0.625</i>	1.58 - 1.65	1.70 - 1.83	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-020-006-S2	2.00 <i>0.079</i>	6.00 <i>0.236</i>	1.99 - 2.10	2.13 - 2.25	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-020-008-S2	2.00 <i>0.079</i>	8.00 <i>0.315</i>	1.99 - 2.10	2.13 - 2.25	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-020-010-S2	2.00 <i>0.079</i>	10.00 <i>0.394</i>	1.99 - 2.10	2.13 - 2.25	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-020-012-S2	2.00 <i>0.079</i>	12.00 <i>0.472</i>	1.99 - 2.10	2.13 - 2.25	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-020-014-S2	2.00 <i>0.079</i>	14.00 <i>0.551</i>	1.99 - 2.10	2.13 - 2.25	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-020-016-S2	2.00 <i>0.079</i>	16.00 <i>0.630</i>	1.99 - 2.10	2.13 - 2.25	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-020-018-S2	2.00 <i>0.079</i>	18.00 <i>0.709</i>	1.99 - 2.10	2.13 - 2.25	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-020-020-S2	2.00 <i>0.079</i>	20.00 <i>0.787</i>	1.99 - 2.10	2.13 - 2.25	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-020-024-S2	2.00 <i>0.079</i>	24.00 <i>0.945</i>	1.99 - 2.10	2.13 - 2.25	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-020-026-S2	2.00 <i>0.079</i>	26.00 <i>1.024</i>	1.99 - 2.10	2.13 - 2.25	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-020-030-S2	2.00 <i>0.079</i>	30.00 <i>1.181</i>	1.99 - 2.10	2.13 - 2.25	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-024-010-S2	2.38 <i>0.094</i>	9.53 <i>0.375</i>	2.39 - 2.46	2.52 - 2.67	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-024-011-S3	2.38 <i>0.094</i>	11.11 <i>0.437</i>	2.39 - 2.46	2.52 - 2.67	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-024-011-S2	2.38 <i>0.094</i>	11.11 <i>0.437</i>	2.46 - 2.53	2.49 - 2.62	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-024-013-S2	2.38 <i>0.094</i>	12.70 <i>0.500</i>	2.39 - 2.46	2.52 - 2.67	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-024-014-S2	2.38 <i>0.094</i>	14.29 <i>0.563</i>	2.39 - 2.46	2.52 - 2.67	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-024-016-S2	2.38 <i>0.094</i>	15.88 <i>0.625</i>	2.39 - 2.46	2.52 - 2.67	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-024-017-S2	2.38 <i>0.094</i>	17.46 <i>0.687</i>	2.39 - 2.46	2.52 - 2.67	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-024-019-S2	2.38 <i>0.094</i>	19.05 <i>0.750</i>	2.46 - 2.53	2.49 - 2.62	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-025B-005-S2	2.49 <i>0.098</i>	4.76 <i>0.187</i>	2.49 - 2.60	2.62 - 2.78	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-025B-006-S2	2.49 <i>0.098</i>	6.35 <i>0.250</i>	2.49 - 2.60	2.62 - 2.78	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-025B-008-S2	2.49 <i>0.098</i>	7.94 <i>0.313</i>	2.49 - 2.60	2.62 - 2.78	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm	Length mm	Drill Size mm	Loose Diameter mm	ISO	Hardness	Material	Double Shear Strength Min. Kn
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# PSP-025B-010-S2	2.49 <i>0.098</i>	9.53 <i>0.375</i>	2.49 - 2.60	2.62 - 2.78	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-025B-011-S2	2.49 <i>0.098</i>	11.11 <i>0.437</i>	2.49 - 2.60	2.62 - 2.78	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-025B-013-S2	2.49 <i>0.098</i>	12.70 <i>0.500</i>	2.49 - 2.60	2.62 - 2.78	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-025-008-S2	2.50 <i>0.098</i>	8.00 <i>0.315</i>	2.49 - 2.60	2.62 - 2.78	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-025-010-S2	2.50 <i>0.098</i>	10.00 <i>0.394</i>	2.49 - 2.60	2.62 - 2.78	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-025-012-S2	2.50 <i>0.098</i>	12.00 <i>0.472</i>	2.49 - 2.60	2.62 - 2.78	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-025-014-S2	2.50 <i>0.098</i>	14.00 <i>0.551</i>	2.49 - 2.60	2.62 - 2.78	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-025-016-S2	2.50 <i>0.098</i>	16.00 <i>0.630</i>	2.49 - 2.60	2.62 - 2.78	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-025-018-S2	2.50 <i>0.098</i>	18.00 <i>0.709</i>	2.49 - 2.60	2.62 - 2.78	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-025-020-S2	2.50 <i>0.098</i>	20.00 <i>0.787</i>	2.49 - 2.60	2.62 - 2.78	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-025-022-S2	2.50 <i>0.098</i>	22.00 <i>0.866</i>	2.49 - 2.60	2.62 - 2.78	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-025-024-S2	2.50 <i>0.098</i>	24.00 <i>0.945</i>	2.49 - 2.60	2.62 - 2.78	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-028-006-S2	2.78 <i>0.109</i>	6.35 <i>0.250</i>	2.87 - 2.93	2.90 - 3.02	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
PSP-028-013-S2	2.78 <i>0.109</i>	12.70 <i>0.500</i>	2.87 - 2.93	2.90 - 3.02	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-030-010-S2	3.00 <i>0.118</i>	10.00 <i>0.394</i>	2.99 - 3.10	3.15 - 3.30	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-030-012-S2	3.00 <i>0.118</i>	12.00 <i>0.472</i>	2.99 - 3.10	3.15 - 3.30	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
PSP-030-014-S2	3.00 <i>0.118</i>	14.00 <i>0.551</i>	2.99 - 3.10	3.15 - 3.30	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-030-016-S2	3.00 <i>0.118</i>	16.00 <i>0.630</i>	2.99 - 3.10	3.15 - 3.30	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-030-018-S2	3.00 <i>0.118</i>	18.00 <i>0.709</i>	2.99 - 3.10	3.15 - 3.30	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-030-020-S2	3.00 <i>0.118</i>	20.00 <i>0.787</i>	2.99 - 3.10	3.15 - 3.30	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-030-022-S2	3.00 <i>0.118</i>	22.00 <i>0.866</i>	2.99 - 3.10	3.15 - 3.30	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-030-024-S2	3.00 <i>0.118</i>	24.00 <i>0.945</i>	2.99 - 3.10	3.15 - 3.30	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-030-026-S2	3.00 <i>0.118</i>	26.00 <i>1.024</i>	2.99 - 3.10	3.15 - 3.30	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-030-028-S2	3.00 <i>0.118</i>	28.00 <i>1.102</i>	2.99 - 3.10	3.15 - 3.30	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-030-030-S2	3.00 <i>0.118</i>	30.00 <i>1.181</i>	2.99 - 3.10	3.15 - 3.30	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-030-035-S2	3.00 <i>0.118</i>	35.00 <i>1.378</i>	2.99 - 3.10	3.15 - 3.30	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-030-040-S2	3.00 <i>0.118</i>	40.00 <i>1.575</i>	2.99 - 3.10	3.15 - 3.30	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-032-006-S2	3.18 <i>0.125</i>	6.35 <i>0.250</i>	3.30 - 3.42	3.33 - 3.51	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
PSP-032-010-S2	3.18 <i>0.125</i>	9.53 <i>0.375</i>	3.30 - 3.42	3.33 - 3.51	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-032-011-S2	3.18 <i>0.125</i>	11.11 <i>0.437</i>	3.20 - 3.28	3.33 - 3.51	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-032-013-S2	3.18 <i>0.125</i>	12.70 <i>0.500</i>	3.20 - 3.28	3.33 - 3.51	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-032-014-S2	3.18 <i>0.125</i>	14.29 <i>0.563</i>	3.20 - 3.28	3.33 - 3.51	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-032-016-S2	3.18 <i>0.125</i>	15.88 <i>0.625</i>	3.20 - 3.28	3.33 - 3.51	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-032-017-S2	3.18 <i>0.125</i>	17.46 <i>0.687</i>	3.20 - 3.28	3.33 - 3.51	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-032-019-S2	3.18 <i>0.125</i>	19.05 <i>0.750</i>	3.30 - 3.42	3.33 - 3.51	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-032-022-S2	3.18 <i>0.125</i>	22.23 <i>0.875</i>	3.20 - 3.28	3.33 - 3.51	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-032-024-S2	3.18 <i>0.125</i>	23.80 <i>0.937</i>	3.30 - 3.42	3.33 - 3.51	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
PSP-032-025-S2	3.18 <i>0.125</i>	25.40 <i>1.000</i>	3.30 - 3.42	3.33 - 3.51	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-035-012-S2	3.50 <i>0.138</i>	12.00 <i>0.472</i>	3.48 - 3.62	3.64 - 3.84	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-035-016-S2	3.50 <i>0.138</i>	16.00 <i>0.630</i>	3.48 - 3.62	3.64 - 3.84	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

Page 18 of 31

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm	Length mm	Drill Size mm	Loose Diameter mm	ISO	Hardness	Material	Double Shear Strength Min. Kn
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# PSP-035-018-S2	3.50 <i>0.138</i>	18.00 <i>0.709</i>	3.48 - 3.62	3.64 - 3.84	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-035-020-S2	3.50 <i>0.138</i>	20.00 <i>0.787</i>	3.48 - 3.62	3.64 - 3.84	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-035-022-S2	3.50 <i>0.138</i>	22.00 <i>0.866</i>	3.48 - 3.62	3.64 - 3.84	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-035-024-S2	3.50 <i>0.138</i>	24.00 <i>0.945</i>	3.48 - 3.62	3.64 - 3.84	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-035-026-S2	3.50 <i>0.138</i>	26.00 <i>1.024</i>	3.48 - 3.62	3.64 - 3.84	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-035-028-S2	3.50 <i>0.138</i>	28.00 <i>1.102</i>	3.48 - 3.62	3.64 - 3.84	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-035-030-S2	3.50 <i>0.138</i>	30.00 <i>1.181</i>	3.48 - 3.62	3.64 - 3.84	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-035-035-S2	3.50 <i>0.138</i>	35.00 <i>1.378</i>	3.48 - 3.62	3.64 - 3.84	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
PSP-039-019-S2	3.97 <i>0.156</i>	19.05 <i>0.750</i>	4.11 - 4.25	4.14 - 4.34	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
PSP-039-025-S2	3.97 <i>0.156</i>	25.40 <i>1.000</i>	4.11 - 4.25	4.14 - 4.34	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-039-035-S2	3.97 <i>0.156</i>	34.93 <i>1.375</i>	3.94 - 4.06	4.14 - 4.34	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-040-012-S2	4.00 <i>0.157</i>	12.00 <i>0.472</i>	3.98 - 4.12	4.20 - 4.40	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-040-014-S2	4.00 <i>0.157</i>	14.00 <i>0.551</i>	3.98 - 4.12	4.20 - 4.40	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-040-016-S2	4.00 <i>0.157</i>	16.00 <i>0.630</i>	3.98 - 4.12	4.20 - 4.40	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-040-018-S2	4.00 <i>0.157</i>	18.00 <i>0.709</i>	3.98 - 4.12	4.20 - 4.40	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-040-020-S2	4.00 <i>0.157</i>	20.00 <i>0.787</i>	3.98 - 4.12	4.20 - 4.40	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-040-022-S2	4.00 <i>0.157</i>	22.00 <i>0.866</i>	3.98 - 4.12	4.20 - 4.40	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-040-024-S2	4.00 <i>0.157</i>	24.00 <i>0.945</i>	3.98 - 4.12	4.20 - 4.40	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-040-026-S2	4.00 <i>0.157</i>	26.00 <i>1.024</i>	3.98 - 4.12	4.20 - 4.40	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-040-028-S2	4.00 <i>0.157</i>	28.00 <i>1.102</i>	3.98 - 4.12	4.20 - 4.40	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-040-030-S2	4.00 <i>0.157</i>	30.00 <i>1.181</i>	3.98 - 4.12	4.20 - 4.40	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-048-013-S2	4.76 <i>0.187</i>	12.70 <i>0.500</i>	4.95 - 5.12	4.98 - 5.21	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-048-025-S2	4.76 <i>0.187</i>	25.40 <i>1.000</i>	4.95 - 5.12	4.98 - 5.21	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-048-032-S2	4.76 <i>0.187</i>	31.75 <i>1.250</i>	4.95 - 5.12	4.98 - 5.21	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-048-044-S2	4.76 <i>0.187</i>	44.45 <i>1.750</i>	4.95 - 5.12	4.98 - 5.21	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-050-014-S2	5.00 <i>0.197</i>	14.00 <i>0.551</i>	4.95 - 5.12	5.25 - 5.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-050-016-S2	5.00 <i>0.197</i>	16.00 <i>0.630</i>	4.95 - 5.12	5.25 - 5.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-050-018-S2	5.00 <i>0.197</i>	18.00 <i>0.709</i>	4.95 - 5.12	5.25 - 5.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-050-020-S2	5.00 <i>0.197</i>	20.00 <i>0.787</i>	4.95 - 5.12	5.25 - 5.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-050-022-S2	5.00 <i>0.197</i>	22.00 <i>0.866</i>	4.95 - 5.12	5.25 - 5.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-050-024-S2	5.00 <i>0.197</i>	24.00 <i>0.945</i>	4.95 - 5.12	5.25 - 5.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-050-026-S2	5.00 <i>0.197</i>	26.00 <i>1.024</i>	4.95 - 5.12	5.25 - 5.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

Page 22 of 31

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-050-028-S2	5.00 <i>0.197</i>	28.00 <i>1.102</i>	4.95 - 5.12	5.25 - 5.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-050-030-S2	5.00 <i>0.197</i>	30.00 <i>1.181</i>	4.95 - 5.12	5.25 - 5.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-050-035-S2	5.00 <i>0.197</i>	35.00 <i>1.378</i>	4.95 - 5.12	5.25 - 5.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-050-040-S2	5.00 <i>0.197</i>	40.00 <i>1.575</i>	4.95 - 5.12	5.25 - 5.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-050-045-S2	5.00 <i>0.197</i>	45.00 <i>1.772</i>	4.95 - 5.12	5.25 - 5.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-050-050-S2	5.00 <i>0.197</i>	50.00 <i>1.969</i>	4.95 - 5.12	5.25 - 5.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-060-016-S2	6.00 <i>0.236</i>	16.00 <i>0.630</i>	5.95 - 6.15	6.25 - 6.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-060-018-S2	6.00 <i>0.236</i>	18.00 <i>0.709</i>	5.95 - 6.15	6.25 - 6.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-060-020-S2	6.00 <i>0.236</i>	20.00 <i>0.787</i>	5.95 - 6.15	6.25 - 6.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-060-022-S2	6.00 <i>0.236</i>	22.00 <i>0.866</i>	5.95 - 6.15	6.25 - 6.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-060-024-S2	6.00 <i>0.236</i>	24.00 <i>0.945</i>	5.95 - 6.15	6.25 - 6.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-060-026-S2	6.00 <i>0.236</i>	26.00 <i>1.024</i>	5.95 - 6.15	6.25 - 6.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-060-028-S2	6.00 <i>0.236</i>	28.00 <i>1.102</i>	5.95 - 6.15	6.25 - 6.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-060-030-S2	6.00 <i>0.236</i>	30.00 <i>1.181</i>	5.95 - 6.15	6.25 - 6.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
PSP-060-035-S2	6.00 <i>0.236</i>	35.00 <i>1.378</i>	5.95 - 6.15	6.25 - 6.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-060-040-S2	6.00 <i>0.236</i>	40.00 <i>1.575</i>	5.95 - 6.15	6.25 - 6.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
PSP-060-045-S2	6.00 <i>0.236</i>	45.00 <i>1.772</i>	5.95 - 6.15	6.25 - 6.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-060-050-S2	6.00 <i>0.236</i>	50.00 <i>1.969</i>	5.95 - 6.15	6.25 - 6.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-060-055-S2	6.00 <i>0.236</i>	55.00 <i>2.165</i>	5.95 - 6.15	6.25 - 6.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-060-060-S2	6.00 <i>0.236</i>	60.00 <i>2.362</i>	5.95 - 6.15	6.25 - 6.50	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-064-025-S2	6.35 <i>0.250</i>	25.40 <i>1.000</i>	6.57 - 6.79	6.60 - 6.88	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-064-032-S2	6.35 <i>0.250</i>	31.75 <i>1.250</i>	6.57 - 6.79	6.60 - 6.88	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-064-038-S2	6.35 <i>0.250</i>	38.10 <i>1.500</i>	6.57 - 6.79	6.60 - 6.88	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

Page 25 of 31

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-079-051-S2	7.94 <i>0.313</i>	50.80 <i>2.000</i>	8.20 - 8.47	8.23 - 8.56	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	
# PSP-080-020-S2	8.00 <i>0.315</i>	20.00 <i>0.787</i>	7.93 - 8.15	8.30 - 8.63	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-080-022-S2	8.00 <i>0.315</i>	22.00 <i>0.866</i>	7.93 - 8.15	8.30 - 8.63	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-080-024-S2	8.00 <i>0.315</i>	24.00 <i>0.945</i>	7.93 - 8.15	8.30 - 8.63	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-080-026-S2	8.00 <i>0.315</i>	26.00 <i>1.024</i>	7.93 - 8.15	8.30 - 8.63	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-080-028-S2	8.00 <i>0.315</i>	28.00 <i>1.102</i>	7.93 - 8.15	8.30 - 8.63	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-080-030-S2	8.00 <i>0.315</i>	30.00 <i>1.181</i>	7.93 - 8.15	8.30 - 8.63	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-080-035-S2	8.00 <i>0.315</i>	35.00 <i>1.378</i>	7.93 - 8.15	8.30 - 8.63	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

Page 26 of 31

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
PSP-080-040-S2	8.00 <i>0.315</i>	40.00 <i>1.575</i>	7.93 - 8.15	8.30 - 8.63	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-080-045-S2	8.00 <i>0.315</i>	45.00 <i>1.772</i>	7.93 - 8.15	8.30 - 8.63	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-080-050-S2	8.00 <i>0.315</i>	50.00 <i>1.969</i>	7.93 - 8.15	8.30 - 8.63	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-080-060-S2	8.00 <i>0.315</i>	60.00 <i>2.362</i>	7.93 - 8.15	8.30 - 8.63	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-080-065-S2	8.00 <i>0.315</i>	65.00 <i>2.559</i>	7.93 - 8.15	8.30 - 8.63	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-080-070-S2	8.00 <i>0.315</i>	70.00 <i>2.756</i>	7.93 - 8.15	8.30 - 8.63	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-080-075-S2	8.00 <i>0.315</i>	75.00 <i>2.953</i>	7.93 - 8.15	8.30 - 8.63	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-095-025-S2	9.53 <i>0.375</i>	25.40 <i>1.000</i>	9.83 - 10.15	9.86 - 10.24	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-100-026-S2	10.00 <i>0.394</i>	26.00 <i>1.024</i>	9.93 - 10.15	10.30 - 10.80	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-100-028-S2	10.00 <i>0.394</i>	28.00 <i>1.102</i>	9.93 - 10.15	10.30 - 10.80	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-100-030-S2	10.00 <i>0.394</i>	30.00 <i>1.181</i>	9.93 - 10.15	10.30 - 10.80	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-100-035-S2	10.00 <i>0.394</i>	35.00 <i>1.378</i>	9.93 - 10.15	10.30 - 10.80	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-100-040-S2	10.00 <i>0.394</i>	40.00 <i>1.575</i>	9.93 - 10.15	10.30 - 10.80	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-100-045-S2	10.00 <i>0.394</i>	45.00 <i>1.772</i>	9.93 - 10.15	10.30 - 10.80	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-100-050-S2	10.00 <i>0.394</i>	50.00 <i>1.969</i>	9.93 - 10.15	10.30 - 10.80	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-100-055-S2	10.00 <i>0.394</i>	55.00 <i>2.165</i>	9.93 - 10.15	10.30 - 10.80	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm <i>inches</i>	Length mm <i>inches</i>	Drill Size mm <i>inches</i>	Loose Diameter mm <i>inches</i>	ISO	Hardness	Material	Double Shear Strength Min. Kn
# PSP-100-060-S2	10.00 <i>0.394</i>	60.00 <i>2.362</i>	9.93 - 10.15	10.30 - 10.80	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-100-065-S2	10.00 <i>0.394</i>	65.00 <i>2.559</i>	9.93 - 10.15	10.30 - 10.80	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-100-070-S2	10.00 <i>0.394</i>	70.00 <i>2.756</i>	9.93 - 10.15	10.30 - 10.80	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-100-075-S2	10.00 <i>0.394</i>	75.00 <i>2.953</i>	9.93 - 10.15	10.30 - 10.80	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-100-080-S2	10.00 <i>0.394</i>	80.00 <i>3.150</i>	9.93 - 10.15	10.30 - 10.80	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-100-085-S2	10.00 <i>0.394</i>	85.00 <i>3.346</i>	9.93 - 10.15	10.30 - 10.80	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-120-030-S2	12.00 <i>0.472</i>	30.00 <i>1.181</i>	11.90 - 12.18	12.35 - 12.85	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-120-035-S2	12.00 <i>0.472</i>	35.00 <i>1.378</i>	11.90 - 12.18	12.35 - 12.85	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm	Length mm	Drill Size mm	Loose Diameter mm	ISO	Hardness	Material	Double Shear Strength Min. Kn
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# PSP-120-040-S2	12.00 <i>0.472</i>	40.00 <i>1.575</i>	11.90 - 12.18	12.35 - 12.85	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-120-045-S2	12.00 <i>0.472</i>	45.00 <i>1.772</i>	11.90 - 12.18	12.35 - 12.85	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-120-050-S2	12.00 <i>0.472</i>	50.00 <i>1.969</i>	11.90 - 12.18	12.35 - 12.85	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-120-055-S2	12.00 <i>0.472</i>	55.00 <i>2.165</i>	11.90 - 12.18	12.35 - 12.85	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-120-060-S2	12.00 <i>0.472</i>	60.00 <i>2.362</i>	11.90 - 12.18	12.35 - 12.85	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-120-065-S2	12.00 <i>0.472</i>	65.00 <i>2.559</i>	11.90 - 12.18	12.35 - 12.85	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-120-070-S2	12.00 <i>0.472</i>	70.00 <i>2.756</i>	11.90 - 12.18	12.35 - 12.85	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-120-075-S2	12.00 <i>0.472</i>	75.00 <i>2.953</i>	11.90 - 12.18	12.35 - 12.85	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Coiled - Stainless Steel - Standard Duty

Part Number	Nom. Hole Diameter mm	Length mm	Drill Size mm	Loose Diameter mm	ISO	Hardness	Material	Double Shear Strength Min. Kn
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# PSP-120-080-S2	12.00 <i>0.472</i>	80.00 <i>3.150</i>	11.90 - 12.18	12.35 - 12.85	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-120-085-S2	12.00 <i>0.472</i>	85.00 <i>3.346</i>	11.90 - 12.18	12.35 - 12.85	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-120-090-S2	12.00 <i>0.472</i>	90.00 <i>3.543</i>	11.90 - 12.18	12.35 - 12.85	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-120-095-S2	12.00 <i>0.472</i>	95.00 <i>3.740</i>	11.90 - 12.18	12.35 - 12.85	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-120-100-S2	12.00 <i>0.472</i>	100.00 <i>3.937</i>	11.90 - 12.18	12.35 - 12.85	Standard Duty ISO8750	Unhardened	302 Nickel Stainless	
# PSP-127-038-S2	12.70 <i>0.500</i>	38.10 <i>1.500</i>	13.00 - 13.32	13.03 - 13.41	Standard Duty ASME B18.8.3M / ISO 8750	Unhardened	302 Nickel Stainless	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

