



Pins - Hammer Drive - Round Head - Stainless Steel

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

INFORMATION

Used to replace screws where the need to remove the pin is unlikely.

Stainless Steel 304 Grade

Simple, low cost assembly.

Secure - unlike a machine screw, a drive stud does not depend on tightening torque to be retained in the assembly.


Drive studs do not require lock washers to prevent back-out.

Designed for standard metric hole sizes and installation by hammer or press. Cold formed pins with helical knurls.

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Hammer Drive - Round Head - Stainless Steel

Part Number	Nominal Diameter (P) mm	Nom. Length (L) mm	Rec. Hole Dia. Max. mm	Max Pin Diameter (D) mm	Max Head Diameter (A) mm	Max Head Thickness (H) mm	Nom. Pilot Length (S) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
HDP012-03R-S4	1.24 <i>0.049</i>	3.2 <i>0.126</i>	1.32 <i>0.052</i>	1.52 <i>0.060</i>	2.51 <i>0.099</i>	0.86 <i>0.034</i>	1.2 <i>0.047</i>
HDP012-05R-S4	1.24 <i>0.049</i>	4.8 <i>0.189</i>	1.32 <i>0.052</i>	1.52 <i>0.060</i>	2.51 <i>0.099</i>	0.86 <i>0.034</i>	1.2 <i>0.047</i>
HDP015-06R-S4	1.52 <i>0.060</i>	6.3 <i>0.248</i>	1.60 <i>0.063</i>	1.70 <i>0.067</i>	2.51 <i>0.099</i>	0.86 <i>0.034</i>	1.2 <i>0.047</i>
HDP015-09R-S4	1.52 <i>0.060</i>	9.5 <i>0.374</i>	1.60 <i>0.063</i>	1.70 <i>0.067</i>	2.51 <i>0.099</i>	0.86 <i>0.034</i>	1.6 <i>0.063</i>
HDP021-03R-S4	2.10 <i>0.083</i>	3.2 <i>0.126</i>	2.18 <i>0.086</i>	2.54 <i>0.100</i>	4.10 <i>0.161</i>	1.75 <i>0.069</i>	1.2 <i>0.047</i>
HDP021-05R-S4	2.10 <i>0.083</i>	4.8 <i>0.189</i>	2.18 <i>0.086</i>	2.54 <i>0.100</i>	4.10 <i>0.161</i>	1.75 <i>0.069</i>	1.2 <i>0.047</i>
HDP021-06R-S4	2.10 <i>0.083</i>	6.3 <i>0.248</i>	2.18 <i>0.086</i>	2.54 <i>0.100</i>	4.10 <i>0.161</i>	1.75 <i>0.069</i>	1.2 <i>0.047</i>
HDP021-08R-S4	2.10 <i>0.083</i>	7.9 <i>0.311</i>	2.18 <i>0.086</i>	2.54 <i>0.100</i>	4.10 <i>0.161</i>	1.75 <i>0.069</i>	1.2 <i>0.047</i>
HDP024-05R-S4	2.44 <i>0.096</i>	4.8 <i>0.189</i>	2.64 <i>0.104</i>	2.95 <i>0.116</i>	5.36 <i>0.211</i>	2.18 <i>0.086</i>	1.2 <i>0.047</i>
HDP024-06R-S4	2.44 <i>0.096</i>	6.3 <i>0.248</i>	2.64 <i>0.104</i>	2.95 <i>0.116</i>	5.36 <i>0.211</i>	2.18 <i>0.086</i>	1.2 <i>0.047</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 5

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Hammer Drive - Round Head - Stainless Steel

Part Number	Nominal Diameter (P) mm	Nom. Length (L) mm	Rec. Hole Dia. Max. mm	Max Pin Diameter (D) mm	Max Head Diameter (A) mm	Max Head Thickness (H) mm	Nom. Pilot Length (S) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>
HDP024-08R-S4	2.44 <i>0.096</i>	7.9 <i>0.311</i>	2.64 <i>0.104</i>	2.95 <i>0.116</i>	5.36 <i>0.211</i>	2.18 <i>0.086</i>	1.2 <i>0.047</i>
HDP024-09R-S4	2.44 <i>0.096</i>	9.5 <i>0.374</i>	2.64 <i>0.104</i>	2.95 <i>0.116</i>	5.36 <i>0.211</i>	2.18 <i>0.086</i>	1.6 <i>0.063</i>
HDP029-06R-S4	2.95 <i>0.116</i>	6.3 <i>0.248</i>	3.05 <i>0.120</i>	3.56 <i>0.140</i>	6.60 <i>0.260</i>	2.62 <i>0.103</i>	1.2 <i>0.047</i>
HDP029-08R-S4	2.95 <i>0.116</i>	7.9 <i>0.311</i>	3.05 <i>0.120</i>	3.56 <i>0.140</i>	6.60 <i>0.260</i>	2.62 <i>0.103</i>	1.2 <i>0.047</i>
HDP029-09R-S4	2.95 <i>0.116</i>	9.5 <i>0.374</i>	3.05 <i>0.120</i>	3.56 <i>0.140</i>	6.60 <i>0.260</i>	2.62 <i>0.103</i>	1.6 <i>0.063</i>
HDP029-13R-S4	2.95 <i>0.116</i>	12.7 <i>0.500</i>	3.05 <i>0.120</i>	3.56 <i>0.140</i>	6.60 <i>0.260</i>	2.62 <i>0.103</i>	1.6 <i>0.063</i>
HDP034-09R-S4	3.45 <i>0.136</i>	9.5 <i>0.374</i>	3.65 <i>0.144</i>	4.24 <i>0.167</i>	7.85 <i>0.309</i>	3.05 <i>0.120</i>	1.6 <i>0.063</i>
HDP034-13R-S4	3.45 <i>0.136</i>	12.7 <i>0.500</i>	3.65 <i>0.144</i>	4.24 <i>0.167</i>	7.85 <i>0.309</i>	3.05 <i>0.120</i>	1.6 <i>0.063</i>
HDP038-09R-S4	3.80 <i>0.150</i>	9.5 <i>0.374</i>	4.09 <i>0.161</i>	4.62 <i>0.182</i>	9.11 <i>0.359</i>	3.48 <i>0.137</i>	1.6 <i>0.063</i>
HDP038-13R-S4	3.80 <i>0.150</i>	12.7 <i>0.500</i>	4.09 <i>0.161</i>	4.62 <i>0.182</i>	9.11 <i>0.359</i>	3.48 <i>0.137</i>	1.6 <i>0.063</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 5

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

