



Pins - Roll - Carbon Steel

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 62


INFORMATION

Plain carbon spring steel DIN1481.

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Free Diameter mm <i>inches</i>	Thickness (S)	Chamfer (I)	Material	Standard
RP010-0040-C	1.00 <i>0.039</i>	4.00 <i>0.157</i>	1.10 <i>0.043</i>	0.20	0.15	Hardened Steel, Black Oxide Finish	DIN1481 / ISO8752
RP010-0050-C	1.00 <i>0.039</i>	5.00 <i>0.197</i>	1.10 <i>0.043</i>	0.20	0.15	Hardened Steel, Black Oxide Finish	DIN1481 / ISO8752
RP010-0060-C	1.00 <i>0.039</i>	6.00 <i>0.236</i>	1.10 <i>0.043</i>	0.20	0.15	Hardened Steel, Black Oxide Finish	DIN1481 / ISO8752
RP010-0080-C	1.00 <i>0.039</i>	8.00 <i>0.315</i>	1.10 <i>0.043</i>	0.20	0.15	Hardened Steel, Black Oxide Finish	DIN1481 / ISO8752
RP010-0100-C	1.00 <i>0.039</i>	10.00 <i>0.394</i>	1.10 <i>0.043</i>	0.20	0.15	Hardened Steel, Black Oxide Finish	DIN1481 / ISO8752
# RP015-0040-C	1.50 <i>0.059</i>	4.00 <i>0.157</i>	1.65 <i>0.065</i>		0.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP015-0050-C	1.50 <i>0.059</i>	5.00 <i>0.197</i>	1.65 <i>0.065</i>		0.50	Carbon Steel CS70	DIN1481 / ISO8752
RP015-0060-C	1.50 <i>0.059</i>	6.00 <i>0.236</i>	1.65 <i>0.065</i>		0.50	Carbon Steel CS70	DIN1481 / ISO8752
RP015-0080-C	1.50 <i>0.059</i>	8.00 <i>0.315</i>	1.65 <i>0.065</i>		0.50	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP015-0100-C	1.50 <i>0.059</i>	10.00 <i>0.394</i>	1.65 <i>0.065</i>		0.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP015A-0100-C	1.50 <i>0.059</i>	10.00 <i>0.394</i>	11 <i>0.433</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP015-0120-C	1.50 <i>0.059</i>	12.00 <i>0.472</i>	1.65 <i>0.065</i>		0.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP015A-0120-C	1.50 <i>0.059</i>	12.00 <i>0.472</i>	13 <i>0.512</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP015-0140-C	1.50 <i>0.059</i>	14.00 <i>0.551</i>	1.65 <i>0.065</i>		0.50	Carbon Steel CS70	DIN1481 / ISO8752
RP015-0160-C	1.50 <i>0.059</i>	16.00 <i>0.630</i>	1.65 <i>0.065</i>		0.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP015A-0160-C	1.50 <i>0.059</i>	16.00 <i>0.630</i>	18 <i>0.709</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP015-0180-C	1.50 <i>0.059</i>	18.00 <i>0.709</i>	1.65 <i>0.065</i>		0.50	Carbon Steel CS70	DIN1481 / ISO8752
RP015-0200-C	1.50 <i>0.059</i>	20.00 <i>0.787</i>	1.65 <i>0.065</i>		0.50	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP016-0047-C	1.59 <i>0.063</i>	4.75 <i>0.187</i>	1.75 <i>0.069</i>			Carbon Spring Steel	B18.8.2
# RP016-0048-C	1.59 <i>0.063</i>	4.80 <i>0.189</i>	1.75 <i>0.069</i>	0.31	0.18-0.71	Carbon Spring Steel	B18.8.2
RP016-0064-C	1.59 <i>0.063</i>	6.35 <i>0.250</i>	1.75 <i>0.069</i>			Carbon Spring Steel	B18.8.2
RP016-0079-C	1.59 <i>0.063</i>	7.92 <i>0.312</i>	1.75 <i>0.069</i>			Carbon Spring Steel	B18.8.2
RP016-0095-C	1.59 <i>0.063</i>	9.50 <i>0.374</i>	1.75 <i>0.069</i>	0.31	0.18-0.71	Carbon Spring Steel	B18.8.2
RP016-0095-420	1.59 <i>0.063</i>	9.53 <i>0.375</i>	1.75 <i>0.069</i>			Carbon Spring Steel	B18.8.2
RP016-0111-C	1.59 <i>0.063</i>	11.10 <i>0.437</i>	1.75 <i>0.069</i>			Carbon Spring Steel	B18.8.2
RP016-0127-C	1.59 <i>0.063</i>	12.70 <i>0.500</i>	1.75 <i>0.069</i>			Carbon Spring Steel	B18.8.2
RP016-0143-C	1.59 <i>0.063</i>	14.27 <i>0.562</i>	1.75 <i>0.069</i>			Carbon Spring Steel	B18.8.2
RP016-0159-C	1.59 <i>0.063</i>	15.88 <i>0.625</i>	1.75 <i>0.069</i>	0.31	0.18-0.71	Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP016-0174-C	1.59 <i>0.063</i>	17.45 <i>0.687</i>	1.75 <i>0.069</i>			Carbon Spring Steel	B18.8.2
# RP016-0175-C	1.59 <i>0.063</i>	17.50 <i>0.689</i>	1.75 <i>0.069</i>	0.31	0.18-0.71	Carbon Spring Steel	B18.8.2
RP016-0191-C	1.59 <i>0.063</i>	19.05 <i>0.750</i>	1.75 <i>0.069</i>			Carbon Spring Steel	B18.8.2
RP016-0206-C	1.59 <i>0.063</i>	20.62 <i>0.812</i>	1.75 <i>0.069</i>			Carbon Spring Steel	B18.8.2
RP016-0222-C	1.59 <i>0.063</i>	22.23 <i>0.875</i>	1.75 <i>0.069</i>			Carbon Spring Steel	B18.8.2
# RP016-0238-C	1.59 <i>0.063</i>	23.80 <i>0.937</i>	1.75 <i>0.069</i>	0.31	0.18-0.71	Carbon Spring Steel	B18.8.2
RP016-0254-C	1.59 <i>0.063</i>	25.40 <i>1.000</i>	1.75 <i>0.069</i>			Carbon Spring Steel	B18.8.2
RP020-0047-C	1.98 <i>0.078</i>	4.75 <i>0.187</i>	2.18 <i>0.086</i>			Carbon Spring Steel	B18.8.2
RP020-0064-C	1.98 <i>0.078</i>	6.35 <i>0.250</i>	2.18 <i>0.086</i>			Carbon Spring Steel	B18.8.2
RP020-0079-C	1.98 <i>0.078</i>	7.92 <i>0.312</i>	2.18 <i>0.086</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP020-0095-C	1.98 <i>0.078</i>	9.53 <i>0.375</i>	2.18 <i>0.086</i>			Carbon Spring Steel	B18.8.2
RP020-0111-C	1.98 <i>0.078</i>	11.10 <i>0.437</i>	2.18 <i>0.086</i>			Carbon Spring Steel	B18.8.2
RP020-0127-C	1.98 <i>0.078</i>	12.70 <i>0.500</i>	2.18 <i>0.086</i>			Carbon Spring Steel	B18.8.2
RP020-0127-CDEL	1.98 <i>0.078</i>	12.70 <i>0.500</i>	2.18 <i>0.086</i>			Carbon Spring Steel	
RP020-0143-C	1.98 <i>0.078</i>	14.27 <i>0.562</i>	2.18 <i>0.086</i>			Carbon Spring Steel	B18.8.2
RP020-0159-C	1.98 <i>0.078</i>	15.88 <i>0.625</i>	2.18 <i>0.086</i>			Carbon Spring Steel	B18.8.2
RP020-0191-C	1.98 <i>0.078</i>	19.05 <i>0.750</i>	2.18 <i>0.086</i>			Carbon Spring Steel	B18.8.2
RP020-0254-C	1.98 <i>0.078</i>	25.40 <i>1.000</i>	2.18 <i>0.086</i>			Carbon Spring Steel	B18.8.2
RP020-0318-C	1.98 <i>0.078</i>	31.75 <i>1.250</i>	2.18 <i>0.086</i>			Carbon Spring Steel	B18.8.2
RP020-0381-C	1.98 <i>0.078</i>	38.10 <i>1.500</i>	2.18 <i>0.086</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 8 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP020-0050-C	2.00 <i>0.079</i>	5.00 <i>0.197</i>	2.20 <i>0.087</i>	0.05	0.70	Carbon Spring Steel	B18.8.4M
RP020-0060-C	2.00 <i>0.079</i>	6.00 <i>0.236</i>	2.20 <i>0.087</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
# RP020-0080-C	2.00 <i>0.079</i>	8.00 <i>0.315</i>	2.20 <i>0.087</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
RP020-0100-C	2.00 <i>0.079</i>	10.00 <i>0.394</i>	2.20 <i>0.087</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
# RP020A-0100-C	2.00 <i>0.079</i>	10.00 <i>0.394</i>	11 <i>0.433</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP020-0120-C	2.00 <i>0.079</i>	12.00 <i>0.472</i>	2.20 <i>0.087</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
# RP020A-0120-C	2.00 <i>0.079</i>	12.00 <i>0.472</i>	13 <i>0.512</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP020-0140-C	2.00 <i>0.079</i>	14.00 <i>0.551</i>	2.20 <i>0.087</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
RP020-0160-C	2.00 <i>0.079</i>	16.00 <i>0.630</i>	2.20 <i>0.087</i>	0.05	0.70	Carbon Spring Steel	B18.8.4M
# RP020-0180-C	2.00 <i>0.079</i>	18.00 <i>0.709</i>	2.20 <i>0.087</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP020-0200-C	2.00 <i>0.079</i>	20.00 <i>0.787</i>	2.20 <i>0.087</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
# RP020A-0200-C	2.00 <i>0.079</i>	20.00 <i>0.787</i>	22 <i>0.866</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP020-0220-C	2.00 <i>0.079</i>	22.00 <i>0.866</i>	2.20 <i>0.087</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
# RP020-0240-C	2.00 <i>0.079</i>	24.00 <i>0.945</i>	2.20 <i>0.087</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
# RP020-0260-C	2.00 <i>0.079</i>	26.00 <i>1.024</i>	2.20 <i>0.087</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
# RP020-0280-C	2.00 <i>0.079</i>	28.00 <i>1.102</i>	2.20 <i>0.087</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
# RP020-0300-C	2.00 <i>0.079</i>	30.00 <i>1.181</i>	2.20 <i>0.087</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
RP024-0047-C	2.38 <i>0.094</i>	4.75 <i>0.187</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2
RP024-0055-C	2.38 <i>0.094</i>	5.54 <i>0.218</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2
RP024-0064-C	2.38 <i>0.094</i>	6.35 <i>0.250</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 10 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP024-0079-CDEL	2.38 <i>0.094</i>	7.90 <i>0.311</i>	2.62 <i>0.103</i>	0.56	0.20-0.97	Carbon Spring Steel	B18.8.2
RP024-0079-C	2.38 <i>0.094</i>	7.92 <i>0.312</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2
RP024-0095-C	2.38 <i>0.094</i>	9.53 <i>0.375</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2
RP024-0111-C	2.38 <i>0.094</i>	11.10 <i>0.437</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2
RP024-0127-C	2.38 <i>0.094</i>	12.70 <i>0.500</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2
RP024-0143-C	2.38 <i>0.094</i>	14.27 <i>0.562</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2
RP024-0159-C	2.38 <i>0.094</i>	15.88 <i>0.625</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2
RP024-0174-C	2.38 <i>0.094</i>	17.45 <i>0.687</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2
# RP024-0175-C	2.38 <i>0.094</i>	17.50 <i>0.689</i>	2.62 <i>0.103</i>	0.56	0.20-0.97	Carbon Spring Steel	B18.8.2
RP024-0191-C	2.38 <i>0.094</i>	19.05 <i>0.750</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 11 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP024-0206-CDEL	2.38 <i>0.094</i>	20.60 <i>0.811</i>	2.62 <i>0.103</i>	0.56	0.20-0.97	Carbon Spring Steel	B18.8.2
RP024-0206-C	2.38 <i>0.094</i>	20.62 <i>0.812</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2
RP024-0222-C	2.38 <i>0.094</i>	22.23 <i>0.875</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2
RP024-0238-C	2.38 <i>0.094</i>	23.80 <i>0.937</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2
RP024-0254-C	2.38 <i>0.094</i>	25.40 <i>1.000</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2
RP024-0286-C	2.38 <i>0.094</i>	28.58 <i>1.125</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2
RP024-0318-C	2.38 <i>0.094</i>	31.75 <i>1.250</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2
RP024-0349-C	2.38 <i>0.094</i>	34.93 <i>1.375</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2
RP024-0381-C	2.38 <i>0.094</i>	38.10 <i>1.500</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2
RP024-0445-C	2.38 <i>0.094</i>	44.45 <i>1.750</i>	2.60 <i>0.102</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 12 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP025-0040-C	2.50 <i>0.098</i>	4.00 <i>0.157</i>	2.75 <i>0.108</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
RP025-0050-C	2.50 <i>0.098</i>	5.00 <i>0.197</i>	2.75 <i>0.108</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
# RP025-0060-C	2.50 <i>0.098</i>	6.00 <i>0.236</i>	2.75 <i>0.108</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
# RP025-0080-C	2.50 <i>0.098</i>	8.00 <i>0.315</i>	2.75 <i>0.108</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
# RP025-0100-C	2.50 <i>0.098</i>	10.00 <i>0.394</i>	2.75 <i>0.108</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
RP025-0120-C	2.50 <i>0.098</i>	12.00 <i>0.472</i>	2.75 <i>0.108</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
RP025-0140-C	2.50 <i>0.098</i>	14.00 <i>0.551</i>	2.75 <i>0.108</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
# RP025-0160-C	2.50 <i>0.098</i>	16.00 <i>0.630</i>	2.75 <i>0.108</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
# RP025A-0160-C	2.50 <i>0.098</i>	16.00 <i>0.630</i>	18 <i>0.709</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP025-0180-C	2.50 <i>0.098</i>	18.00 <i>0.709</i>	2.75 <i>0.108</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 13 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP025-0200-C	2.50 <i>0.098</i>	20.00 <i>0.787</i>	2.75 <i>0.108</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
# RP025A-0200-C	2.50 <i>0.098</i>	20.00 <i>0.787</i>	22 <i>0.866</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP025-0220-C	2.50 <i>0.098</i>	22.00 <i>0.866</i>	2.75 <i>0.108</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
RP025-0240-C	2.50 <i>0.098</i>	24.00 <i>0.945</i>	2.75 <i>0.108</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
RP025-0260-C	2.50 <i>0.098</i>	26.00 <i>1.024</i>	2.75 <i>0.108</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
# RP025A-0260-C	2.50 <i>0.098</i>	26.00 <i>1.024</i>	29 <i>1.142</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP025-0280-C	2.50 <i>0.098</i>	28.00 <i>1.102</i>	2.75 <i>0.108</i>		0.70	Carbon Steel CS70	DIN1481 / ISO8752
RP025-0300-C	2.50 <i>0.098</i>	30.00 <i>1.181</i>	2.75 <i>0.108</i>		0.70	Carbon Spring Steel	B18.8.4M
RP030-0040-C	3.00 <i>0.118</i>	4.00 <i>0.157</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
# RP030-0050-C	3.00 <i>0.118</i>	5.00 <i>0.197</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 14 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP030-0060-C	3.00 <i>0.118</i>	6.00 <i>0.236</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
RP030-0080-C	3.00 <i>0.118</i>	8.00 <i>0.315</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
# RP030A-0080-C	3.00 <i>0.118</i>	8.00 <i>0.315</i>	9 <i>0.354</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP030-0100-C	3.00 <i>0.118</i>	10.00 <i>0.394</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
RP030-0120-C	3.00 <i>0.118</i>	12.00 <i>0.472</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
# RP030-0140-C	3.00 <i>0.118</i>	14.00 <i>0.551</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
# RP030-0160-C	3.00 <i>0.118</i>	16.00 <i>0.630</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
# RP030A-0160-C	3.00 <i>0.118</i>	16.00 <i>0.630</i>	18 <i>0.709</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP030-0180-C	3.00 <i>0.118</i>	18.00 <i>0.709</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
RP030-0200-C	3.00 <i>0.118</i>	20.00 <i>0.787</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 15 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP030A-0200-C	3.00 <i>0.118</i>	20.00 <i>0.787</i>	22 <i>0.866</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP030-0220-C	3.00 <i>0.118</i>	22.00 <i>0.866</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
RP030-0240-C	3.00 <i>0.118</i>	24.00 <i>0.945</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
# RP030A-0240-C	3.00 <i>0.118</i>	24.00 <i>0.945</i>	26 <i>1.024</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP030-0260-C	3.00 <i>0.118</i>	26.00 <i>1.024</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
# RP030A-0260-C	3.00 <i>0.118</i>	26.00 <i>1.024</i>	29 <i>1.142</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP030-0280-C	3.00 <i>0.118</i>	28.00 <i>1.102</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
RP030-0300-C	3.00 <i>0.118</i>	30.00 <i>1.181</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
# RP030A-0300-C	3.00 <i>0.118</i>	30.00 <i>1.181</i>	33 <i>1.299</i>			Carbon Steel CS70	ASME B18.8.4M Type B

Indicates item not stocked at time of printing - Please enquire for lead time

Page 16 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP030-0320-C	3.00 <i>0.118</i>	32.00 <i>1.260</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
# RP030A-0320-C	3.00 <i>0.118</i>	32.00 <i>1.260</i>	35 <i>1.378</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP030-0360-C	3.00 <i>0.118</i>	36.00 <i>1.417</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
RP030-0400-C	3.00 <i>0.118</i>	40.00 <i>1.575</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
# RP030A-0400-C	3.00 <i>0.118</i>	40.00 <i>1.575</i>	44 <i>1.732</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP030-0450-C	3.00 <i>0.118</i>	45.00 <i>1.772</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
# RP030A-0450-C	3.00 <i>0.118</i>	45.00 <i>1.772</i>	50 <i>1.969</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP030-0500-C	3.00 <i>0.118</i>	50.00 <i>1.969</i>	3.30 <i>0.130</i>		0.90	Carbon Steel CS70	DIN1481 / ISO8752
RP032-0064-C	3.18 <i>0.125</i>	6.35 <i>0.250</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 17 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP032-0079-C	3.18 <i>0.125</i>	7.92 <i>0.312</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0095-C	3.18 <i>0.125</i>	9.53 <i>0.375</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0111-C	3.18 <i>0.125</i>	11.10 <i>0.437</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0127-C	3.18 <i>0.125</i>	12.70 <i>0.500</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0143-C	3.18 <i>0.125</i>	14.27 <i>0.562</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0159-C	3.18 <i>0.125</i>	15.88 <i>0.625</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0174-C	3.18 <i>0.125</i>	17.45 <i>0.687</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
# RP032-0175-C	3.18 <i>0.125</i>	17.50 <i>0.689</i>	3.50 <i>0.138</i>	0.71	0.20-1.12	Carbon Spring Steel	B18.8.2
RP032-0191-C	3.18 <i>0.125</i>	19.05 <i>0.750</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0206-C	3.18 <i>0.125</i>	20.62 <i>0.812</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 18 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP032-0222-C	3.18 <i>0.125</i>	22.23 <i>0.875</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0238-C	3.18 <i>0.125</i>	23.80 <i>0.937</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0254-C	3.18 <i>0.125</i>	25.40 <i>1.000</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0286-C	3.18 <i>0.125</i>	28.58 <i>1.125</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0318-C	3.18 <i>0.125</i>	31.75 <i>1.250</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0349-C	3.18 <i>0.125</i>	34.93 <i>1.375</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0381-C	3.18 <i>0.125</i>	38.10 <i>1.500</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0413-C	3.18 <i>0.125</i>	41.28 <i>1.625</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0445-C	3.18 <i>0.125</i>	44.45 <i>1.750</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0476-C	3.18 <i>0.125</i>	47.63 <i>1.875</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 19 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP032-0508-C	3.18 <i>0.125</i>	50.80 <i>2.000</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
# RP032-0508-Z	3.18 <i>0.125</i>	50.80 <i>2.000</i>	3.50 <i>0.138</i>	0.71	0.20-1.12	Carbon Spring Steel	B18.8.2
RP032-0572-C	3.18 <i>0.125</i>	57.15 <i>2.250</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0635-C	3.18 <i>0.125</i>	63.50 <i>2.500</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
RP032-0762-C	3.18 <i>0.125</i>	76.20 <i>3.000</i>	3.50 <i>0.138</i>			Carbon Spring Steel	B18.8.2
# RP035-0120-C	3.50 <i>0.138</i>	12.00 <i>0.472</i>	13 <i>0.512</i>			Carbon Steel CS70	DIN1481 / ISO8752
RP035-0160-C	3.50 <i>0.138</i>	16.00 <i>0.630</i>	3.85 <i>0.152</i>				
RP036-0127-C	3.56 <i>0.140</i>	12.70 <i>0.500</i>	3.92 <i>0.154</i>			Carbon Spring Steel	B18.8.2
RP036-0191-C	3.56 <i>0.140</i>	19.05 <i>0.750</i>	3.92 <i>0.154</i>			Carbon Spring Steel	B18.8.2
RP036-0254-C	3.56 <i>0.140</i>	25.40 <i>1.000</i>	3.92 <i>0.154</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 20 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP040-0079-C	3.97 <i>0.156</i>	7.92 <i>0.312</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
RP040-0095-C	3.97 <i>0.156</i>	9.53 <i>0.375</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
RP040-0111-C	3.97 <i>0.156</i>	11.10 <i>0.437</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
RP040-0127-C	3.97 <i>0.156</i>	12.70 <i>0.500</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
RP040-0143-C	3.97 <i>0.156</i>	14.27 <i>0.562</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
RP040-0159-C	3.97 <i>0.156</i>	15.88 <i>0.625</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
RP040-0174-C	3.97 <i>0.156</i>	17.45 <i>0.687</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
# RP040-0175-C	3.97 <i>0.156</i>	17.50 <i>0.689</i>	4.37 <i>0.172</i>	0.81	0.25-1.22	Carbon Spring Steel	B18.8.2
RP040-0191-C	3.97 <i>0.156</i>	19.05 <i>0.750</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
# RP040-0206-C	3.97 <i>0.156</i>	20.60 <i>0.811</i>	4.37 <i>0.172</i>	0.81	0.25-1.22	Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 21 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP040-0222-C	3.97 <i>0.156</i>	22.23 <i>0.875</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
RP040-0238-C	3.97 <i>0.156</i>	23.80 <i>0.937</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
RP040-0254-C	3.97 <i>0.156</i>	25.40 <i>1.000</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
RP040-0286-C	3.97 <i>0.156</i>	28.58 <i>1.125</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
RP040-0318-C	3.97 <i>0.156</i>	31.75 <i>1.250</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
# RP040-0349-C	3.97 <i>0.156</i>	34.90 <i>1.374</i>	4.37 <i>0.172</i>	0.81	0.25-1.22	Carbon Spring Steel	B18.8.2
RP040-0381-C	3.97 <i>0.156</i>	38.10 <i>1.500</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
RP040-0413-C	3.97 <i>0.156</i>	41.28 <i>1.625</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
RP040-0445-C	3.97 <i>0.156</i>	44.45 <i>1.750</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
RP040-0476-C	3.97 <i>0.156</i>	47.63 <i>1.875</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 22 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP040-0508-C	3.97 <i>0.156</i>	50.80 <i>2.000</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
RP040-0572-C	3.97 <i>0.156</i>	57.15 <i>2.250</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
RP040-0635-C	3.97 <i>0.156</i>	63.50 <i>2.500</i>	4.36 <i>0.172</i>			Carbon Spring Steel	B18.8.2
# RP040-0060-C	4.00 <i>0.157</i>	6.00 <i>0.236</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752
# RP040-0080-C	4.00 <i>0.157</i>	8.00 <i>0.315</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752
# RP040-0100-C	4.00 <i>0.157</i>	10.00 <i>0.394</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752
# RP040-0120-C	4.00 <i>0.157</i>	12.00 <i>0.472</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752
# RP040A-0120-C	4.00 <i>0.157</i>	12.00 <i>0.472</i>	13 <i>0.512</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP040-0140-C	4.00 <i>0.157</i>	14.00 <i>0.551</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752
# RP040-0160-C	4.00 <i>0.157</i>	16.00 <i>0.630</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 23 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP040A-0160-C	4.00 <i>0.157</i>	16.00 <i>0.630</i>	18 <i>0.709</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP040-0180-C	4.00 <i>0.157</i>	18.00 <i>0.709</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752
# RP040-0200-C	4.00 <i>0.157</i>	20.00 <i>0.787</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752
# RP040A-0200-C	4.00 <i>0.157</i>	20.00 <i>0.787</i>	22 <i>0.866</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP040-0220-C	4.00 <i>0.157</i>	22.00 <i>0.866</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752
# RP040A-0220-C	4.00 <i>0.157</i>	22.00 <i>0.866</i>	24 <i>0.945</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP040-0240-C	4.00 <i>0.157</i>	24.00 <i>0.945</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752
# RP040A-0240-C	4.00 <i>0.157</i>	24.00 <i>0.945</i>	26 <i>1.024</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP040-0260-C	4.00 <i>0.157</i>	26.00 <i>1.024</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 24 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP040-0280-C	4.00 <i>0.157</i>	28.00 <i>1.102</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752
# RP040A-0280-C	4.00 <i>0.157</i>	28.00 <i>1.102</i>	31 <i>1.220</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP040-0300-C	4.00 <i>0.157</i>	30.00 <i>1.181</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752
# RP040A-0300-C	4.00 <i>0.157</i>	30.00 <i>1.181</i>	33 <i>1.299</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP040-0320-C	4.00 <i>0.157</i>	32.00 <i>1.260</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752
# RP040A-0350-C	4.00 <i>0.157</i>	35.00 <i>1.378</i>	39 <i>1.535</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP040-0360-C	4.00 <i>0.157</i>	36.00 <i>1.417</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752
# RP040-0400-C	4.00 <i>0.157</i>	40.00 <i>1.575</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752
# RP040A-0400-C	4.00 <i>0.157</i>	40.00 <i>1.575</i>	44 <i>1.732</i>			Carbon Steel CS70	ASME B18.8.4M Type B

Indicates item not stocked at time of printing - Please enquire for lead time

Page 25 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP040-0450-C	4.00 <i>0.157</i>	45.00 <i>1.772</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752
# RP040-0500-C	4.00 <i>0.157</i>	50.00 <i>1.969</i>	4.40 <i>0.173</i>		1.10	Carbon Steel CS70	DIN1481 / ISO8752
RP048-0095-C	4.76 <i>0.187</i>	9.53 <i>0.375</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
RP048-0111-C	4.76 <i>0.187</i>	11.10 <i>0.437</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
RP048-0127-C	4.76 <i>0.187</i>	12.70 <i>0.500</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
RP048-0143-C	4.76 <i>0.187</i>	14.27 <i>0.562</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
RP048-0159-C	4.76 <i>0.187</i>	15.88 <i>0.625</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
RP048-0174-C	4.76 <i>0.187</i>	17.45 <i>0.687</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
# RP048-0175-C	4.76 <i>0.187</i>	17.50 <i>0.689</i>	5.24 <i>0.206</i>	1.07	0.28-1.40	Carbon Spring Steel	B18.8.2
RP048-0191-C	4.76 <i>0.187</i>	19.05 <i>0.750</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 26 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP048-0206-C	4.76 <i>0.187</i>	20.62 <i>0.812</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
RP048-0222-C	4.76 <i>0.187</i>	22.23 <i>0.875</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
RP048-0238-C	4.76 <i>0.187</i>	23.80 <i>0.937</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
RP048-0254-C	4.76 <i>0.187</i>	25.40 <i>1.000</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
# RP048-0254-Z	4.76 <i>0.187</i>	25.40 <i>1.000</i>	5.24 <i>0.206</i>	1.07	0.28-1.40	Carbon Spring Steel	B18.8.2
RP048-0286-C	4.76 <i>0.187</i>	28.58 <i>1.125</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
RP048-0318-C	4.76 <i>0.187</i>	31.75 <i>1.250</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
RP048-0349-C	4.76 <i>0.187</i>	34.93 <i>1.375</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
RP048-0381-C	4.76 <i>0.187</i>	38.10 <i>1.500</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
RP048-0413-C	4.76 <i>0.187</i>	41.28 <i>1.625</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 27 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP048-0445-C	4.76 <i>0.187</i>	44.45 <i>1.750</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
# RP048-0445-Z	4.76 <i>0.187</i>	44.50 <i>1.752</i>	5.24 <i>0.206</i>	0.71	0.20-1.12	Carbon Spring Steel	B18.8.2
RP048-0476-C	4.76 <i>0.187</i>	47.63 <i>1.875</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
RP048-0508-C	4.76 <i>0.187</i>	50.80 <i>2.000</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
RP048-0572-C	4.76 <i>0.187</i>	57.15 <i>2.250</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
RP048-0635-C	4.76 <i>0.187</i>	63.50 <i>2.500</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
# RP048-0699-C	4.76 <i>0.187</i>	69.85 <i>2.750</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
# RP048-0762-C	4.76 <i>0.187</i>	76.20 <i>3.000</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
RP048-0889-C	4.76 <i>0.187</i>	88.90 <i>3.500</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2
# RP048-1016-C	4.76 <i>0.187</i>	101.60 <i>4.000</i>	5.22 <i>0.206</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 28 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Free Diameter mm <i>inches</i>	Thickness (S)	Chamfer (I)	Material	Standard
# RP050-0060-C	5.00 <i>0.197</i>	6.00 <i>0.236</i>	7 <i>0.276</i>			Carbon Steel CS70	DIN1481 / ISO8752
# RP050-0080-C	5.00 <i>0.197</i>	8.00 <i>0.315</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
# RP050-0100-C	5.00 <i>0.197</i>	10.00 <i>0.394</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
# RP050A-0100-C	5.00 <i>0.197</i>	10.00 <i>0.394</i>	11 <i>0.433</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP050-0120-C	5.00 <i>0.197</i>	12.00 <i>0.472</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
# RP050A-0120-C	5.00 <i>0.197</i>	12.00 <i>0.472</i>	13 <i>0.512</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP050-0140-C	5.00 <i>0.197</i>	14.00 <i>0.551</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
# RP050A-0140-C	5.00 <i>0.197</i>	14.00 <i>0.551</i>	15 <i>0.591</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP050-0160-C	5.00 <i>0.197</i>	16.00 <i>0.630</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 29 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP050A-0160-C	5.00 <i>0.197</i>	16.00 <i>0.630</i>	18 <i>0.709</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP050-0180-C	5.00 <i>0.197</i>	18.00 <i>0.709</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
# RP050A-0180-C	5.00 <i>0.197</i>	18.00 <i>0.709</i>	20 <i>0.787</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP050-0200-C	5.00 <i>0.197</i>	20.00 <i>0.787</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
# RP050A-0200-C	5.00 <i>0.197</i>	20.00 <i>0.787</i>	22 <i>0.866</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP050-0220-C	5.00 <i>0.197</i>	22.00 <i>0.866</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
# RP050A-0220-C	5.00 <i>0.197</i>	22.00 <i>0.866</i>	24 <i>0.945</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP050-0240-C	5.00 <i>0.197</i>	24.00 <i>0.945</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
# RP050A-0240-C	5.00 <i>0.197</i>	24.00 <i>0.945</i>	26 <i>1.024</i>			Carbon Steel CS70	ASME B18.8.4M Type B

Indicates item not stocked at time of printing - Please enquire for lead time

Page 30 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP050-0260-C	5.00 <i>0.197</i>	26.00 <i>1.024</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
# RP050A-0260-C	5.00 <i>0.197</i>	26.00 <i>1.024</i>	29 <i>1.142</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP050-0280-C	5.00 <i>0.197</i>	28.00 <i>1.102</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
# RP050-0300-C	5.00 <i>0.197</i>	30.00 <i>1.181</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
# RP050A-0300-C	5.00 <i>0.197</i>	30.00 <i>1.181</i>	33 <i>1.299</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP050-0320-C	5.00 <i>0.197</i>	32.00 <i>1.260</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
# RP050A-0320-C	5.00 <i>0.197</i>	32.00 <i>1.260</i>	35 <i>1.378</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP050A-0360-C	5.00 <i>0.197</i>	36.00 <i>1.417</i>	40 <i>1.575</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP050-0400-C	5.00 <i>0.197</i>	40.00 <i>1.575</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 31 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP050A-0400-C	5.00 <i>0.197</i>	40.00 <i>1.575</i>	44 <i>1.732</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP050-0450-C	5.00 <i>0.197</i>	45.00 <i>1.772</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
# RP050A-0450-C	5.00 <i>0.197</i>	45.00 <i>1.772</i>	50 <i>1.969</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP050-0500-C	5.00 <i>0.197</i>	50.00 <i>1.969</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
# RP050A-0500-C	5.00 <i>0.197</i>	50.00 <i>1.969</i>	55 <i>2.165</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP050-0550-C	5.00 <i>0.197</i>	55.00 <i>2.165</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
# RP050-0600-C	5.00 <i>0.197</i>	60.00 <i>2.362</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
# RP050-0650-C	5.00 <i>0.197</i>	65.00 <i>2.559</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
# RP050-0700-C	5.00 <i>0.197</i>	70.00 <i>2.756</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 32 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP050-0750-C	5.00 <i>0.197</i>	75.00 <i>2.953</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
RP050-0800-C	5.00 <i>0.197</i>	80.00 <i>3.150</i>	5.50 <i>0.217</i>		1.30	Carbon Steel CS70	DIN1481 / ISO8752
RP056-0127-C	5.56 <i>0.219</i>	12.70 <i>0.500</i>	6.09 <i>0.240</i>			Carbon Spring Steel	B18.8.2
RP056-0143-C	5.56 <i>0.219</i>	14.27 <i>0.562</i>	6.09 <i>0.240</i>			Carbon Spring Steel	B18.8.2
RP056-0159-C	5.56 <i>0.219</i>	15.88 <i>0.625</i>	6.09 <i>0.240</i>			Carbon Spring Steel	B18.8.2
RP056-0174-C	5.56 <i>0.219</i>	17.45 <i>0.687</i>	6.09 <i>0.240</i>			Carbon Spring Steel	B18.8.2
RP056-0191-C	5.56 <i>0.219</i>	19.05 <i>0.750</i>	6.09 <i>0.240</i>			Carbon Spring Steel	B18.8.2
RP056-0222-C	5.56 <i>0.219</i>	22.23 <i>0.875</i>	6.09 <i>0.240</i>			Carbon Spring Steel	B18.8.2
RP056-0254-C	5.56 <i>0.219</i>	25.40 <i>1.000</i>	6.09 <i>0.240</i>			Carbon Spring Steel	B18.8.2
RP056-0286-C	5.56 <i>0.219</i>	28.58 <i>1.125</i>	6.09 <i>0.240</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 33 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP056-0318-C	5.56 <i>0.219</i>	31.75 <i>1.250</i>	6.09 <i>0.240</i>			Carbon Spring Steel	B18.8.2
RP056-0349-C	5.56 <i>0.219</i>	34.93 <i>1.375</i>	6.09 <i>0.240</i>			Carbon Spring Steel	B18.8.2
RP056-0381-C	5.56 <i>0.219</i>	38.10 <i>1.500</i>	6.09 <i>0.240</i>			Carbon Spring Steel	B18.8.2
RP056-0413-C	5.56 <i>0.219</i>	41.28 <i>1.625</i>	6.09 <i>0.240</i>			Carbon Spring Steel	B18.8.2
RP056-0445-C	5.56 <i>0.219</i>	44.45 <i>1.750</i>	6.09 <i>0.240</i>			Carbon Spring Steel	B18.8.2
RP056-0508-C	5.56 <i>0.219</i>	50.80 <i>2.000</i>	6.09 <i>0.240</i>			Carbon Spring Steel	B18.8.2
RP056-0572-C	5.56 <i>0.219</i>	57.15 <i>2.250</i>	6.09 <i>0.240</i>			Carbon Spring Steel	B18.8.2
RP056-0635-C	5.56 <i>0.219</i>	63.50 <i>2.500</i>	6.09 <i>0.240</i>			Carbon Spring Steel	B18.8.2
# RP056-0762-C	5.56 <i>0.219</i>	76.20 <i>3.000</i>	6.09 <i>0.240</i>			Carbon Spring Steel	B18.8.2
# RP060-0100-C	6.00 <i>0.236</i>	10.00 <i>0.394</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 34 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP060-0120-C	6.00 <i>0.236</i>	12.00 <i>0.472</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060-0140-C	6.00 <i>0.236</i>	14.00 <i>0.551</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
RP060-0160-C	6.00 <i>0.236</i>	16.00 <i>0.630</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
RP060-0180-C	6.00 <i>0.236</i>	18.00 <i>0.709</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
RP060-0200-C	6.00 <i>0.236</i>	20.00 <i>0.787</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060A-0200-C	6.00 <i>0.236</i>	20.00 <i>0.787</i>	22 <i>0.866</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP060-0220-C	6.00 <i>0.236</i>	22.00 <i>0.866</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060A-0220-C	6.00 <i>0.236</i>	22.00 <i>0.866</i>	24 <i>0.945</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP060-0240-C	6.00 <i>0.236</i>	24.00 <i>0.945</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060-0250-C	6.00 <i>0.236</i>	25.00 <i>0.984</i>	28 <i>1.102</i>			Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 35 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP060-0260-C	6.00 <i>0.236</i>	26.00 <i>1.024</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
RP060-0280-C	6.00 <i>0.236</i>	28.00 <i>1.102</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060A-0280-C	6.00 <i>0.236</i>	28.00 <i>1.102</i>	31 <i>1.220</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP060-0300-C	6.00 <i>0.236</i>	30.00 <i>1.181</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060A-0300-C	6.00 <i>0.236</i>	30.00 <i>1.181</i>	33 <i>1.299</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP060-0320-C	6.00 <i>0.236</i>	32.00 <i>1.260</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060A-0350-C	6.00 <i>0.236</i>	35.00 <i>1.378</i>	39 <i>1.535</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP060A-0360-C	6.00 <i>0.236</i>	36.00 <i>1.417</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060-0400-C	6.00 <i>0.236</i>	40.00 <i>1.575</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 36 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP060A-0400-C	6.00 <i>0.236</i>	40.00 <i>1.575</i>	44 <i>1.732</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP060-0450-C	6.00 <i>0.236</i>	45.00 <i>1.772</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060A-0450-C	6.00 <i>0.236</i>	45.00 <i>1.772</i>	50 <i>1.969</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP060-0500-C	6.00 <i>0.236</i>	50.00 <i>1.969</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060A-0500-C	6.00 <i>0.236</i>	50.00 <i>1.969</i>	55 <i>2.165</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP060-0550-C	6.00 <i>0.236</i>	55.00 <i>2.165</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060A-0550-C	6.00 <i>0.236</i>	55.00 <i>2.165</i>	61 <i>2.402</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP060-0600-C	6.00 <i>0.236</i>	60.00 <i>2.362</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060A-0600-C	6.00 <i>0.236</i>	60.00 <i>2.362</i>	66 <i>2.598</i>			Carbon Steel CS70	ASME B18.8.4M Type B

Indicates item not stocked at time of printing - Please enquire for lead time

Page 37 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Free Diameter mm <i>inches</i>	Thickness (S)	Chamfer (I)	Material	Standard
# RP060-0650-C	6.00 <i>0.236</i>	65.00 <i>2.559</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060-0700-C	6.00 <i>0.236</i>	70.00 <i>2.756</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060A-0700-C	6.00 <i>0.236</i>	70.00 <i>2.756</i>	77 <i>3.031</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP060-0750-C	6.00 <i>0.236</i>	75.00 <i>2.953</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060-0800-C	6.00 <i>0.236</i>	80.00 <i>3.150</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060-0850-C	6.00 <i>0.236</i>	85.00 <i>3.346</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060-0900-C	6.00 <i>0.236</i>	90.00 <i>3.543</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060-0950-C	6.00 <i>0.236</i>	95.00 <i>3.740</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP060-1000-C	6.00 <i>0.236</i>	100.00 <i>3.937</i>	6.60 <i>0.260</i>		1.50	Carbon Steel CS70	DIN1481 / ISO8752
RP064-0095-C	6.35 <i>0.250</i>	9.53 <i>0.375</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 38 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP064-0127-C	6.35 <i>0.250</i>	12.70 <i>0.500</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP064-0143-C	6.35 <i>0.250</i>	14.27 <i>0.562</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
# RP064-0158-C	6.35 <i>0.250</i>	15.80 <i>0.622</i>	6.98 <i>0.275</i>	0.71	0.20-1.12	Carbon Spring Steel	B18.8.2
RP064-0159-C	6.35 <i>0.250</i>	15.88 <i>0.625</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP064-0174-C	6.35 <i>0.250</i>	17.45 <i>0.687</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP064-0191-C	6.35 <i>0.250</i>	19.05 <i>0.750</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP064-0206-C	6.35 <i>0.250</i>	20.62 <i>0.812</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP064-0222-C	6.35 <i>0.250</i>	22.23 <i>0.875</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP064-0238-C	6.35 <i>0.250</i>	23.80 <i>0.937</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP064-0254-C	6.35 <i>0.250</i>	25.40 <i>1.000</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 39 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP064-0286-C	6.35 <i>0.250</i>	28.58 <i>1.125</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP064-0318-C	6.35 <i>0.250</i>	31.75 <i>1.250</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP064-0349-C	6.35 <i>0.250</i>	34.93 <i>1.375</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP064-0381-C	6.35 <i>0.250</i>	38.10 <i>1.500</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP064-0381-Z	6.35 <i>0.250</i>	38.10 <i>1.500</i>	6.98 <i>0.275</i>	0.71	0.20-1.12	Carbon Spring Steel	B18.8.2
RP064-0413-C	6.35 <i>0.250</i>	41.28 <i>1.625</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP064-0445-C	6.35 <i>0.250</i>	44.45 <i>1.750</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP064-0476-C	6.35 <i>0.250</i>	47.63 <i>1.875</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP064-0508-C	6.35 <i>0.250</i>	50.80 <i>2.000</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
# RP064-0508-Z	6.35 <i>0.250</i>	50.80 <i>2.000</i>	6.98 <i>0.275</i>	0.71	0.20-1.12	Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 40 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP064-0572-C	6.35 <i>0.250</i>	57.15 <i>2.250</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP064-0635-C	6.35 <i>0.250</i>	63.50 <i>2.500</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP064-0699-C	6.35 <i>0.250</i>	69.85 <i>2.750</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP064-0762-C	6.35 <i>0.250</i>	76.20 <i>3.000</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
# RP064-0826-C	6.35 <i>0.250</i>	82.55 <i>3.250</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
# RP064-0889-C	6.35 <i>0.250</i>	88.90 <i>3.500</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
# RP064-1016-C	6.35 <i>0.250</i>	101.60 <i>4.000</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
# RP064-1143-C	6.35 <i>0.250</i>	114.30 <i>4.500</i>	6.98 <i>0.275</i>			Carbon Spring Steel	B18.8.2
RP079-0191-C	7.94 <i>0.313</i>	19.05 <i>0.750</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
RP079-0206-C	7.94 <i>0.313</i>	20.62 <i>0.812</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 41 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP079-0222-C	7.94 <i>0.313</i>	22.23 <i>0.875</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
RP079-0238-C	7.94 <i>0.313</i>	23.80 <i>0.937</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
RP079-0254-C	7.94 <i>0.313</i>	25.40 <i>1.000</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
RP079-0286-C	7.94 <i>0.313</i>	28.58 <i>1.125</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
RP079-0318-C	7.94 <i>0.313</i>	31.75 <i>1.250</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
RP079-0349-C	7.94 <i>0.313</i>	34.93 <i>1.375</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
RP079-0381-C	7.94 <i>0.313</i>	38.10 <i>1.500</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
RP079-0413-C	7.94 <i>0.313</i>	41.28 <i>1.625</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
RP079-0445-C	7.94 <i>0.313</i>	44.45 <i>1.750</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
RP079-0476-C	7.94 <i>0.313</i>	47.63 <i>1.875</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 42 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
RP079-0508-C	7.94 <i>0.313</i>	50.80 <i>2.000</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
# RP079-0572-C	7.94 <i>0.313</i>	57.15 <i>2.250</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
# RP079-0635-C	7.94 <i>0.313</i>	63.50 <i>2.500</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
# RP079-0698-C	7.94 <i>0.313</i>	69.80 <i>2.748</i>	8.71 <i>0.343</i>	0.71	0.20-1.12	Carbon Spring Steel	B18.8.2
# RP079-0699-C	7.94 <i>0.313</i>	69.85 <i>2.750</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
# RP079-0762-C	7.94 <i>0.313</i>	76.20 <i>3.000</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
# RP079-0826-C	7.94 <i>0.313</i>	82.55 <i>3.250</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
# RP079-0889-C	7.94 <i>0.313</i>	88.90 <i>3.500</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
# RP079-0953-C	7.94 <i>0.313</i>	95.25 <i>3.750</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2
# RP079-1016-C	7.94 <i>0.313</i>	101.60 <i>4.000</i>	8.71 <i>0.343</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 43 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP080-0100-C	8.00 <i>0.315</i>	10.00 <i>0.394</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080-0120-C	8.00 <i>0.315</i>	12.00 <i>0.472</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080-0140-C	8.00 <i>0.315</i>	14.00 <i>0.551</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080-0160-C	8.00 <i>0.315</i>	16.00 <i>0.630</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080A-0160-C	8.00 <i>0.315</i>	16.00 <i>0.630</i>	18 <i>0.709</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP080-0180-C	8.00 <i>0.315</i>	18.00 <i>0.709</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080-0200-C	8.00 <i>0.315</i>	20.00 <i>0.787</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080-0220-C	8.00 <i>0.315</i>	22.00 <i>0.866</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080-0240-C	8.00 <i>0.315</i>	24.00 <i>0.945</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080A-0240-C	8.00 <i>0.315</i>	24.00 <i>0.945</i>	26 <i>1.024</i>			Carbon Steel CS70	ASME B18.8.4M Type B

Indicates item not stocked at time of printing - Please enquire for lead time

Page 44 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP080-0260-C	8.00 <i>0.315</i>	26.00 <i>1.024</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
RP080-0280-C	8.00 <i>0.315</i>	28.00 <i>1.102</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080A-0280-C	8.00 <i>0.315</i>	28.00 <i>1.102</i>	31 <i>1.220</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP080-0300-C	8.00 <i>0.315</i>	30.00 <i>1.181</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080A-0300-C	8.00 <i>0.315</i>	30.00 <i>1.181</i>	33 <i>1.299</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP080-0320-C	8.00 <i>0.315</i>	32.00 <i>1.260</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080-0350-C	8.00 <i>0.315</i>	35.00 <i>1.378</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080-0360-C	8.00 <i>0.315</i>	36.00 <i>1.417</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080-0400-C	8.00 <i>0.315</i>	40.00 <i>1.575</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 45 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP080A-0400-C	8.00 <i>0.315</i>	40.00 <i>1.575</i>	44 <i>1.732</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP080-0450-C	8.00 <i>0.315</i>	45.00 <i>1.772</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080A-0450-C	8.00 <i>0.315</i>	45.00 <i>1.772</i>	50 <i>1.969</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP080-0500-C	8.00 <i>0.315</i>	50.00 <i>1.969</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080A-0500-C	8.00 <i>0.315</i>	50.00 <i>1.969</i>	55 <i>2.165</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP080-0550-C	8.00 <i>0.315</i>	55.00 <i>2.165</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080A-0550-C	8.00 <i>0.315</i>	55.00 <i>2.165</i>	61 <i>2.402</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP080-0600-C	8.00 <i>0.315</i>	60.00 <i>2.362</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080A-0600-C	8.00 <i>0.315</i>	60.00 <i>2.362</i>	66 <i>2.598</i>			Carbon Steel CS70	ASME B18.8.4M Type B

Indicates item not stocked at time of printing - Please enquire for lead time

Page 46 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP080-0650-C	8.00 <i>0.315</i>	65.00 <i>2.559</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080A-0650-C	8.00 <i>0.315</i>	65.00 <i>2.559</i>	72 <i>2.835</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP080-0700-C	8.00 <i>0.315</i>	70.00 <i>2.756</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080A-0700-C	8.00 <i>0.315</i>	70.00 <i>2.756</i>	77 <i>3.031</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP080-0750-C	8.00 <i>0.315</i>	75.00 <i>2.953</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080A-0750-C	8.00 <i>0.315</i>	75.00 <i>2.953</i>	83 <i>3.268</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP080-0800-C	8.00 <i>0.315</i>	80.00 <i>3.150</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080A-0800-C	8.00 <i>0.315</i>	80.00 <i>3.150</i>	88 <i>3.465</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP080-0850-C	8.00 <i>0.315</i>	85.00 <i>3.346</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 47 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP080-0900-C	8.00 <i>0.315</i>	90.00 <i>3.543</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080-0950-C	8.00 <i>0.315</i>	95.00 <i>3.740</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080-1000-C	8.00 <i>0.315</i>	100.00 <i>3.937</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP080-1200-C	8.00 <i>0.315</i>	120.00 <i>4.724</i>	8.80 <i>0.346</i>		2.00	Carbon Steel CS70	DIN1481 / ISO8752
RP095-0191-C	9.53 <i>0.375</i>	19.05 <i>0.750</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
RP095-0222-C	9.53 <i>0.375</i>	22.23 <i>0.875</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
RP095-0254-C	9.53 <i>0.375</i>	25.40 <i>1.000</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
RP095-0286-C	9.53 <i>0.375</i>	28.58 <i>1.125</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
# RP095-0318-C	9.53 <i>0.375</i>	31.75 <i>1.250</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
# RP095-0349-C	9.53 <i>0.375</i>	34.93 <i>1.375</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 48 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP095-0381-C	9.53 <i>0.375</i>	38.10 <i>1.500</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
# RP095-0413-C	9.53 <i>0.375</i>	41.28 <i>1.625</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
# RP095-0445-C	9.53 <i>0.375</i>	44.45 <i>1.750</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
# RP095-0476-C	9.53 <i>0.375</i>	47.63 <i>1.875</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
# RP095-0508-Z	9.53 <i>0.375</i>	50.80 <i>2.000</i>	10.48 <i>0.413</i>	0.71	0.20-1.12	Carbon Spring Steel	B18.8.2
# RP095-0508-C	9.53 <i>0.375</i>	50.80 <i>2.000</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
# RP095-0572-C	9.53 <i>0.375</i>	57.15 <i>2.250</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
# RP095-0635-C	9.53 <i>0.375</i>	63.50 <i>2.500</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
# RP095-0635-Z	9.53 <i>0.375</i>	63.50 <i>2.500</i>	10.48 <i>0.413</i>	0.71	0.20-1.12	Carbon Spring Steel	B18.8.2
# RP095-0699-C	9.53 <i>0.375</i>	69.85 <i>2.750</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 49 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP095-0762-C	9.53 <i>0.375</i>	76.20 <i>3.000</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
# RP095-0826-C	9.53 <i>0.375</i>	82.55 <i>3.250</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
# RP095-0889-C	9.53 <i>0.375</i>	88.90 <i>3.500</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
# RP095-0953-C	9.53 <i>0.375</i>	95.25 <i>3.750</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
# RP095-1016-C	9.53 <i>0.375</i>	101.60 <i>4.000</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
# RP095-1270-C	9.53 <i>0.375</i>	127.00 <i>5.000</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
# RP095-1524-C	9.53 <i>0.375</i>	152.40 <i>6.000</i>	10.48 <i>0.413</i>			Carbon Spring Steel	B18.8.2
# RP100-0100-C	10.00 <i>0.394</i>	10.00 <i>0.394</i>	11 <i>0.433</i>			Carbon Steel CS70	DIN1481 / ISO8752
# RP100-0160-C	10.00 <i>0.394</i>	16.00 <i>0.630</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100-0180-C	10.00 <i>0.394</i>	18.00 <i>0.709</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 50 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP100-0200-C	10.00 <i>0.394</i>	20.00 <i>0.787</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100A-0200-C	10.00 <i>0.394</i>	20.00 <i>0.787</i>	22 <i>0.866</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP100-0220-C	10.00 <i>0.394</i>	22.00 <i>0.866</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100-0240-C	10.00 <i>0.394</i>	24.00 <i>0.945</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100A-0240-C	10.00 <i>0.394</i>	24.00 <i>0.945</i>	26 <i>1.024</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP100-0260-C	10.00 <i>0.394</i>	26.00 <i>1.024</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100-0280-C	10.00 <i>0.394</i>	28.00 <i>1.102</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100-0300-C	10.00 <i>0.394</i>	30.00 <i>1.181</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100A-0300-C	10.00 <i>0.394</i>	30.00 <i>1.181</i>	33 <i>1.299</i>			Carbon Steel CS70	ASME B18.8.4M Type B

Indicates item not stocked at time of printing - Please enquire for lead time

Page 51 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP100-0320-C	10.00 <i>0.394</i>	32.00 <i>1.260</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100-0350-C	10.00 <i>0.394</i>	35.00 <i>1.378</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100A-0350-C	10.00 <i>0.394</i>	35.00 <i>1.378</i>	39 <i>1.535</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP100-0360-C	10.00 <i>0.394</i>	36.00 <i>1.417</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
RP100-0400-C	10.00 <i>0.394</i>	40.00 <i>1.575</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100A-0400-C	10.00 <i>0.394</i>	40.00 <i>1.575</i>	44 <i>1.732</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP100-0450-C	10.00 <i>0.394</i>	45.00 <i>1.772</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100A-0450-C	10.00 <i>0.394</i>	45.00 <i>1.772</i>	50 <i>1.969</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP100-0500-C	10.00 <i>0.394</i>	50.00 <i>1.969</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 52 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP100A-0500-C	10.00 <i>0.394</i>	50.00 <i>1.969</i>	55 <i>2.165</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP100-0550-C	10.00 <i>0.394</i>	55.00 <i>2.165</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100A-0550-C	10.00 <i>0.394</i>	55.00 <i>2.165</i>	61 <i>2.402</i>			Carbon Steel CS70	ASME B18.8.4M Type B
RP100-0600-C	10.00 <i>0.394</i>	60.00 <i>2.362</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100A-0600-C	10.00 <i>0.394</i>	60.00 <i>2.362</i>	66 <i>2.598</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP100-0650-C	10.00 <i>0.394</i>	65.00 <i>2.559</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100A-0650-C	10.00 <i>0.394</i>	65.00 <i>2.559</i>	72 <i>2.835</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP100-0700-C	10.00 <i>0.394</i>	70.00 <i>2.756</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100A-0700-C	10.00 <i>0.394</i>	70.00 <i>2.756</i>	77 <i>3.031</i>			Carbon Steel CS70	ASME B18.8.4M Type B

Indicates item not stocked at time of printing - Please enquire for lead time

Page 53 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP100-0750-C	10.00 <i>0.394</i>	75.00 <i>2.953</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100A-0750-C	10.00 <i>0.394</i>	75.00 <i>2.953</i>	83 <i>3.268</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP100-0800-C	10.00 <i>0.394</i>	80.00 <i>3.150</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100A-0800-C	10.00 <i>0.394</i>	80.00 <i>3.150</i>	88 <i>3.465</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP100-0850-C	10.00 <i>0.394</i>	85.00 <i>3.346</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100-0900-C	10.00 <i>0.394</i>	90.00 <i>3.543</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100A-0900-C	10.00 <i>0.394</i>	90.00 <i>3.543</i>	99 <i>3.898</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP100-0950-C	10.00 <i>0.394</i>	95.00 <i>3.740</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752
# RP100-1000-C	10.00 <i>0.394</i>	100.00 <i>3.937</i>	11.00 <i>0.433</i>		2.50	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 54 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP111-0254-C	11.11 <i>0.437</i>	25.40 <i>1.000</i>	12.21 <i>0.481</i>			Carbon Spring Steel	B18.8.2
# RP111-0318-C	11.11 <i>0.437</i>	31.75 <i>1.250</i>	12.21 <i>0.481</i>			Carbon Spring Steel	B18.8.2
# RP111-0381-C	11.11 <i>0.437</i>	38.10 <i>1.500</i>	12.21 <i>0.481</i>			Carbon Spring Steel	B18.8.2
# RP111-0445-C	11.11 <i>0.437</i>	44.45 <i>1.750</i>	12.21 <i>0.481</i>			Carbon Spring Steel	B18.8.2
# RP111-0508-C	11.11 <i>0.437</i>	50.80 <i>2.000</i>	12.21 <i>0.481</i>			Carbon Spring Steel	B18.8.2
# RP111-0572-C	11.11 <i>0.437</i>	57.15 <i>2.250</i>	12.21 <i>0.481</i>			Carbon Spring Steel	B18.8.2
# RP111-0635-C	11.11 <i>0.437</i>	63.50 <i>2.500</i>	12.21 <i>0.481</i>			Carbon Spring Steel	B18.8.2
# RP111-0699-C	11.11 <i>0.437</i>	69.85 <i>2.750</i>	12.21 <i>0.481</i>			Carbon Spring Steel	B18.8.2
# RP111-0762-C	11.11 <i>0.437</i>	76.20 <i>3.000</i>	12.21 <i>0.481</i>			Carbon Spring Steel	B18.8.2
# RP111-0889-C	11.11 <i>0.437</i>	88.90 <i>3.500</i>	12.21 <i>0.481</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 55 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP111-1016-C	11.11 <i>0.437</i>	101.60 <i>4.000</i>	12.21 <i>0.481</i>			Carbon Spring Steel	B18.8.2
# RP120-0180-C	12.00 <i>0.472</i>	18.00 <i>0.709</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120-0200-C	12.00 <i>0.472</i>	20.00 <i>0.787</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120-0220-C	12.00 <i>0.472</i>	22.00 <i>0.866</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120-0240-C	12.00 <i>0.472</i>	24.00 <i>0.945</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120A-0240-C	12.00 <i>0.472</i>	24.00 <i>0.945</i>	26 <i>1.024</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP120-0260-C	12.00 <i>0.472</i>	26.00 <i>1.024</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120-0280-C	12.00 <i>0.472</i>	28.00 <i>1.102</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120-0300-C	12.00 <i>0.472</i>	30.00 <i>1.181</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120-0320-C	12.00 <i>0.472</i>	32.00 <i>1.260</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 56 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP120-0350-C	12.00 <i>0.472</i>	35.00 <i>1.378</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120-0360-C	12.00 <i>0.472</i>	36.00 <i>1.417</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120-0400-C	12.00 <i>0.472</i>	40.00 <i>1.575</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120A-0400-C	12.00 <i>0.472</i>	40.00 <i>1.575</i>	44 <i>1.732</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP120-0450-C	12.00 <i>0.472</i>	45.00 <i>1.772</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120-0500-C	12.00 <i>0.472</i>	50.00 <i>1.969</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120A-0500-C	12.00 <i>0.472</i>	50.00 <i>1.969</i>	55 <i>2.165</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP120-0550-C	12.00 <i>0.472</i>	55.00 <i>2.165</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120-0600-C	12.00 <i>0.472</i>	60.00 <i>2.362</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 57 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP120A-0600-C	12.00 <i>0.472</i>	60.00 <i>2.362</i>	66 <i>2.598</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP120-0650-C	12.00 <i>0.472</i>	65.00 <i>2.559</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120-0700-C	12.00 <i>0.472</i>	70.00 <i>2.756</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120-0750-C	12.00 <i>0.472</i>	75.00 <i>2.953</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120-0800-C	12.00 <i>0.472</i>	80.00 <i>3.150</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120A-0800-C	12.00 <i>0.472</i>	80.00 <i>3.150</i>	88 <i>3.465</i>			Carbon Steel CS70	ASME B18.8.4M Type B
# RP120-0850-C	12.00 <i>0.472</i>	85.00 <i>3.346</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120-0900-C	12.00 <i>0.472</i>	90.00 <i>3.543</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120A-0900-C	12.00 <i>0.472</i>	90.00 <i>3.543</i>	99 <i>3.898</i>			Carbon Steel CS70	ASME B18.8.4M Type B

Indicates item not stocked at time of printing - Please enquire for lead time

Page 58 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP120-0950-C	12.00 <i>0.472</i>	95.00 <i>3.740</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP120-1000-C	12.00 <i>0.472</i>	100.00 <i>3.937</i>	13.20 <i>0.520</i>		3.00	Carbon Steel CS70	DIN1481 / ISO8752
# RP127-0254-C	12.70 <i>0.500</i>	25.40 <i>1.000</i>	13.97 <i>0.550</i>			Carbon Spring Steel	B18.8.2
# RP127-0318-C	12.70 <i>0.500</i>	31.75 <i>1.250</i>	13.97 <i>0.550</i>			Carbon Spring Steel	B18.8.2
# RP127-0349-C	12.70 <i>0.500</i>	34.93 <i>1.375</i>	13.97 <i>0.550</i>			Carbon Spring Steel	B18.8.2
# RP127-0381-C	12.70 <i>0.500</i>	38.10 <i>1.500</i>	13.97 <i>0.550</i>			Carbon Spring Steel	B18.8.2
# RP127-0445-C	12.70 <i>0.500</i>	44.45 <i>1.750</i>	13.97 <i>0.550</i>			Carbon Spring Steel	B18.8.2
# RP127-0508-C	12.70 <i>0.500</i>	50.80 <i>2.000</i>	13.97 <i>0.550</i>			Carbon Spring Steel	B18.8.2
# RP127-0572-C	12.70 <i>0.500</i>	57.15 <i>2.250</i>	13.97 <i>0.550</i>			Carbon Spring Steel	B18.8.2
# RP127-0635-C	12.70 <i>0.500</i>	63.50 <i>2.500</i>	13.97 <i>0.550</i>			Carbon Spring Steel	B18.8.2

Indicates item not stocked at time of printing - Please enquire for lead time

Page 59 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP127-0699-C	12.70 <i>0.500</i>	69.85 <i>2.750</i>	13.97 <i>0.550</i>			Carbon Spring Steel	B18.8.2
# RP127-0762-C	12.70 <i>0.500</i>	76.20 <i>3.000</i>	13.97 <i>0.550</i>			Carbon Spring Steel	B18.8.2
# RP127-0826-C	12.70 <i>0.500</i>	82.55 <i>3.250</i>	13.97 <i>0.550</i>			Carbon Spring Steel	B18.8.2
# RP127-0889-C	12.70 <i>0.500</i>	88.90 <i>3.500</i>	13.97 <i>0.550</i>			Carbon Spring Steel	B18.8.2
# RP127-0953-C	12.70 <i>0.500</i>	95.25 <i>3.750</i>	13.97 <i>0.550</i>			Carbon Spring Steel	B18.8.2
# RP127-1016-C	12.70 <i>0.500</i>	101.60 <i>4.000</i>	13.97 <i>0.550</i>			Carbon Spring Steel	B18.8.2
# RP127-1143-C	12.70 <i>0.500</i>	114.30 <i>4.500</i>	13.97 <i>0.550</i>			Carbon Spring Steel	B18.8.2
# RP127-1524-C	12.70 <i>0.500</i>	152.40 <i>6.000</i>	13.97 <i>0.550</i>			Carbon Spring Steel	B18.8.2
# RP140-0600-C	14.00 <i>0.551</i>	60.00 <i>2.362</i>	66 <i>2.598</i>			Carbon Steel CS70	DIN1481 / ISO8752
# RP140-0800-C	14.00 <i>0.551</i>	80.00 <i>3.150</i>	88 <i>3.465</i>			Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 60 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP159-0508-C	15.88 <i>0.625</i>	50.80 <i>2.000</i>	17.47 <i>0.688</i>			Carbon Spring Steel	B18.8.2
# RP159-1143-C	15.88 <i>0.625</i>	114.30 <i>4.500</i>	17.47 <i>0.688</i>			Carbon Spring Steel	B18.8.2
# RP159-1270-C	15.88 <i>0.625</i>	127.00 <i>5.000</i>	17.47 <i>0.688</i>			Carbon Spring Steel	B18.8.2
# RP160-0450-C	16.00 <i>0.630</i>	45.00 <i>1.772</i>	50 <i>1.969</i>			Carbon Steel CS70	DIN1481 / ISO8752
# RP160-0700-C	16.00 <i>0.630</i>	70.00 <i>2.756</i>	77 <i>3.031</i>			Carbon Steel CS70	DIN1481 / ISO8752
# RP160-1000-C	16.00 <i>0.630</i>	100.00 <i>3.937</i>	110 <i>4.331</i>			Carbon Steel CS70	DIN1481 / ISO8752
# RP160-1400-C	16.00 <i>0.630</i>	140.00 <i>5.512</i>	154 <i>6.063</i>			Carbon Steel CS70	DIN1481 / ISO8752
# RP200-0600-C	20.00 <i>0.787</i>	60.00 <i>2.362</i>	66 <i>2.598</i>			Carbon Steel CS70	DIN1481 / ISO8752
# RP200-0700-C	20.00 <i>0.787</i>	70.00 <i>2.756</i>	77 <i>3.031</i>			Carbon Steel CS70	DIN1481 / ISO8752
# RP200-0800-C	20.00 <i>0.787</i>	80.00 <i>3.150</i>	88 <i>3.465</i>			Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

Page 61 of 62

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pins - Roll - Carbon Steel

Part Number	Nominal Diameter (D) mm	Length (L) mm	Free Diameter mm	Thickness (S)	Chamfer (I)	Material	Standard
	<i>inches</i>	<i>inches</i>	<i>inches</i>				
# RP200-1600-C	20.00 <i>0.787</i>	160.00 <i>6.299</i>	176 <i>6.929</i>			Carbon Steel CS70	DIN1481 / ISO8752
# RP250-0500-C	25.00 <i>0.984</i>	50.00 <i>1.969</i>	55 <i>2.165</i>			Carbon Steel CS70	DIN1481 / ISO8752
# RP250-0600-C	25.00 <i>0.984</i>	60.00 <i>2.362</i>	66 <i>2.598</i>			Carbon Steel CS70	DIN1481 / ISO8752
# RP250-0800-C	25.00 <i>0.984</i>	80.00 <i>3.150</i>	88 <i>3.465</i>			Carbon Steel CS70	DIN1481 / ISO8752

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

