

# Pins - Split - Zinc Plated

10/4/2018

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 15

## INFORMATION


Split pins.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au//categories/clevis+pins/all/pics/>

**# Indicates item not stocked at time of printing - Please enquire for lead time**

**E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd**

**MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.**



# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Split - Zinc Plated

Part Number	Hole Diameter mm <i>inches</i>	Nom. Pin Length (L) mm <i>inches</i>	Nom. Pin Diameter (D) mm <i>inches</i>	Material	Nom. Overall Length mm <i>inches</i>
PC012-0064-Z	1.2 <i>0.047</i>	6.4 <i>0.252</i>	1.1 <i>0.043</i>	Zinc Plated Steel	8 <i>0.315</i>
PC012-0127-Z	1.2 <i>0.047</i>	12.7 <i>0.500</i>	1.1 <i>0.043</i>	Zinc Plated Steel	15 <i>0.591</i>
PC012-0191-Z	1.2 <i>0.047</i>	19.1 <i>0.752</i>	1.1 <i>0.043</i>	Zinc Plated Steel	23 <i>0.906</i>
# PC012-0254-Z	1.2 <i>0.047</i>	25.4 <i>1.000</i>	1.1 <i>0.043</i>	Zinc Plated Steel	31 <i>1.220</i>
# PC012-0318-Z	1.2 <i>0.047</i>	31.8 <i>1.252</i>	1.1 <i>0.043</i>	Zinc Plated Steel	38 <i>1.496</i>
# PC012-0381-Z	1.2 <i>0.047</i>	38.1 <i>1.500</i>	1.1 <i>0.043</i>	Zinc Plated Steel	46 <i>1.811</i>
PC016-0100-Z	1.6 <i>0.063</i>	10.0 <i>0.394</i>	1.4 <i>0.055</i>	Zinc Plated Steel	12 <i>0.472</i>
PC016-0120-Z	1.6 <i>0.063</i>	12.0 <i>0.472</i>	1.4 <i>0.055</i>	Zinc Plated Steel	14 <i>0.551</i>
PC016-0160-Z	1.6 <i>0.063</i>	16.0 <i>0.630</i>	1.4 <i>0.055</i>	Zinc Plated Steel	19 <i>0.748</i>
PC016-0200-Z	1.6 <i>0.063</i>	20.0 <i>0.787</i>	1.4 <i>0.055</i>	Zinc Plated Steel	24 <i>0.945</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Split - Zinc Plated

Part Number	Hole Diameter mm <i>inches</i>	Nom. Pin Length (L) mm <i>inches</i>	Nom. Pin Diameter (D) mm <i>inches</i>	Material	Nom. Overall Length mm <i>inches</i>
PC016-0250-Z	1.6 <i>0.063</i>	25.0 <i>0.984</i>	1.4 <i>0.055</i>	Zinc Plated Steel	30 <i>1.181</i>
# PC016-0280-Z	1.6 <i>0.063</i>	28.0 <i>1.102</i>	1.4 <i>0.055</i>	Zinc Plated Steel	34 <i>1.339</i>
# PC016-0320-Z	1.6 <i>0.063</i>	32.0 <i>1.260</i>	1.4 <i>0.055</i>	Zinc Plated Steel	38 <i>1.496</i>
# PC016-0360-Z	1.6 <i>0.063</i>	36.0 <i>1.417</i>	1.4 <i>0.055</i>	Zinc Plated Steel	43 <i>1.693</i>
# PC016-0400-Z	1.6 <i>0.063</i>	40.0 <i>1.575</i>	1.4 <i>0.055</i>	Zinc Plated Steel	48 <i>1.890</i>
PC016-0500-Z	1.6 <i>0.063</i>	50.0 <i>1.969</i>	1.4 <i>0.055</i>	Zinc Plated Steel	60 <i>2.362</i>
# PC020-0064-Z	2.0 <i>0.079</i>	6.4 <i>0.252</i>	1.8 <i>0.071</i>	Zinc Plated Steel	8 <i>0.315</i>
# PC020-0120-Z	2.0 <i>0.079</i>	12.0 <i>0.472</i>	1.8 <i>0.071</i>	Zinc Plated Steel	14 <i>0.551</i>
# PC020-0127-Z	2.0 <i>0.079</i>	12.7 <i>0.500</i>	1.8 <i>0.071</i>	Zinc Plated Steel	15 <i>0.591</i>
PC020-0160-Z	2.0 <i>0.079</i>	16.0 <i>0.630</i>	1.8 <i>0.071</i>	Zinc Plated Steel	19 <i>0.748</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Split - Zinc Plated

Part Number	Hole Diameter mm <i>inches</i>	Nom. Pin Length (L) mm <i>inches</i>	Nom. Pin Diameter (D) mm <i>inches</i>	Material	Nom. Overall Length mm <i>inches</i>
# PC020-0191-Z	2.0 <i>0.079</i>	19.1 <i>0.752</i>	1.8 <i>0.071</i>	Zinc Plated Steel	23 <i>0.906</i>
# PC020-0200-Z	2.0 <i>0.079</i>	20.0 <i>0.787</i>	1.8 <i>0.071</i>	Zinc Plated Steel	24 <i>0.945</i>
# PC020-0220-Z	2.0 <i>0.079</i>	22.0 <i>0.866</i>	1.8 <i>0.071</i>	Zinc Plated Steel	26 <i>1.024</i>
# PC020-0254-Z	2.0 <i>0.079</i>	25.4 <i>1.000</i>	1.8 <i>0.071</i>	Zinc Plated Steel	31 <i>1.220</i>
# PC020-0280-Z	2.0 <i>0.079</i>	28.0 <i>1.102</i>	1.8 <i>0.071</i>	Zinc Plated Steel	34 <i>1.339</i>
# PC020-0318-Z	2.0 <i>0.079</i>	31.8 <i>1.252</i>	1.8 <i>0.071</i>	Zinc Plated Steel	38 <i>1.496</i>
# SCPS2.0-32	2.0 <i>0.079</i>	32.0 <i>1.260</i>	1.8 <i>0.071</i>	304 Stainless	
PC020-0320-Z	2.0 <i>0.079</i>	32.0 <i>1.260</i>	1.8 <i>0.071</i>	Zinc Plated Steel	38 <i>1.496</i>
# PC020-0381-Z	2.0 <i>0.079</i>	38.1 <i>1.500</i>	1.8 <i>0.071</i>	Zinc Plated Steel	46 <i>1.811</i>
# PC020-0400-Z	2.0 <i>0.079</i>	40.0 <i>1.575</i>	1.8 <i>0.071</i>	Zinc Plated Steel	48 <i>1.890</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Split - Zinc Plated

Part Number	Hole Diameter mm <i>inches</i>	Nom. Pin Length (L) mm <i>inches</i>	Nom. Pin Diameter (D) mm <i>inches</i>	Material	Nom. Overall Length mm <i>inches</i>
# PC020-0445-Z	2.0 <i>0.079</i>	44.5 <i>1.752</i>	1.8 <i>0.071</i>	Zinc Plated Steel	53 <i>2.087</i>
PC020-0500-Z	2.0 <i>0.079</i>	50.0 <i>1.969</i>	1.8 <i>0.071</i>	Zinc Plated Steel	60 <i>2.362</i>
# PC020-0508-Z	2.0 <i>0.079</i>	50.8 <i>2.000</i>	1.8 <i>0.071</i>	Zinc Plated Steel	61 <i>2.402</i>
# PC025-0120-Z	2.5 <i>0.098</i>	12.0 <i>0.472</i>	2.3 <i>0.091</i>	Zinc Plated Steel	14 <i>0.551</i>
# PC025-0160-Z	2.5 <i>0.098</i>	16.0 <i>0.630</i>	2.3 <i>0.091</i>	Zinc Plated Steel	19 <i>0.748</i>
# PC025-0200-Z	2.5 <i>0.098</i>	20.0 <i>0.787</i>	2.3 <i>0.091</i>	Zinc Plated Steel	24 <i>0.945</i>
# PC025-0220-Z	2.5 <i>0.098</i>	22.0 <i>0.866</i>	2.3 <i>0.091</i>	Zinc Plated Steel	26 <i>1.024</i>
PC025-0250-Z	2.5 <i>0.098</i>	25.0 <i>0.984</i>	2.3 <i>0.091</i>	Zinc Plated Steel	30 <i>1.181</i>
# PC025-0280-Z	2.5 <i>0.098</i>	28.0 <i>1.102</i>	2.3 <i>0.091</i>	Zinc Plated Steel	34 <i>1.339</i>
PC025-0320-Z	2.5 <i>0.098</i>	32.0 <i>1.260</i>	2.3 <i>0.091</i>	Zinc Plated Steel	38 <i>1.496</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Split - Zinc Plated

Part Number	Hole Diameter mm <i>inches</i>	Nom. Pin Length (L) mm <i>inches</i>	Nom. Pin Diameter (D) mm <i>inches</i>	Material	Nom. Overall Length mm <i>inches</i>
PC025-0400-Z	2.5 <i>0.098</i>	40.0 <i>1.575</i>	2.3 <i>0.091</i>	Zinc Plated Steel	48 <i>1.890</i>
# PC025-0450-Z	2.5 <i>0.098</i>	45.0 <i>1.772</i>	2.3 <i>0.091</i>	Zinc Plated Steel	54 <i>2.126</i>
# PC025-0560-Z	2.5 <i>0.098</i>	56.0 <i>2.205</i>	2.3 <i>0.091</i>	Zinc Plated Steel	67 <i>2.638</i>
PC025-0630-Z	2.5 <i>0.098</i>	63.0 <i>2.480</i>	2.3 <i>0.091</i>	Zinc Plated Steel	76 <i>2.992</i>
# PC028-0127-Z	2.8 <i>0.110</i>	12.7 <i>0.500</i>	2.5 <i>0.098</i>	Zinc Plated Steel	15 <i>0.591</i>
# PC028-0191-Z	2.8 <i>0.110</i>	19.1 <i>0.752</i>	2.5 <i>0.098</i>	Zinc Plated Steel	23 <i>0.906</i>
# PC028-0254-Z	2.8 <i>0.110</i>	25.4 <i>1.000</i>	2.5 <i>0.098</i>	Zinc Plated Steel	31 <i>1.220</i>
# PC028-0318-Z	2.8 <i>0.110</i>	31.8 <i>1.252</i>	2.5 <i>0.098</i>	Zinc Plated Steel	38 <i>1.496</i>
# PC028-0381-Z	2.8 <i>0.110</i>	38.1 <i>1.500</i>	2.5 <i>0.098</i>	Zinc Plated Steel	46 <i>1.811</i>
# PC028-0445-Z	2.8 <i>0.110</i>	44.5 <i>1.752</i>	2.5 <i>0.098</i>	Zinc Plated Steel	53 <i>2.087</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



## Pins - Split - Zinc Plated

Part Number	Hole Diameter mm <i>inches</i>	Nom. Pin Length (L) mm <i>inches</i>	Nom. Pin Diameter (D) mm <i>inches</i>	Material	Nom. Overall Length mm <i>inches</i>
# PC028-0508-Z	2.8 <i>0.110</i>	50.8 <i>2.000</i>	2.5 <i>0.098</i>	Zinc Plated Steel	61 <i>2.402</i>
# PC028-0572-Z	2.8 <i>0.110</i>	57.2 <i>2.252</i>	2.5 <i>0.098</i>	Zinc Plated Steel	69 <i>2.717</i>
# PC028-0635-Z	2.8 <i>0.110</i>	63.5 <i>2.500</i>	2.5 <i>0.098</i>	Zinc Plated Steel	76 <i>2.992</i>
# PC028-0762-Z	2.8 <i>0.110</i>	76.2 <i>3.000</i>	2.5 <i>0.098</i>	Zinc Plated Steel	91 <i>3.583</i>
PC032-0120-Z	3.2 <i>0.126</i>	12.0 <i>0.472</i>	2.9 <i>0.114</i>	Zinc Plated Steel	14 <i>0.551</i>
# PC032-0160-Z	3.2 <i>0.126</i>	16.0 <i>0.630</i>	2.9 <i>0.114</i>	Zinc Plated Steel	19 <i>0.748</i>
PC032-0400-Z	3.2 <i>0.126</i>	40.0 <i>1.575</i>	2.9 <i>0.114</i>	Zinc Plated Steel	48 <i>1.890</i>
# PC032-0450-Z	3.2 <i>0.126</i>	45.0 <i>1.772</i>	2.9 <i>0.114</i>	Zinc Plated Steel	54 <i>2.126</i>
# PC032-0500-Z	3.2 <i>0.126</i>	50.0 <i>1.969</i>	2.9 <i>0.114</i>	Zinc Plated Steel	60 <i>2.362</i>
# PC032-0560-Z	3.2 <i>0.126</i>	56.0 <i>2.205</i>	2.9 <i>0.114</i>	Zinc Plated Steel	67 <i>2.638</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Split - Zinc Plated

Part Number	Hole Diameter mm <i>inches</i>	Nom. Pin Length (L) mm <i>inches</i>	Nom. Pin Diameter (D) mm <i>inches</i>	Material	Nom. Overall Length mm <i>inches</i>
PC032-0630-Z	3.2 <i>0.126</i>	63.0 <i>2.480</i>	2.9 <i>0.114</i>	Zinc Plated Steel	76 <i>2.992</i>
# PC032-0710-Z	3.2 <i>0.126</i>	71.0 <i>2.795</i>	2.9 <i>0.114</i>	Zinc Plated Steel	85 <i>3.346</i>
# PC032-0800-Z	3.2 <i>0.126</i>	80.0 <i>3.150</i>	2.9 <i>0.114</i>	Zinc Plated Steel	96 <i>3.780</i>
# PC036-0127-Z	3.6 <i>0.142</i>	12.7 <i>0.500</i>	3.2 <i>0.126</i>	Zinc Plated Steel	15 <i>0.591</i>
# PC036-0191-Z	3.6 <i>0.142</i>	19.1 <i>0.752</i>	3.2 <i>0.126</i>	Zinc Plated Steel	23 <i>0.906</i>
# PC036-0254-Z	3.6 <i>0.142</i>	25.4 <i>1.000</i>	3.2 <i>0.126</i>	Zinc Plated Steel	31 <i>1.220</i>
# PC036-0318-Z	3.6 <i>0.142</i>	31.8 <i>1.252</i>	3.2 <i>0.126</i>	Zinc Plated Steel	38 <i>1.496</i>
# PC036-0381-Z	3.6 <i>0.142</i>	38.1 <i>1.500</i>	3.2 <i>0.126</i>	Zinc Plated Steel	46 <i>1.811</i>
# PC036-0445-Z	3.6 <i>0.142</i>	44.5 <i>1.752</i>	3.2 <i>0.126</i>	Zinc Plated Steel	53 <i>2.087</i>
# PC036-0508-Z	3.6 <i>0.142</i>	50.8 <i>2.000</i>	3.2 <i>0.126</i>	Zinc Plated Steel	61 <i>2.402</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Split - Zinc Plated

Part Number	Hole Diameter mm <i>inches</i>	Nom. Pin Length (L) mm <i>inches</i>	Nom. Pin Diameter (D) mm <i>inches</i>	Material	Nom. Overall Length mm <i>inches</i>
# PC036-0572-Z	3.6 <i>0.142</i>	57.2 <i>2.252</i>	3.2 <i>0.126</i>	Zinc Plated Steel	69 <i>2.717</i>
# PC036-0635-Z	3.6 <i>0.142</i>	63.5 <i>2.500</i>	3.2 <i>0.126</i>	Zinc Plated Steel	76 <i>2.992</i>
# PC036-0762-Z	3.6 <i>0.142</i>	76.2 <i>3.000</i>	3.2 <i>0.126</i>	Zinc Plated Steel	91 <i>3.583</i>
# PC040-0200-Z	4.0 <i>0.157</i>	20.0 <i>0.787</i>	3.6 <i>0.142</i>	Zinc Plated Steel	24 <i>0.945</i>
# PC040-0250-Z	4.0 <i>0.157</i>	25.0 <i>0.984</i>	3.6 <i>0.142</i>	Zinc Plated Steel	30 <i>1.181</i>
# PC040-0280-Z	4.0 <i>0.157</i>	28.0 <i>1.102</i>	3.6 <i>0.142</i>	Zinc Plated Steel	34 <i>1.339</i>
# PC040-0320-Z	4.0 <i>0.157</i>	32.0 <i>1.260</i>	3.6 <i>0.142</i>	Zinc Plated Steel	38 <i>1.496</i>
PC040-0400-Z	4.0 <i>0.157</i>	40.0 <i>1.575</i>	3.6 <i>0.142</i>	Zinc Plated Steel	48 <i>1.890</i>
PC040-0450-Z	4.0 <i>0.157</i>	45.0 <i>1.772</i>	3.6 <i>0.142</i>	Zinc Plated Steel	54 <i>2.126</i>
# PC040-0560-Z	4.0 <i>0.157</i>	56.0 <i>2.205</i>	3.6 <i>0.142</i>	Zinc Plated Steel	67 <i>2.638</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Split - Zinc Plated

Part Number	Hole Diameter mm <i>inches</i>	Nom. Pin Length (L) mm <i>inches</i>	Nom. Pin Diameter (D) mm <i>inches</i>	Material	Nom. Overall Length mm <i>inches</i>
PC040-0630-Z	4.0 <i>0.157</i>	63.0 <i>2.480</i>	3.6 <i>0.142</i>	Zinc Plated Steel	76 <i>2.992</i>
# PC040-0710-Z	4.0 <i>0.157</i>	71.0 <i>2.795</i>	3.6 <i>0.142</i>	Zinc Plated Steel	85 <i>3.346</i>
# PC040-0800-Z	4.0 <i>0.157</i>	80.0 <i>3.150</i>	3.6 <i>0.142</i>	Zinc Plated Steel	96 <i>3.780</i>
# PC040-0900-Z	4.0 <i>0.157</i>	90.0 <i>3.543</i>	3.6 <i>0.142</i>	Zinc Plated Steel	108 <i>4.252</i>
# PC040-1000-Z	4.0 <i>0.157</i>	100.0 <i>3.937</i>	3.6 <i>0.142</i>	Zinc Plated Steel	120 <i>4.724</i>
# PC050-0200-Z	5.0 <i>0.197</i>	20.0 <i>0.787</i>	4.5 <i>0.177</i>	Zinc Plated Steel	24 <i>0.945</i>
# PC050-0250-Z	5.0 <i>0.197</i>	25.0 <i>0.984</i>	4.5 <i>0.177</i>	Zinc Plated Steel	30 <i>1.181</i>
# PC050-0280-Z	5.0 <i>0.197</i>	28.0 <i>1.102</i>	4.5 <i>0.177</i>	Zinc Plated Steel	34 <i>1.339</i>
# PC050-0360-Z	5.0 <i>0.197</i>	36.0 <i>1.417</i>	4.5 <i>0.177</i>	Zinc Plated Steel	43 <i>1.693</i>
PC050-0400-Z	5.0 <i>0.197</i>	40.0 <i>1.575</i>	4.5 <i>0.177</i>	Zinc Plated Steel	48 <i>1.890</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 12 of 15

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Split - Zinc Plated

Part Number	Hole Diameter mm <i>inches</i>	Nom. Pin Length (L) mm <i>inches</i>	Nom. Pin Diameter (D) mm <i>inches</i>	Material	Nom. Overall Length mm <i>inches</i>
# PC050-0450-Z	5.0 <i>0.197</i>	45.0 <i>1.772</i>	4.5 <i>0.177</i>	Zinc Plated Steel	54 <i>2.126</i>
# PC050-0560-Z	5.0 <i>0.197</i>	56.0 <i>2.205</i>	4.5 <i>0.177</i>	Zinc Plated Steel	67 <i>2.638</i>
# PC050-0630-Z	5.0 <i>0.197</i>	63.0 <i>2.480</i>	4.5 <i>0.177</i>	Zinc Plated Steel	76 <i>2.992</i>
# PC050-0710-Z	5.0 <i>0.197</i>	71.0 <i>2.795</i>	4.5 <i>0.177</i>	Zinc Plated Steel	85 <i>3.346</i>
# PC050-0800-Z	5.0 <i>0.197</i>	80.0 <i>3.150</i>	4.5 <i>0.177</i>	Zinc Plated Steel	96 <i>3.780</i>
# PC050-0900-Z	5.0 <i>0.197</i>	90.0 <i>3.543</i>	4.5 <i>0.177</i>	Zinc Plated Steel	108 <i>4.252</i>
# PC050-1000-Z	5.0 <i>0.197</i>	100.0 <i>3.937</i>	4.5 <i>0.177</i>	Zinc Plated Steel	120 <i>4.724</i>
# PC050-1250-Z	5.0 <i>0.197</i>	125.0 <i>4.921</i>	4.5 <i>0.177</i>	Zinc Plated Steel	150 <i>5.906</i>
# PC064-0250-Z	6.4 <i>0.252</i>	25.0 <i>0.984</i>	5.8 <i>0.228</i>	Zinc Plated Steel	30 <i>1.181</i>
# PC064-0320-Z	6.4 <i>0.252</i>	32.0 <i>1.260</i>	5.8 <i>0.228</i>	Zinc Plated Steel	38 <i>1.496</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 13 of 15

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Split - Zinc Plated

Part Number	Hole Diameter mm <i>inches</i>	Nom. Pin Length (L) mm <i>inches</i>	Nom. Pin Diameter (D) mm <i>inches</i>	Material	Nom. Overall Length mm <i>inches</i>
# PC064-0360-Z	6.4 <i>0.252</i>	36.0 <i>1.417</i>	5.8 <i>0.228</i>	Zinc Plated Steel	43 <i>1.693</i>
PC064-0400-Z	6.4 <i>0.252</i>	40.0 <i>1.575</i>	5.8 <i>0.228</i>	Zinc Plated Steel	48 <i>1.890</i>
# PC064-0450-Z	6.4 <i>0.252</i>	45.0 <i>1.772</i>	5.8 <i>0.228</i>	Zinc Plated Steel	54 <i>2.126</i>
# PC064-0500-Z	6.4 <i>0.252</i>	50.0 <i>1.969</i>	5.8 <i>0.228</i>	Zinc Plated Steel	60 <i>2.362</i>
# PC064-0560-Z	6.4 <i>0.252</i>	56.0 <i>2.205</i>	5.8 <i>0.228</i>	Zinc Plated Steel	67 <i>2.638</i>
# PC064-0630-Z	6.4 <i>0.252</i>	63.0 <i>2.480</i>	5.8 <i>0.228</i>	Zinc Plated Steel	76 <i>2.992</i>
# PC064-0710-Z	6.4 <i>0.252</i>	71.0 <i>2.795</i>	5.8 <i>0.228</i>	Zinc Plated Steel	85 <i>3.346</i>
# PC064-0800-Z	6.4 <i>0.252</i>	80.0 <i>3.150</i>	5.8 <i>0.228</i>	Zinc Plated Steel	96 <i>3.780</i>
# PC064-0900-Z	6.4 <i>0.252</i>	90.0 <i>3.543</i>	5.8 <i>0.228</i>	Zinc Plated Steel	108 <i>4.252</i>
# PC064-1000-Z	6.4 <i>0.252</i>	100.0 <i>3.937</i>	5.8 <i>0.228</i>	Zinc Plated Steel	120 <i>4.724</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 14 of 15

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Pins - Split - Zinc Plated

Part Number	Hole Diameter mm	Nom. Pin Length (L) mm	Nom. Pin Diameter (D) mm	Material	Nom. Overall Length mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>
# PC064-1250-Z	6.4 <i>0.252</i>	125.0 <i>4.921</i>	5.8 <i>0.228</i>	Zinc Plated Steel	150 <i>5.906</i>
# PC064-1500-Z	6.4 <i>0.252</i>	150.0 <i>5.906</i>	5.8 <i>0.228</i>	Zinc Plated Steel	180 <i>7.087</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

