



Plungers - Indexing - Non Locking - Without Knob - Steel

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 4

INFORMATION


Used to prevent change in locking position due to shearing force. Spring loaded for use in fastening, locating and indexing on equipment, tooling and other applications.

Body and pin are steel with black oxide finish.

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Plungers - Indexing - Non Locking - Without Knob - Steel

Part Number	Nose Diameter (C) mm <i>inches</i>	Initial End Force Kg	Final End Force Kg	Thread (B)	Overall Length (A) mm <i>inches</i>	Tip Length (D) mm <i>inches</i>	Thread Length (E) mm <i>inches</i>	Nut Height (F) mm <i>inches</i>	Top Thread Length (G)	Top Thread
# PLIT-050-095F-37-C	5.000 <i>0.197</i>	0.51	1.22	3/8-24 UNF (9.525mm)	37.084 <i>1.460</i>	5.080 <i>0.200</i>	17.018 <i>0.670</i>	7.112 <i>0.280</i>	7.874	M4
# PLIT-050-095C-37-C	5.000 <i>0.197</i>	0.51	1.22	3/8-16 UNC (9.525mm)	37.084 <i>1.460</i>	5.080 <i>0.200</i>	17.018 <i>0.670</i>	7.112 <i>0.280</i>	7.874	M4
# PLIT-060-127C-43-C	6.000 <i>0.236</i>	0.61	1.43	1/2-13 UNC (12.700mm)	42.926 <i>1.690</i>	6.096 <i>0.240</i>	20.066 <i>0.790</i>	7.874 <i>0.310</i>	8.890	M6
# PLIT-080-158C-56-C	8.000 <i>0.315</i>	1.53	3.57	5/8-11 UNC (15.875mm)	55.880 <i>2.200</i>	7.874 <i>0.310</i>	25.908 <i>1.020</i>	9.906 <i>0.390</i>	11.938	M8
# PLIT-100-191C-62-C	10.000 <i>0.394</i>	2.04	4.08	3/4-10 UNC (19.050mm)	61.976 <i>2.440</i>	9.906 <i>0.390</i>	27.940 <i>1.100</i>	11.938 <i>0.470</i>	11.938	M8

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 4

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

