



Plungers - Spring - Acetal Handle - Locking - Steel

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 5

INFORMATION


Black acetal plastic handle . Black oxide coated steel body and plunger.

Items shown with Long-Lok have a dry threadlocking sealant applied to thread.

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Plungers - Spring - Acetal Handle - Locking - Steel

Part Number	Thread Size (A)	Initial Pressure (F1) N	Final Pressure (F2) N	Thread Length (B) mm <i>inches</i>	Tip Length (C) mm <i>inches</i>	Tip Diameter (D) mm <i>inches</i>	Head Diameter (E) mm <i>inches</i>	Overall Length (F) mm <i>inches</i>	Across Flats mm <i>inches</i>	Additional
# PLST-060-130-HCLLK-002	M6x1 (6mm Standard)	0.50	1.50	13.00 <i>0.512</i>	3.00 <i>0.118</i>	3.00 <i>0.118</i>	12.00 <i>0.472</i>	25.00 <i>0.984</i>	6.00 <i>0.236</i>	With Locking Element
# PLST-060-130-HCL-002	M6x1 (6mm Standard)	0.50	1.50	13.00 <i>0.512</i>	3.00 <i>0.118</i>	3.00 <i>0.118</i>	12.00 <i>0.472</i>	25.00 <i>0.984</i>	6.00 <i>0.236</i>	
# PLST-064C-127-HCLLK-002	1/4-20 UNC (6.35mm)	0.53	1.60	12.70 <i>0.500</i>	3.30 <i>0.130</i>	3.96 <i>0.156</i>	12.70 <i>0.500</i>	24.64 <i>0.970</i>	6.35 <i>0.250</i>	With Locking Element
# PLST-064C-127-HCL-002	1/4-20 UNC (6.35mm)	0.53	1.60	12.70 <i>0.500</i>	3.30 <i>0.130</i>	3.96 <i>0.156</i>	12.70 <i>0.500</i>	24.64 <i>0.970</i>	6.35 <i>0.250</i>	
# PLST-095C-191-HCL-009	3/8-16 UNC (9.525mm)	1.11	8.90	19.05 <i>0.750</i>	4.75 <i>0.187</i>	6.30 <i>0.248</i>	19.05 <i>0.750</i>	35.56 <i>1.400</i>	9.53 <i>0.375</i>	
# PLST-095C-191-HCLLK-009	3/8-16 UNC (9.525mm)	1.11	8.90	19.05 <i>0.750</i>	4.75 <i>0.187</i>	6.30 <i>0.248</i>	19.05 <i>0.750</i>	35.56 <i>1.400</i>	9.53 <i>0.375</i>	With Locking Element
# PLST-100-200-HCL-009	M10x1.5 (10mm Standard)	1.00	9.00	20.00 <i>0.787</i>	5.00 <i>0.197</i>	6.00 <i>0.236</i>	19.00 <i>0.748</i>	38.00 <i>1.496</i>	10.00 <i>0.394</i>	
# PLST-100-200-HCLLK-009	M10x1.5 (10mm Standard)	1.00	9.00	20.00 <i>0.787</i>	5.00 <i>0.197</i>	6.00 <i>0.236</i>	19.00 <i>0.748</i>	38.00 <i>1.496</i>	10.00 <i>0.394</i>	With Locking Element

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 5

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Plungers - Spring - Acetal Handle - Locking - Steel

Part Number	Thread Size (A)	Initial Pressure (F1) N	Final Pressure (F2) N	Thread Length (B) mm <i>inches</i>	Tip Length (C) mm <i>inches</i>	Tip Diameter (D) mm <i>inches</i>	Head Diameter (E) mm <i>inches</i>	Overall Length (F) mm <i>inches</i>	Across Flats mm <i>inches</i>	Additional
# PLST-120-250-HCL-008	M12x1.75 (12mm Standard)	2.50	8.00	25.00 <i>0.984</i>	6.00 <i>0.236</i>	8.00 <i>0.315</i>	25.00 <i>0.984</i>	47.00 <i>1.850</i>	12.00 <i>0.472</i>	
# PLST-127C-254-HCL-008	1/2-13 UNC (12.7mm)	2.22	7.78	25.40 <i>1.000</i>	6.35 <i>0.250</i>	7.93 <i>0.312</i>	25.40 <i>1.000</i>	48.26 <i>1.900</i>	12.70 <i>0.500</i>	
# PLST-127C-254-HCLLK-008	1/2-13 UNC (12.7mm)	2.22	7.78	25.40 <i>1.000</i>	6.35 <i>0.250</i>	7.93 <i>0.312</i>	25.40 <i>1.000</i>	48.26 <i>1.900</i>	12.70 <i>0.500</i>	With Locking Element

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 5

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

