



# Plungers - Spring - Knurled Handle - Non Locking - Steel

10/4/2018

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.


## **INFORMATION**

Items shown with Long-Lok have a dry threadlocking sealant applied to thread.

**# Indicates item not stocked at time of printing - Please enquire for lead time**

**E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd**

**MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.**



# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Plungers - Spring - Knurled Handle - Non Locking - Steel

Part Number	Thread Size (A)	Initial Pressure (F1) N	Final Pressure (F2) N	Thread Length (B) mm	Tip Length (C) mm	Tip Diameter (D) mm	Head Diameter (E) mm	Head Length (F) mm	Head Height (G) mm	Additional
				<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	
# PLST-048F-102-HKCLK-013	10-32 UNF (4.762mm)	2.22	13.35	10.16	2.38	2.64	9.53	6.35	4.83	With Locking Element
				<i>0.400</i>	<i>0.094</i>	<i>0.104</i>	<i>0.375</i>	<i>0.250</i>	<i>0.190</i>	
# PLST-048F-102-HKC-013	10-32 UNF (4.762mm)	2.22	13.35	10.16	2.38	2.64	9.53	6.35	4.83	
				<i>0.400</i>	<i>0.094</i>	<i>0.104</i>	<i>0.375</i>	<i>0.250</i>	<i>0.190</i>	
# PLST-050-100-HKC-013	M5x0.8 (5mm Standard)	2.22	13.34	10.00	2.00	2.50	9.00	6.00	4.00	
				<i>0.394</i>	<i>0.079</i>	<i>0.098</i>	<i>0.354</i>	<i>0.236</i>	<i>0.157</i>	
# PLST-050-100-HKCLK-013	M5x0.8 (5mm Standard)	2.22	13.34	10.00	2.00	2.50	9.00	6.00	4.00	With Locking Element
				<i>0.394</i>	<i>0.079</i>	<i>0.098</i>	<i>0.354</i>	<i>0.236</i>	<i>0.157</i>	
# PLST-060-130-HKC-018	M6x1 (6mm Standard)	4.45	17.80	13.00	3.00	3.00	13.00	8.00	5.00	
				<i>0.512</i>	<i>0.118</i>	<i>0.118</i>	<i>0.512</i>	<i>0.315</i>	<i>0.197</i>	
# PLST-060-130-HKCLK-018	M6x1 (6mm Standard)	4.45	17.80	13.00	3.00	3.00	13.00	8.00	5.00	With Locking Element
				<i>0.512</i>	<i>0.118</i>	<i>0.118</i>	<i>0.512</i>	<i>0.315</i>	<i>0.197</i>	
# PLST-064C-127-HKCLK-018	1/4-20 UNC (6.35mm)	4.45	17.79	12.70	3.18	3.15	12.70	7.94	4.83	With Locking Element
				<i>0.500</i>	<i>0.125</i>	<i>0.124</i>	<i>0.500</i>	<i>0.313</i>	<i>0.190</i>	
# PLST-064C-127-HKC-018	1/4-20 UNC (6.35mm)	4.45	17.79	12.70	3.18	3.15	12.70	7.94	4.83	
				<i>0.500</i>	<i>0.125</i>	<i>0.124</i>	<i>0.500</i>	<i>0.313</i>	<i>0.190</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 6

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Plungers - Spring - Knurled Handle - Non Locking - Steel

Part Number	Thread Size (A)	Initial Pressure (F1) N	Final Pressure (F2) N	Thread Length (B) mm <i>inches</i>	Tip Length (C) mm <i>inches</i>	Tip Diameter (D) mm <i>inches</i>	Head Diameter (E) mm <i>inches</i>	Head Length (F) mm <i>inches</i>	Head Height (G) mm <i>inches</i>	Additional
# PLST-079C-159-HKCLK-027	5/16-18 UNC (7.938mm)	4.45	26.69	15.88 <i>0.625</i>	4.76 <i>0.187</i>	3.94 <i>0.155</i>	15.88 <i>0.625</i>	9.53 <i>0.375</i>	6.35 <i>0.250</i>	With Locking Element
# PLST-079C-159-HKC-027	5/16-18 UNC (7.938mm)	4.45	26.69	15.88 <i>0.625</i>	4.76 <i>0.187</i>	3.94 <i>0.155</i>	15.88 <i>0.625</i>	9.53 <i>0.375</i>	6.35 <i>0.250</i>	
# PLST-095C-191-HKC-036	3/8-16 UNC (9.525mm)	4.45	35.59	19.05 <i>0.750</i>	5.56 <i>0.219</i>	4.72 <i>0.186</i>	19.05 <i>0.750</i>	12.70 <i>0.500</i>	7.87 <i>0.310</i>	
# PLST-095C-191-HKCLK-036	3/8-16 UNC (9.525mm)	4.45	35.59	19.05 <i>0.750</i>	5.56 <i>0.219</i>	4.72 <i>0.186</i>	19.05 <i>0.750</i>	12.70 <i>0.500</i>	7.87 <i>0.310</i>	With Locking Element
# PLST-100-190-HKC-036	M10x1.5 (10mm Standard)	4.45	35.60	19.00 <i>0.748</i>	6.00 <i>0.236</i>	5.00 <i>0.197</i>	19.00 <i>0.748</i>	13.00 <i>0.512</i>	8.00 <i>0.315</i>	
# PLST-100-190-HKCLK-036	M10x1.5 (10mm Standard)	4.45	35.60	19.00 <i>0.748</i>	6.00 <i>0.236</i>	5.00 <i>0.197</i>	19.00 <i>0.748</i>	13.00 <i>0.512</i>	8.00 <i>0.315</i>	With Locking Element
# PLST-120-230-HKC-045	M12x1.75 (12mm Standard)	4.45	44.50	23.00 <i>0.906</i>	6.00 <i>0.236</i>	6.00 <i>0.236</i>	25.00 <i>0.984</i>	16.00 <i>0.630</i>	10.00 <i>0.394</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 6

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Plungers - Spring - Knurled Handle - Non Locking - Steel

Part Number	Thread Size (A)	Initial Pressure (F1) N	Final Pressure (F2) N	Thread Length (B) mm	Tip Length (C) mm	Tip Diameter (D) mm	Head Diameter (E) mm	Head Length (F) mm	Head Height (G) mm	Additional
# PLST-120-230-HKCLK-045	M12x1.75 (12mm Standard)	4.45	44.50	23.00	6.00	6.00	25.00	16.00	10.00	With Locking Element
				<i>0.906</i>	<i>0.236</i>	<i>0.236</i>	<i>0.984</i>	<i>0.630</i>	<i>0.394</i>	
# PLST-127C-191-HKCLK-044	1/2-13 UNC (12.7mm)	4.45	44.48	19.05	6.35	6.33	25.40	15.88	9.65	With Locking Element
				<i>0.750</i>	<i>0.250</i>	<i>0.249</i>	<i>1.000</i>	<i>0.625</i>	<i>0.380</i>	
# PLST-127C-191-HKC-044	1/2-13 UNC (12.7mm)	4.45	44.48	19.05	6.35	6.33	25.40	15.88	9.65	
				<i>0.750</i>	<i>0.250</i>	<i>0.249</i>	<i>1.000</i>	<i>0.625</i>	<i>0.380</i>	

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 6

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

