



# Plungers - Spring - Threaded Adapter - Locking - Stainless

10/4/2018

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 5

## INFORMATION


Use your own handle on the thread provided.

Items shown with Long-Lok have a dry threadlocking sealant applied to thread.

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Plungers - Spring - Threaded Adapter - Locking - Stainless

Part Number	Body Thread Size (A)	Initial Pressure (F1) N	Final Pressure (F2) N	Body Thread Length (B) mm	Tip Length (C) mm	Tip Diameter (D) mm	End Thread Size (E)	End Thread Length (F) mm
				<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>
# PLST-048F-103-TASL-003	10-32 UNF (4.762mm)	1.00	3.00	10.32	2.36	2.64	10-32 UNC (4.762mm)	5.95
				<i>0.406</i>	<i>0.093</i>	<i>0.104</i>		<i>0.234</i>
# PLST-048F-103-TASL-007	10-32 UNF (4.762mm)	2.22	6.67	10.32	2.36	2.64	10-32 UNC (4.762mm)	5.95
				<i>0.406</i>	<i>0.093</i>	<i>0.104</i>		<i>0.234</i>
# PLST-064C-127-TASL-005	1/4-20 UNC (6.35mm)	1.00	5.00	12.70	3.18	3.15	10-32 UNC (4.762mm)	5.95
				<i>0.500</i>	<i>0.125</i>	<i>0.124</i>		<i>0.234</i>
# PLST-064C-127-TASL-011	1/4-20 UNC (6.35mm)	2.22	11.12	12.70	3.18	3.15	10-32 UNC (4.762mm)	5.95
				<i>0.500</i>	<i>0.125</i>	<i>0.124</i>		<i>0.234</i>
# PLST-079C-159-TASL-006	5/16-18 UNC (7.938mm)	1.50	6.00	15.88	4.75	3.94	1/4-20 UNC (6.350mm)	8.73
				<i>0.625</i>	<i>0.187</i>	<i>0.155</i>		<i>0.344</i>
# PLST-079C-159-TASL-013	5/16-18 UNC (7.938mm)	3.34	13.35	15.88	4.75	3.94	1/4-20 UNC (6.350mm)	8.73
				<i>0.625</i>	<i>0.187</i>	<i>0.155</i>		<i>0.344</i>
# PLST-095C-191-TASL-008	3/8-16 UNC (9.525mm)	1.50	8.00	19.05	5.54	4.72	5/16-18 UNC (7.938mm)	10.32
				<i>0.750</i>	<i>0.218</i>	<i>0.186</i>		<i>0.406</i>
# PLST-095C-191-TASL-018	3/8-16 UNC (9.525mm)	3.34	17.79	19.05	5.54	4.72	5/16-18 UNC (7.938mm)	10.32
				<i>0.750</i>	<i>0.218</i>	<i>0.186</i>		<i>0.406</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 5

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Plungers - Spring - Threaded Adapter - Locking - Stainless

Part Number	Body Thread Size (A)	Initial Pressure (F1) N	Final Pressure (F2) N	Body Thread Length (B) mm	Tip Length (C) mm	Tip Diameter (D) mm	End Thread Size (E)	End Thread Length (F) mm
				<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>
# PLST-127C-222-TASL-010	1/2-13 UNC (12.7mm)	2.50	10.00	22.23	6.35	6.33	3/8-16 UNC (9.525mm)	11.11
				<i>0.875</i>	<i>0.250</i>	<i>0.249</i>		<i>0.437</i>
# PLST-127C-222-TASL-022	1/2-13 UNC (12.7mm)	5.56	22.24	22.23	6.35	6.33	3/8-16 UNC (9.525mm)	11.11
				<i>0.875</i>	<i>0.250</i>	<i>0.249</i>		<i>0.437</i>
# PLST-159C-254-TASL-010	5/8-11 UNC (15.875mm)	5.00	10.00	25.40	7.93	7.90	1/2-13 UNC (12.7mm)	11.11
				<i>1.000</i>	<i>0.312</i>	<i>0.311</i>		<i>0.437</i>
# PLST-159C-254-TASL-027	5/8-11 UNC (15.875mm)	13.35	26.69	25.40	7.93	7.90	1/2-13 UNC (12.7mm)	11.11
				<i>1.000</i>	<i>0.312</i>	<i>0.311</i>		<i>0.437</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 5

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

