



Pulleys - Timing - 2.000mm Pitch - GT - STOCK - Aluminium

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 10

INFORMATION

For manufacture of timing pulleys or applications requiring multiple belts from a single drive.


For easy ready selected sets of timing belts and pulleys please see the HES website

This catalogue to be read in conjunction with information at
<http://www.minibearings.com.au//partslist/beltstiming2000mmpitchgt6mmwide/beltstiming2000mmpitchgt6mmwide/all/1/>
<http://www.minibearings.com.au//partslist/flangestimingpulleysuitgt2seriesaluminium/flangestimingpulleysuitgt2seriesaluminium/A/1/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.000mm Pitch - GT - STOCK - Aluminium

Part Number	Teeth	Min. Usable Length (L) mm <i>inches</i>	Pitch Diameter (PD) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Material	Shank Diameter (D1) mm <i>inches</i>	Shank Length (SI) mm <i>inches</i>
P-020G-010-050A	10	50 <i>1.969</i>	6.40 <i>0.252</i>	5.90 <i>0.232</i>	Aluminium	8.00 <i>0.315</i>	25.00 <i>0.984</i>
P-020G-011-050A	11	50 <i>1.969</i>	7.00 <i>0.276</i>	6.50 <i>0.256</i>	Aluminium	8.00 <i>0.315</i>	25.00 <i>0.984</i>
P-020G-012-050A	12	50 <i>1.969</i>	7.60 <i>0.299</i>	7.10 <i>0.280</i>	Aluminium	8.00 <i>0.315</i>	25.00 <i>0.984</i>
# P-020G-013-050A	13	50 <i>1.969</i>	8.30 <i>0.327</i>	7.80 <i>0.307</i>	Aluminium	9.50 <i>0.374</i>	25.00 <i>0.984</i>
P-020G-014-075A	14	75 <i>2.953</i>	8.90 <i>0.350</i>	8.40 <i>0.331</i>	Aluminium	9.50 <i>0.374</i>	25.00 <i>0.984</i>
P-020G-015-075A	15	75 <i>2.953</i>	9.60 <i>0.378</i>	9.00 <i>0.354</i>	Aluminium	11.10 <i>0.437</i>	25.00 <i>0.984</i>
P-020G-016-075A	16	75 <i>2.953</i>	10.20 <i>0.402</i>	9.70 <i>0.382</i>	Aluminium	11.10 <i>0.437</i>	25.00 <i>0.984</i>
P-020G-017-075A	17	75 <i>2.953</i>	10.80 <i>0.425</i>	10.30 <i>0.406</i>	Aluminium	11.10 <i>0.437</i>	25.00 <i>0.984</i>
# P-020G-018-075A	18	75 <i>2.953</i>	11.50 <i>0.453</i>	11.00 <i>0.433</i>	Aluminium	13.00 <i>0.512</i>	25.00 <i>0.984</i>
# P-020G-019-075A	19	75 <i>2.953</i>	12.10 <i>0.476</i>	11.60 <i>0.457</i>	Aluminium	13.00 <i>0.512</i>	25.00 <i>0.984</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.000mm Pitch - GT - STOCK - Aluminium

Part Number	Teeth	Min. Usable Length (L) mm <i>inches</i>	Pitch Diameter (PD) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Material	Shank Diameter (D1) mm <i>inches</i>	Shank Length (SI) mm <i>inches</i>
P-020G-020-100A	20	100 <i>3.937</i>	12.70 <i>0.500</i>	12.20 <i>0.480</i>	Aluminium	9.50 <i>0.374</i>	22.00 <i>0.866</i>
# P-020G-021-100A	21	100 <i>3.937</i>	13.40 <i>0.528</i>	12.90 <i>0.508</i>	Aluminium	9.50 <i>0.374</i>	22.00 <i>0.866</i>
# P-020G-022-100A	22	100 <i>3.937</i>	14.00 <i>0.551</i>	13.50 <i>0.531</i>	Aluminium	9.50 <i>0.374</i>	22.00 <i>0.866</i>
# P-020G-023-100A	23	100 <i>3.937</i>	14.60 <i>0.575</i>	14.10 <i>0.555</i>	Aluminium	9.50 <i>0.374</i>	22.00 <i>0.866</i>
# P-020G-024-125A	24	125 <i>4.921</i>	15.30 <i>0.602</i>	14.80 <i>0.583</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-025-125A	25	125 <i>4.921</i>	15.90 <i>0.626</i>	15.40 <i>0.606</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-026-125A	26	125 <i>4.921</i>	16.50 <i>0.650</i>	16.00 <i>0.630</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-027-125A	27	125 <i>4.921</i>	17.20 <i>0.677</i>	16.70 <i>0.657</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-028-125A	28	125 <i>4.921</i>	17.80 <i>0.701</i>	17.60 <i>0.693</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-029-125A	29	125 <i>4.921</i>	18.50 <i>0.728</i>	18.00 <i>0.709</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.000mm Pitch - GT - STOCK - Aluminium

Part Number	Teeth	Min. Usable Length (L) mm <i>inches</i>	Pitch Diameter (PD) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Material	Shank Diameter (D1) mm <i>inches</i>	Shank Length (SI) mm <i>inches</i>
P-020G-030-150A	30	150 <i>5.906</i>	19.10 <i>0.752</i>	18.60 <i>0.732</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-031-150A	31	150 <i>5.906</i>	19.80 <i>0.780</i>	19.20 <i>0.756</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-032-150A	32	150 <i>5.906</i>	20.40 <i>0.803</i>	19.90 <i>0.783</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-033-150A	33	150 <i>5.906</i>	21.00 <i>0.827</i>	20.50 <i>0.807</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-034-150A	34	150 <i>5.906</i>	21.60 <i>0.850</i>	21.10 <i>0.831</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-035-150A	35	150 <i>5.906</i>	22.30 <i>0.878</i>	21.80 <i>0.858</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-036-150A	36	150 <i>5.906</i>	22.90 <i>0.902</i>	22.40 <i>0.882</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-037-150A	37	150 <i>5.906</i>	23.50 <i>0.925</i>	23.00 <i>0.906</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-038-150A	38	150 <i>5.906</i>	24.20 <i>0.953</i>	23.70 <i>0.933</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-039-150A	39	150 <i>5.906</i>	24.80 <i>0.976</i>	24.30 <i>0.957</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.000mm Pitch - GT - STOCK - Aluminium

Part Number	Teeth	Min. Usable Length (L) mm <i>inches</i>	Pitch Diameter (PD) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Material	Shank Diameter (D1) mm <i>inches</i>	Shank Length (SI) mm <i>inches</i>
# P-020G-040-150A	40	150 <i>5.906</i>	25.5 <i>1.004</i>	25 <i>0.984</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-042-175A	42	175 <i>6.890</i>	26.70 <i>1.051</i>	26.20 <i>1.031</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-044-175A	44	175 <i>6.890</i>	28.00 <i>1.102</i>	27.50 <i>1.083</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
P-020G-045-175A	45	175 <i>6.890</i>	28.70 <i>1.130</i>	28.10 <i>1.106</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-048-175A	48	175 <i>6.890</i>	30.60 <i>1.205</i>	30.10 <i>1.185</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
P-020G-049-175A	49	175 <i>6.890</i>	31.20 <i>1.228</i>	30.70 <i>1.209</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-050-175A	50	175 <i>6.890</i>	31.80 <i>1.252</i>	31.30 <i>1.232</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-051-175A	51	175 <i>6.890</i>	32.50 <i>1.280</i>	32.00 <i>1.260</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-052-175A	52	175 <i>6.890</i>	33.10 <i>1.303</i>	32.60 <i>1.283</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-054-175A	54	175 <i>6.890</i>	34.40 <i>1.354</i>	33.90 <i>1.335</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.000mm Pitch - GT - STOCK - Aluminium

Part Number	Teeth	Min. Usable Length (L) mm <i>inches</i>	Pitch Diameter (PD) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Material	Shank Diameter (D1) mm <i>inches</i>	Shank Length (SI) mm <i>inches</i>
# P-020G-055-175A	55	175 <i>6.890</i>	35.00 <i>1.378</i>	34.50 <i>1.358</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-056-175A	56	175 <i>6.890</i>	35.70 <i>1.406</i>	35.10 <i>1.382</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-057-175A	57	175 <i>6.890</i>	36.30 <i>1.429</i>	35.80 <i>1.409</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-060-200A	60	200 <i>7.874</i>	38.20 <i>1.504</i>	37.70 <i>1.484</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-064-200A	64	200 <i>7.874</i>	40.70 <i>1.602</i>	40.20 <i>1.583</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-065-200A	65	200 <i>7.874</i>	41.40 <i>1.630</i>	40.90 <i>1.610</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-066-200A	66	200 <i>7.874</i>	42.00 <i>1.654</i>	41.50 <i>1.634</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-070-200A	70	200 <i>7.874</i>	44.60 <i>1.756</i>	44.10 <i>1.736</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-072-200A	72	200 <i>7.874</i>	45.80 <i>1.803</i>	45.30 <i>1.783</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-075-200A	75	200 <i>7.874</i>	47.80 <i>1.882</i>	47.20 <i>1.858</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 8 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.000mm Pitch - GT - STOCK - Aluminium

Part Number	Teeth	Min. Usable Length (L) mm <i>inches</i>	Pitch Diameter (PD) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Material	Shank Diameter (D1) mm <i>inches</i>	Shank Length (SI) mm <i>inches</i>
# P-020G-078-200A	78	200 <i>7.874</i>	49.7 <i>1.957</i>	49.2 <i>1.937</i>	Aluminium	13.00 <i>0.512</i>	19.00 <i>0.748</i>
# P-020G-080-200A	80	200 <i>7.874</i>	50.90 <i>2.004</i>	50.40 <i>1.984</i>	Aluminium	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-020G-082-200A	82	200 <i>7.874</i>	52.20 <i>2.055</i>	51.70 <i>2.035</i>	Aluminium	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-020G-084-200A	84	200 <i>7.874</i>	53.50 <i>2.106</i>	53.00 <i>2.087</i>	Aluminium	19.00 <i>0.748</i>	19.00 <i>0.748</i>
P-020G-088-200A	88	200 <i>7.874</i>	56.00 <i>2.205</i>	55.50 <i>2.185</i>	Aluminium	19.00 <i>0.748</i>	19.00 <i>0.748</i>
P-020G-090-200A	90	200 <i>7.874</i>	57.30 <i>2.256</i>	56.80 <i>2.236</i>	Aluminium	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-020G-096-200A	96	200 <i>7.874</i>	61.10 <i>2.406</i>	60.60 <i>2.386</i>	Aluminium	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-020G-098-200A	98	200 <i>7.874</i>	62.40 <i>2.457</i>	61.90 <i>2.437</i>	Aluminium	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-020G-100-200A	100	200 <i>7.874</i>	63.70 <i>2.508</i>	63.20 <i>2.488</i>	Aluminium	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-020G-102-200A	102	200 <i>7.874</i>	64.90 <i>2.555</i>	64.40 <i>2.535</i>	Aluminium	19.00 <i>0.748</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.000mm Pitch - GT - STOCK - Aluminium

Part Number	Teeth	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (SI) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-020G-108-200A	108	200 <i>7.874</i>	68.80 <i>2.709</i>	68.30 <i>2.689</i>	Aluminium	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-020G-110-200A	110	200 <i>7.874</i>	70.00 <i>2.756</i>	69.50 <i>2.736</i>	Aluminium	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-020G-120-200A	120	200 <i>7.874</i>	76.40 <i>3.008</i>	75.90 <i>2.988</i>	Aluminium	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-020G-130-200A	130	200 <i>7.874</i>	82.80 <i>3.260</i>	82.30 <i>3.240</i>	Aluminium	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-020G-140-200A	140	200 <i>7.874</i>	89.10 <i>3.508</i>	88.60 <i>3.488</i>	Aluminium	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-020G-150-200A	150	200 <i>7.874</i>	95.50 <i>3.760</i>	95.00 <i>3.740</i>	Aluminium	19.00 <i>0.748</i>	19.00 <i>0.748</i>
# P-020G-160-200A	160	200 <i>7.874</i>	101.9 <i>4.012</i>	95.00 <i>3.740</i>	Aluminium	19.00 <i>0.748</i>	19.00 <i>0.748</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 10 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

