



Pulleys - Timing - 2.500mm Pitch - T2.5 - STOCK - Aluminium

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 7

INFORMATION

For manufacture of timing pulleys or applications requiring multiple belts from a single drive.


For easy ready selected sets of timing belts and pulleys please see the HES website

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au//partscombined/25mmpitchtimingbelts/>
<http://www.minibearings.com.au//partslist/flangestingpulleysuitt25seriesaluminium/flangestingpulleysuitt25seriesaluminium/A/1/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.500mm Pitch - T2.5 - STOCK - Aluminium

Part Number	Teeth	Min. Usable Length (L) mm <i>inches</i>	Pitch Diameter (PD) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Material	Shank Diameter (D1) mm <i>inches</i>	Shank Length (SI) mm <i>inches</i>
P-025T-010-050A	10	50 <i>1.969</i>	8.05 <i>0.317</i>	7.45 <i>0.293</i>	Aluminium	8.00 <i>0.315</i>	20 <i>0.787</i>
P-025T-012-050A	12	50 <i>1.969</i>	9.60 <i>0.378</i>	9.00 <i>0.354</i>	Aluminium	9.50 <i>0.374</i>	20 <i>0.787</i>
# P-025T-013-050A	13	50 <i>1.969</i>	10.40 <i>0.409</i>	9.80 <i>0.386</i>	Aluminium	11.10 <i>0.437</i>	20 <i>0.787</i>
# P-025T-014-050A	14	50 <i>1.969</i>	11.20 <i>0.441</i>	10.60 <i>0.417</i>	Aluminium	11.10 <i>0.437</i>	20 <i>0.787</i>
# P-025T-015-050A	15	50 <i>1.969</i>	12.00 <i>0.472</i>	11.40 <i>0.449</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-016-050A	16	50 <i>1.969</i>	12.80 <i>0.504</i>	12.20 <i>0.480</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-017-050A	17	50 <i>1.969</i>	13.60 <i>0.535</i>	13.00 <i>0.512</i>	Aluminium	9.50 <i>0.374</i>	20 <i>0.787</i>
# P-025T-018-050A	18	50 <i>1.969</i>	14.40 <i>0.567</i>	13.80 <i>0.543</i>	Aluminium	9.50 <i>0.374</i>	20 <i>0.787</i>
# P-025T-019-090A	19	90 <i>3.543</i>	15.20 <i>0.598</i>	14.60 <i>0.575</i>	Aluminium	9.50 <i>0.374</i>	20 <i>0.787</i>
# P-025T-020-090A	20	90 <i>3.543</i>	16.00 <i>0.630</i>	15.40 <i>0.606</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.500mm Pitch - T2.5 - STOCK - Aluminium

Part Number	Teeth	Min. Usable Length (L) mm <i>inches</i>	Pitch Diameter (PD) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Material	Shank Diameter (D1) mm <i>inches</i>	Shank Length (SI) mm <i>inches</i>
# P-025T-021-090A	21	90 <i>3.543</i>	16.80 <i>0.661</i>	16.20 <i>0.638</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
P-025T-022-125A	22	125 <i>4.921</i>	17.60 <i>0.693</i>	17.00 <i>0.669</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-024-125A	24	125 <i>4.921</i>	19.15 <i>0.754</i>	18.55 <i>0.730</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-026-125A	26	125 <i>4.921</i>	20.75 <i>0.817</i>	20.15 <i>0.793</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-027-125A	27	125 <i>4.921</i>	21.55 <i>0.848</i>	20.95 <i>0.825</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-028-125A	28	125 <i>4.921</i>	22.35 <i>0.880</i>	21.75 <i>0.856</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-029-125A	29	125 <i>4.921</i>	23.15 <i>0.911</i>	22.55 <i>0.888</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-030-125A	30	125 <i>4.921</i>	23.95 <i>0.943</i>	23.35 <i>0.919</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-032-125A	32	125 <i>4.921</i>	25.55 <i>1.006</i>	24.95 <i>0.982</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-034-125A	34	125 <i>4.921</i>	27.15 <i>1.069</i>	26.55 <i>1.045</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 7

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.500mm Pitch - T2.5 - STOCK - Aluminium

Part Number	Teeth	Min. Usable Length (L) mm <i>inches</i>	Pitch Diameter (PD) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Material	Shank Diameter (D1) mm <i>inches</i>	Shank Length (SI) mm <i>inches</i>
P-025T-035-132A	35	132 <i>5.197</i>	27.95 <i>1.100</i>	27.35 <i>1.077</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-036-132A	36	132 <i>5.197</i>	28.75 <i>1.132</i>	28.15 <i>1.108</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-038-132A	38	132 <i>5.197</i>	30.30 <i>1.193</i>	29.70 <i>1.169</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-040-132A	40	132 <i>5.197</i>	31.90 <i>1.256</i>	31.30 <i>1.232</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-042-132A	42	132 <i>5.197</i>	33.50 <i>1.319</i>	32.90 <i>1.295</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-044-132A	44	132 <i>5.197</i>	35.10 <i>1.382</i>	34.50 <i>1.358</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-045-132A	45	132 <i>5.197</i>	35.90 <i>1.413</i>	35.30 <i>1.390</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-046-132A	46	132 <i>5.197</i>	36.60 <i>1.441</i>	36.30 <i>1.429</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-048-132A	48	132 <i>5.197</i>	38.30 <i>1.508</i>	37.70 <i>1.484</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-050-160A	50	160 <i>6.299</i>	39.89 <i>1.570</i>	39.29 <i>1.547</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 7

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 2.500mm Pitch - T2.5 - STOCK - Aluminium

Part Number	Teeth	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (Sl) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-025T-060-160A	60	160 <i>6.299</i>	47.85 <i>1.884</i>	47.25 <i>1.860</i>	Aluminium	12.70 <i>0.500</i>	20 <i>0.787</i>
# P-025T-065-160A	65	160 <i>6.299</i>	51.80 <i>2.039</i>	51.20 <i>2.016</i>	Aluminium	19.10 <i>0.752</i>	20 <i>0.787</i>
P-025T-070-160A	70	160 <i>6.299</i>	55.80 <i>2.197</i>	55.20 <i>2.173</i>	Aluminium	19.10 <i>0.752</i>	20 <i>0.787</i>
# P-025T-072-160A	72	160 <i>6.299</i>	57.40 <i>2.260</i>	56.80 <i>2.236</i>	Aluminium	19.10 <i>0.752</i>	20 <i>0.787</i>
# P-025T-090-160A	90	160 <i>6.299</i>	71.72 <i>2.824</i>	71.12 <i>2.800</i>	Aluminium	19.10 <i>0.752</i>	20 <i>0.787</i>
# P-025T-100-160A	100	160 <i>6.299</i>	79.68 <i>3.137</i>	79.08 <i>3.113</i>	Aluminium	19.10 <i>0.752</i>	20 <i>0.787</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 7

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

