



Pulleys - Timing - 5.000mm Pitch - T5 - STOCK - Aluminium

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 7

INFORMATION


For manufacture of timing pulleys or applications requiring multiple belts from a single drive.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au//partscombined/5mmpitchtimingbelts/>
<http://www.minibearings.com.au//partslist/flangestimingpulleyssuit5seriescarbonsteel/flangestimingpulleyssuit5seriescarbonsteel/A/1/>
<http://www.minibearings.com.au//partslist/flangestimingpulleyssuit5seriesaluminium/flangestimingpulleyssuit5seriesaluminium/A/1/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.000mm Pitch - T5 - STOCK - Aluminium

Part Number	Teeth	Min. Usable Length (L) mm <i>inches</i>	Pitch Diameter (PD) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Material	Shank Diameter (D1) mm <i>inches</i>	Shank Length (SI) mm <i>inches</i>
# P-050T-010-125A	10	125.00 <i>4.921</i>	15.05 <i>0.593</i>	15.05 <i>0.593</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-011-125A	11	125.00 <i>4.921</i>	16.65 <i>0.656</i>	16.65 <i>0.656</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-012-125A	12	125.00 <i>4.921</i>	18.25 <i>0.719</i>	18.25 <i>0.719</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-013-125A	13	125.00 <i>4.921</i>	19.85 <i>0.781</i>	19.85 <i>0.781</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-014-132A	14	132.00 <i>5.197</i>	21.45 <i>0.844</i>	21.45 <i>0.844</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-015-132A	15	132.00 <i>5.197</i>	23.05 <i>0.907</i>	23.05 <i>0.907</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-016-140A	16	140.00 <i>5.512</i>	24.60 <i>0.969</i>	24.60 <i>0.969</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-017-140A	17	140.00 <i>5.512</i>	26.20 <i>1.031</i>	26.20 <i>1.031</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-018-140A	18	140.00 <i>5.512</i>	27.80 <i>1.094</i>	27.80 <i>1.094</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-019-140A	19	140.00 <i>5.512</i>	29.40 <i>1.157</i>	29.40 <i>1.157</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 7

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.000mm Pitch - T5 - STOCK - Aluminium

Part Number	Teeth	Min. Usable Length (L) mm <i>inches</i>	Pitch Diameter (PD) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Material	Shank Diameter (D1) mm <i>inches</i>	Shank Length (SI) mm <i>inches</i>
# P-050T-020-160A	20	160.00 <i>6.299</i>	31.00 <i>1.220</i>	31.00 <i>1.220</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-021-160A	21	160.00 <i>6.299</i>	32.70 <i>1.287</i>	32.70 <i>1.287</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-022-160A	22	160.00 <i>6.299</i>	34.25 <i>1.348</i>	34.25 <i>1.348</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-023-160A	23	160.00 <i>6.299</i>	35.85 <i>1.411</i>	35.85 <i>1.411</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-024-160A	24	160.00 <i>6.299</i>	37.40 <i>1.472</i>	37.40 <i>1.472</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-025-160A	25	160.00 <i>6.299</i>	39.00 <i>1.535</i>	39.00 <i>1.535</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-026-160A	26	160.00 <i>6.299</i>	40.60 <i>1.598</i>	40.60 <i>1.598</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-027-160A	27	160.00 <i>6.299</i>	42.20 <i>1.661</i>	42.20 <i>1.661</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-028-160A	28	160.00 <i>6.299</i>	43.75 <i>1.722</i>	43.75 <i>1.722</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>
# P-050T-029-160A	29	160.00 <i>6.299</i>	45.35 <i>1.785</i>	45.35 <i>1.785</i>	Aluminium	12.70 <i>0.500</i>	20.00 <i>0.787</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 7

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.000mm Pitch - T5 - STOCK - Aluminium

Part Number	Teeth	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (SI) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-050T-030-160A	30	160.00 <i>6.299</i>	46.95 <i>1.848</i>	46.95 <i>1.848</i>	Aluminium	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-050T-032-160A	32	160.00 <i>6.299</i>	50.10 <i>1.972</i>	50.10 <i>1.972</i>	Aluminium	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-050T-034-160A	34	160.00 <i>6.299</i>	53.25 <i>2.096</i>	53.25 <i>2.096</i>	Aluminium	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-050T-035-160A	35	160.00 <i>6.299</i>	54.85 <i>2.159</i>	54.85 <i>2.159</i>	Aluminium	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-050T-036-160A	36	160.00 <i>6.299</i>	56.45 <i>2.222</i>	56.45 <i>2.222</i>	Aluminium	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-050T-037-160A	37	160.00 <i>6.299</i>	58.06 <i>2.286</i>	58.06 <i>2.286</i>	Aluminium	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-050T-038-160A	38	160.00 <i>6.299</i>	59.65 <i>2.348</i>	59.65 <i>2.348</i>	Aluminium	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-050T-040-160A	40	160.00 <i>6.299</i>	62.85 <i>2.474</i>	62.85 <i>2.474</i>	Aluminium	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-050T-042-160A	42	160.00 <i>6.299</i>	66.00 <i>2.598</i>	66.00 <i>2.598</i>	Aluminium	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-050T-044-160A	44	160.00 <i>6.299</i>	69.20 <i>2.724</i>	69.20 <i>2.724</i>	Aluminium	19.10 <i>0.752</i>	20.00 <i>0.787</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 7

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.000mm Pitch - T5 - STOCK - Aluminium

Part Number	Teeth	Min. Usable Length (L) mm <i>inches</i>	Pitch Diameter (PD) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Material	Shank Diameter (D1) mm <i>inches</i>	Shank Length (SI) mm <i>inches</i>
# P-050T-045-160A	45	160.00 <i>6.299</i>	70.80 <i>2.787</i>	70.80 <i>2.787</i>	Aluminium	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-050T-046-160A	46	160.00 <i>6.299</i>	72.40 <i>2.850</i>	72.40 <i>2.850</i>	Aluminium	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-050T-048-160A	48	160.00 <i>6.299</i>	75.55 <i>2.974</i>	75.55 <i>2.974</i>	Aluminium	19.10 <i>0.752</i>	20.00 <i>0.787</i>
# P-050T-050-160A	50	160.00 <i>6.299</i>	78.75 <i>3.100</i>	78.75 <i>3.100</i>	Aluminium	25.40 <i>1.000</i>	25.00 <i>0.984</i>
# P-050T-060-160A	60	160.00 <i>6.299</i>	94.65 <i>3.726</i>	94.65 <i>3.726</i>	Aluminium	25.40 <i>1.000</i>	25.00 <i>0.984</i>
# P-050T-060-250A	60	250.00 <i>9.843</i>	94.65 <i>3.726</i>	94.65 <i>3.726</i>	Aluminium	25.40 <i>1.000</i>	25.00 <i>0.984</i>
# P-050T-072-160A	72	160.00 <i>6.299</i>	113.75 <i>4.478</i>	113.75 <i>4.478</i>	Aluminium	25.40 <i>1.000</i>	25.00 <i>0.984</i>
# P-050T-080-160A	80	160.00 <i>6.299</i>	126.48 <i>4.980</i>	126.48 <i>4.980</i>	Aluminium	25.40 <i>1.000</i>	25.00 <i>0.984</i>
# P-050T-090-160A	90	160.00 <i>6.299</i>	142.40 <i>5.606</i>	142.40 <i>5.606</i>	Aluminium	25.40 <i>1.000</i>	25.00 <i>0.984</i>
# P-050T-100-160A	100	160.00 <i>6.299</i>	158.31 <i>6.233</i>	158.31 <i>6.233</i>	Aluminium	25.40 <i>1.000</i>	25.00 <i>0.984</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 7

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

