



Pulleys - Timing - 5.080mm Pitch - XL - STOCK - Carbon Steel

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 11

INFORMATION

For manufacture of timing pulleys or applications requiring multiple belts from a single drive.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/partscombined/xl508mmpitchtimingbelts/>


<http://www.minibearings.com.au/partslist/flangestimingpulleysuitxlseriescarbonsteel/flangestimingpulleysuitxlseriescarbonsteel/A/1/>

<http://www.minibearings.com.au/partslist/flangestimingpulleysuitxlseriesaluminium/flangestimingpulleysuitxlseriesaluminium/A/1/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.080mm Pitch - XL - STOCK - Carbon Steel

Part Number	Teeth	Min. Usable Length (L) mm <i>inches</i>	Pitch Diameter (PD) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Material	Shank Diameter (D1) mm <i>inches</i>	Shank Length (SI) mm <i>inches</i>
# P-XL-010-150C	10	150 <i>5.906</i>	16.20 <i>0.638</i>	15.67 <i>0.617</i>	Carbon Steel	13.00 <i>0.512</i>	22.00 <i>0.866</i>
# P-XL-011-150C	11	150 <i>5.906</i>	17.80 <i>0.701</i>	17.27 <i>0.680</i>	Carbon Steel	13.00 <i>0.512</i>	22.00 <i>0.866</i>
# P-XL-012-200C	12	200 <i>7.874</i>	19.40 <i>0.764</i>	18.90 <i>0.744</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-013-200C	13	200 <i>7.874</i>	21.01 <i>0.827</i>	20.52 <i>0.808</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-014-200C	14	200 <i>7.874</i>	22.63 <i>0.891</i>	22.12 <i>0.871</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-015-200C	15	200 <i>7.874</i>	24.24 <i>0.954</i>	23.75 <i>0.935</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-016-200C	16	200 <i>7.874</i>	25.86 <i>1.018</i>	25.37 <i>0.999</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-017-200C	17	200 <i>7.874</i>	27.48 <i>1.082</i>	26.98 <i>1.062</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-018-200C	18	200 <i>7.874</i>	29.09 <i>1.145</i>	28.60 <i>1.126</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-018-300C	18	300 <i>11.811</i>	29.09 <i>1.145</i>	28.60 <i>1.126</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.080mm Pitch - XL - STOCK - Carbon Steel

Part Number	Teeth	Min. Usable Length (L) mm <i>inches</i>	Pitch Diameter (PD) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Material	Shank Diameter (D1) mm <i>inches</i>	Shank Length (SI) mm <i>inches</i>
# P-XL-019-200C	19	200 <i>7.874</i>	30.71 <i>1.209</i>	30.23 <i>1.190</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-019-300C	19	300 <i>11.811</i>	30.71 <i>1.209</i>	30.23 <i>1.190</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-020-200C	20	200 <i>7.874</i>	32.33 <i>1.273</i>	31.83 <i>1.253</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-020-300C	20	300 <i>11.811</i>	32.33 <i>1.273</i>	31.83 <i>1.253</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-021-200C	21	200 <i>7.874</i>	33.94 <i>1.336</i>	33.45 <i>1.317</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-021-300C	21	300 <i>11.811</i>	33.94 <i>1.336</i>	33.45 <i>1.317</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-022-200C	22	200 <i>7.874</i>	35.56 <i>1.400</i>	35.08 <i>1.381</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-022-300C	22	300 <i>11.811</i>	35.56 <i>1.400</i>	35.08 <i>1.381</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-023-200C	23	200 <i>7.874</i>	37.17 <i>1.463</i>	36.68 <i>1.444</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-023-300C	23	300 <i>11.811</i>	37.17 <i>1.463</i>	36.68 <i>1.444</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.080mm Pitch - XL - STOCK - Carbon Steel

Part Number	Teeth	Min. Usable Length (L) mm <i>inches</i>	Pitch Diameter (PD) mm <i>inches</i>	Outside Diameter (OD) mm <i>inches</i>	Material	Shank Diameter (D1) mm <i>inches</i>	Shank Length (SI) mm <i>inches</i>
# P-XL-024-200C	24	200 <i>7.874</i>	38.79 <i>1.527</i>	38.30 <i>1.508</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-024-300C	24	300 <i>11.811</i>	38.79 <i>1.527</i>	38.30 <i>1.508</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-025-200C	25	200 <i>7.874</i>	40.41 <i>1.591</i>	39.93 <i>1.572</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-025-300C	25	300 <i>11.811</i>	40.41 <i>1.591</i>	39.93 <i>1.572</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-026-200C	26	200 <i>7.874</i>	42.02 <i>1.654</i>	41.53 <i>1.635</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-026-300C	26	300 <i>11.811</i>	42.02 <i>1.654</i>	41.53 <i>1.635</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-027-200C	27	200 <i>7.874</i>	43.64 <i>1.718</i>	43.15 <i>1.699</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-027-300C	27	300 <i>11.811</i>	43.64 <i>1.718</i>	43.15 <i>1.699</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-028-200C	28	200 <i>7.874</i>	45.26 <i>1.782</i>	44.78 <i>1.763</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-028-300C	28	300 <i>11.811</i>	45.26 <i>1.782</i>	44.78 <i>1.763</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.080mm Pitch - XL - STOCK - Carbon Steel

Part Number	Teeth	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (SI) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
P-XL-029-200C	29	200 <i>7.874</i>	46.89 <i>1.846</i>	46.38 <i>1.826</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-029-300C	29	300 <i>11.811</i>	46.87 <i>1.845</i>	46.38 <i>1.826</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-030-200C	30	200 <i>7.874</i>	48.49 <i>1.909</i>	48.01 <i>1.890</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-030-300C	30	300 <i>11.811</i>	48.49 <i>1.909</i>	48.01 <i>1.890</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-031-200C	31	200 <i>7.874</i>	50.10 <i>1.972</i>	49.63 <i>1.954</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-031-300C	31	300 <i>11.811</i>	50.10 <i>1.972</i>	49.63 <i>1.954</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-032-200C	32	200 <i>7.874</i>	51.72 <i>2.036</i>	51.23 <i>2.017</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-032-300C	32	300 <i>11.811</i>	51.72 <i>2.036</i>	51.23 <i>2.017</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-033-200C	33	200 <i>7.874</i>	53.34 <i>2.100</i>	52.86 <i>2.081</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-033-300C	33	300 <i>11.811</i>	53.34 <i>2.100</i>	52.86 <i>2.081</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.080mm Pitch - XL - STOCK - Carbon Steel

Part Number	Teeth	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (SI) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-XL-034-200C	34	200 <i>7.874</i>	54.95 <i>2.163</i>	54.48 <i>2.145</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-034-300C	34	300 <i>11.811</i>	54.95 <i>2.163</i>	54.48 <i>2.145</i>	Carbon Steel	12.70 <i>0.500</i>	19.05 <i>0.750</i>
# P-XL-035-200C	35	200 <i>7.874</i>	56.57 <i>2.227</i>	56.08 <i>2.208</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-035-300C	35	300 <i>11.811</i>	56.57 <i>2.227</i>	56.08 <i>2.208</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-036-200C	36	200 <i>7.874</i>	58.19 <i>2.291</i>	57.71 <i>2.272</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-036-300C	36	300 <i>11.811</i>	58.19 <i>2.291</i>	57.71 <i>2.272</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-037-200C	37	200 <i>7.874</i>	59.80 <i>2.354</i>	59.31 <i>2.335</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-037-300C	37	300 <i>11.811</i>	59.80 <i>2.354</i>	59.31 <i>2.335</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-038-200C	38	200 <i>7.874</i>	61.42 <i>2.418</i>	60.93 <i>2.399</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-038-300C	38	300 <i>11.811</i>	61.42 <i>2.418</i>	60.93 <i>2.399</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 8 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.080mm Pitch - XL - STOCK - Carbon Steel

Part Number	Teeth	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (SI) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-XL-039-300-C	39	300 <i>11.811</i>	63.10 <i>2.484</i>	62.56 <i>2.463</i>	Carbon Steel	19.00 <i>0.748</i>	25.00 <i>0.984</i>
# P-XL-040-200C	40	200 <i>7.874</i>	64.65 <i>2.545</i>	64.16 <i>2.526</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-040-300C	40	300 <i>11.811</i>	64.65 <i>2.545</i>	64.16 <i>2.526</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-041-300C	41	300 <i>11.811</i>	66.30 <i>2.610</i>	65.79 <i>2.590</i>	Carbon Steel	19.00 <i>0.748</i>	25.00 <i>0.984</i>
# P-XL-042-200C	42	200 <i>7.874</i>	67.88 <i>2.672</i>	67.41 <i>2.654</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-042-300C	42	300 <i>11.811</i>	67.88 <i>2.672</i>	67.41 <i>2.654</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-043-200C	43	200 <i>7.874</i>	69.50 <i>2.736</i>	69.01 <i>2.717</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-043-300C	43	300 <i>11.811</i>	69.50 <i>2.736</i>	69.01 <i>2.717</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-044-200C	44	200 <i>7.874</i>	71.12 <i>2.800</i>	70.64 <i>2.781</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-044-300C	44	300 <i>11.811</i>	71.12 <i>2.800</i>	70.64 <i>2.781</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.080mm Pitch - XL - STOCK - Carbon Steel

Part Number	Teeth	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (SI) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-XL-045-200C	45	200 <i>7.874</i>	72.73 <i>2.863</i>	72.26 <i>2.845</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-045-300C	45	300 <i>11.811</i>	72.73 <i>2.863</i>	72.26 <i>2.845</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-046-200C	46	200 <i>7.874</i>	74.35 <i>2.927</i>	73.86 <i>2.908</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-046-300C	46	300 <i>11.811</i>	74.35 <i>2.927</i>	73.86 <i>2.908</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-048-200C	48	200 <i>7.874</i>	77.58 <i>3.054</i>	77.11 <i>3.036</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-048-300C	48	300 <i>11.811</i>	77.58 <i>3.054</i>	77.11 <i>3.036</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-050-200C	50	200 <i>7.874</i>	80.81 <i>3.181</i>	80.34 <i>3.163</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-050-300C	50	300 <i>11.811</i>	80.81 <i>3.181</i>	80.34 <i>3.163</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-054-300C	54	300 <i>11.811</i>	87.30 <i>3.437</i>	86.82 <i>3.418</i>	Carbon Steel	19.00 <i>0.748</i>	25.00 <i>0.984</i>
# P-XL-060-200C	60	200 <i>7.874</i>	96.98 <i>3.818</i>	96.52 <i>3.800</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 10 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Pulleys - Timing - 5.080mm Pitch - XL - STOCK - Carbon Steel

Part Number	Teeth	Min. Usable Length (L) mm	Pitch Diameter (PD) mm	Outside Diameter (OD) mm	Material	Shank Diameter (D1) mm	Shank Length (SI) mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>	<i>inches</i>
# P-XL-060-300C	60	300 <i>11.811</i>	96.98 <i>3.818</i>	96.52 <i>3.800</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-062-200C	62	200 <i>7.874</i>	100.21 <i>3.945</i>	99.75 <i>3.927</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-062-300C	62	300 <i>11.811</i>	100.21 <i>3.945</i>	99.75 <i>3.927</i>	Carbon Steel	19.05 <i>0.750</i>	19.05 <i>0.750</i>
# P-XL-064-300C	64	300 <i>11.811</i>	103.50 <i>4.075</i>	102.97 <i>4.054</i>	Carbon Steel	25.00 <i>0.984</i>	25.00 <i>0.984</i>
# P-XL-072-200C	72	200 <i>7.874</i>	116.37 <i>4.581</i>	115.93 <i>4.564</i>	Carbon Steel	19.05 <i>0.750</i>	25.40 <i>1.000</i>
# P-XL-072-300C	72	300 <i>11.811</i>	116.37 <i>4.581</i>	115.93 <i>4.564</i>	Carbon Steel	19.05 <i>0.750</i>	25.40 <i>1.000</i>
# P-XL-080-200C	80	200 <i>7.874</i>	129.36 <i>5.093</i>	128.85 <i>5.073</i>	Carbon Steel	25.40 <i>1.000</i>	25.40 <i>1.000</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 11 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

