



Rod - Round - Brass

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

INFORMATION

For general hobby applications.

NOTE! Very thin sizes may experience some bending. They may not be straight for the entire length.
May be slightly oversized on OD so some reworking may be required before fitting closely mating parts such as bearings.

For use with bearings we suggest you use items from the category - Shafting - Ground.


Some items may be available in longer or shorter lengths. e-mail sales@smallparts.com.au with enquiries.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/ical/materials/brass/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Rod - Round - Brass

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Grade	Weight kg	Other Information
0R-0005-0300-BR385	0.50 <i>0.020</i>	300.0 <i>11.811</i>	385		Alloys 260 1/4-1/2 hard ASTM B134
0R-00051-0300-BR385	0.51 <i>0.020</i>	300.0 <i>11.811</i>	385	USE 0R-0005-0300-BR385	Alloys 260 1/4-1/2 hard ASTM B134
0R-0008-0300-BR385	0.80 <i>0.031</i>	300.0 <i>11.811</i>	385		Alloys 260 1/4-1/2 hard ASTM B134
0R-00081-0300-BR385	0.81 <i>0.032</i>	300.0 <i>11.811</i>	385		Alloys 260 1/4-1/2 hard ASTM B134
0R-0010-0300-BR385	1.00 <i>0.039</i>	300.0 <i>11.811</i>	385		Alloys 260 1/4-1/2 hard ASTM B134
0R-0010-1000-BR385	1.00 <i>0.039</i>	1000.0 <i>39.370</i>	385	0.02	Alloys 260 1/4-1/2 hard ASTM B134
0R-0012-0300-BR385	1.19 <i>0.047</i>	300.0 <i>11.811</i>	385		Alloys 260 1/4-1/2 hard ASTM B134
0R-0015-0300-BR385	1.50 <i>0.059</i>	300.0 <i>11.811</i>	385		Alloys 260 1/4-1/2 hard ASTM B134

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 13

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Rod - Round - Brass

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Grade	Weight kg	Other Information
0R-0016-0300-BR385	1.59 <i>0.063</i>	300.0 <i>11.811</i>	385		Alloys 260 1/4-1/2 hard ASTM B134
0R-0016-0914-BR385	1.59 <i>0.063</i>	914.0 <i>35.984</i>	385	0.02	Alloys 260 1/4-1/2 hard ASTM B134
0R-0018-0300-BR385	1.83 <i>0.072</i>	300.0 <i>11.811</i>	385	0.01	Alloys 260 1/4-1/2 hard ASTM B134
0R-0020-0300-BR385	2.00 <i>0.079</i>	300.0 <i>11.811</i>	385	0.01	Alloys 260 1/4-1/2 hard ASTM B134
0R-0020-1000-BR385	2.00 <i>0.079</i>	1000.0 <i>39.370</i>	385	0.01	Alloys 260 1/4-1/2 hard ASTM B134
0R-0021-0300-BR385	2.06 <i>0.081</i>	300.0 <i>11.811</i>	385	0.01	Alloys 260 1/4-1/2 hard ASTM B134
0R-0024-0300-BR385	2.38 <i>0.094</i>	300.0 <i>11.811</i>	385	0.01	Alloys 260 1/4-1/2 hard ASTM B134
0R-0024-0914-BR385	2.38 <i>0.094</i>	914.0 <i>35.984</i>	385	0.03	Alloys 260 1/4-1/2 hard ASTM B134

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 13

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Rod - Round - Brass

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Grade	Weight kg	Other Information
0R-0025-0300-BR385	2.50 <i>0.098</i>	300.0 <i>11.811</i>	385	0.01	Alloys 260 1/4-1/2 hard ASTM B134
0R-0025-1000-BR385	2.50 <i>0.098</i>	1000.0 <i>39.370</i>	385	0.01	Alloys 260 1/4-1/2 hard ASTM B134
0R-0029-0300-BR385	2.90 <i>0.114</i>	300.0 <i>11.811</i>	385	0.02	Alloys 260 1/4-1/2 hard ASTM B134
0R-0030-0300-BR385	3.00 <i>0.118</i>	300.0 <i>11.811</i>	385	0.02	Alloys 260 1/4-1/2 hard ASTM B134
0R-0030-1000-BR385	3.00 <i>0.118</i>	1000.0 <i>39.370</i>	385	0.01	Alloys 260 1/4-1/2 hard ASTM B134
0R-0032-0300-BR385	3.18 <i>0.125</i>	300.0 <i>11.811</i>	385	0.02	Alloys 260 1/4-1/2 hard ASTM B134
0R-0032-0500-BR385	3.18 <i>0.125</i>	500.0 <i>19.685</i>	385	0.06	
0R-0032-0914-BR385	3.18 <i>0.125</i>	914.0 <i>35.984</i>	385	0.06	Alloys 260 1/4-1/2 hard ASTM B134

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 13

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Rod - Round - Brass

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Grade	Weight kg	Other Information
0R-0035-0300-BR385	3.50 <i>0.138</i>	300.0 <i>11.811</i>	385	0.02	Alloys 260 1/4-1/2 hard ASTM B134
0R-0035-1000-BR385	3.50 <i>0.138</i>	1000.0 <i>39.370</i>	385	0.01	Alloys 260 1/4-1/2 hard ASTM B134
0R-0039-0300-BR385	3.97 <i>0.156</i>	300.0 <i>11.811</i>	385	0.03	Alloys 260 1/4-1/2 hard ASTM B134
0R-0039-0914-BR385	3.97 <i>0.156</i>	914.0 <i>35.984</i>	385	0.09	Alloys 260 1/4-1/2 hard ASTM B134
0R-0040-0300-BR385	4.00 <i>0.157</i>	300.0 <i>11.811</i>	385	0.03	Alloys 260 1/4-1/2 hard ASTM B134
0R-0040-1000-BR385	4.00 <i>0.157</i>	1000.0 <i>39.370</i>	385	0.01	Alloys 260 1/4-1/2 hard ASTM B134
0R-0048-0300-BR385	4.76 <i>0.187</i>	300.0 <i>11.811</i>	385	0.04	Alloys 260 1/4-1/2 hard ASTM B134
0R-0048-0914-BR385	4.76 <i>0.187</i>	914.0 <i>35.984</i>	385	0.14	Alloys 260 1/4-1/2 hard ASTM B134

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 13

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Rod - Round - Brass

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Grade	Weight kg	Other Information
0R-0060-0500-BR385	6.00 <i>0.236</i>	500.0 <i>19.685</i>	385	0.24	
0R-0060-1000-BR385	6.00 <i>0.236</i>	1000.0 <i>39.370</i>	385	0.24	
0R-0064-0500-BR385	6.35 <i>0.250</i>	500.0 <i>19.685</i>	385	0.26	
0R-0064-0914-BR385	6.35 <i>0.250</i>	914.0 <i>35.984</i>	385	0.14	Alloys 260 1/4-1/2 hard ASTM B134
# 0R-0064-1000-BR385	6.35 <i>0.250</i>	1000.0 <i>39.370</i>	385	0.26	Alloys 260 1/4-1/2 hard ASTM B134
0R-0071-0500-BR385	7.14 <i>0.281</i>	500.0 <i>19.685</i>	385	0.33	
0R-0071-1000-BR385	7.14 <i>0.281</i>	1000.0 <i>39.370</i>	385	0.33	
0R-0079-0914-BR385	7.94 <i>0.313</i>	914.0 <i>35.984</i>	385	0.38	
0R-0095-0500-BR385	9.53 <i>0.375</i>	500.0 <i>19.685</i>	385	0.59	
0R-0095-1000-BR385	9.53 <i>0.375</i>	1000.0 <i>39.370</i>	385	0.59	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Rod - Round - Brass

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Grade	Weight kg	Other Information
0R-0100-0500-BR385	10.00 <i>0.394</i>	500.0 <i>19.685</i>	385	0.65	
0R-0100-1000-BR385	10.00 <i>0.394</i>	1000.0 <i>39.370</i>	385	0.65	
0R-0120-0500-BR385	12.00 <i>0.472</i>	500.0 <i>19.685</i>	385	0.94	
0R-0120-1000-BR385	12.00 <i>0.472</i>	1000.0 <i>39.370</i>	385	0.94	
0R-0127-0500-BR385	12.70 <i>0.500</i>	500.0 <i>19.685</i>	385	1.06	
# 0R-0127-0914-CA360	12.70 <i>0.500</i>	914.0 <i>35.984</i>	CA360	1.000	
0R-0127-1000-BR385	12.70 <i>0.500</i>	1000.0 <i>39.370</i>	385	1.06	
# 0R-0159-0914-CA360	15.88 <i>0.625</i>	914.0 <i>35.984</i>	CA360	1.500	
0R-0159-0500-BR385	15.88 <i>0.625</i>	500.0 <i>19.685</i>	385	1.65	
0R-0159-1000-BR385	15.88 <i>0.625</i>	1000.0 <i>39.370</i>	385	1.65	

Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 13

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Rod - Round - Brass

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Grade	Weight kg	Other Information
0R-0175-0500-BR385	17.46 <i>0.687</i>	500.0 <i>19.685</i>	385	1.99	
# 0R-0175-1000-BR385	17.46 <i>0.687</i>	1000.0 <i>39.370</i>	385	1.99	
# 0R-0191-0914-CA360	19.05 <i>0.750</i>	914.0 <i>35.984</i>	CA360	2.200	
0R-0206-0500-BR385	20.64 <i>0.813</i>	500.0 <i>19.685</i>	385	2.79	
0R-0206-1000-BR385	20.64 <i>0.813</i>	1000.0 <i>39.370</i>	385	2.79	
0R-0222-0500-BR385	22.22 <i>0.875</i>	500.0 <i>19.685</i>	385	3.23	
0R-0222-1000-BR385	22.22 <i>0.875</i>	1000.0 <i>39.370</i>	385	3.23	
# 0R-0222-0914-CA360	22.23 <i>0.875</i>	914.0 <i>35.984</i>	CA360	3.000	
0R-0254-0500-BR385	25.40 <i>1.000</i>	500.0 <i>19.685</i>	385	4.22	
# 0R-0254-0914-CA360	25.40 <i>1.000</i>	914.0 <i>35.984</i>	CA360	4.000	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Rod - Round - Brass

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Grade	Weight kg	Other Information
0R-0254-1000-BR385	25.40 <i>1.000</i>	1000.0 <i>39.370</i>	385	4.22	
# 0R-0270-0500-BR385	26.99 <i>1.063</i>	500.0 <i>19.685</i>	385	4.77	
# 0R-0270-1000-BR385	26.99 <i>1.063</i>	1000.0 <i>39.370</i>	385	4.77	
# 0R-0286-0914-CA360	28.58 <i>1.125</i>	914.0 <i>35.984</i>	CA360	5.000	
# 0R-0286-0500-BR385	28.58 <i>1.125</i>	500.0 <i>19.685</i>	385	5.34	
# 0R-0286-1000-BR385	28.58 <i>1.125</i>	1000.0 <i>39.370</i>	385	5.34	
0R-0318-0500-BR385	31.75 <i>1.250</i>	500.0 <i>19.685</i>	385	6.6	
# 0R-0318-0914-CA360	31.75 <i>1.250</i>	914.0 <i>35.984</i>	CA360	6.200	
0R-0318-1000-BR385	31.75 <i>1.250</i>	1000.0 <i>39.370</i>	385	6.6	
0R-0381-0500-BR385	38.10 <i>1.500</i>	500.0 <i>19.685</i>	385	9.5	

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Rod - Round - Brass

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Grade	Weight kg	Other Information
0R-0381-1000-BR385	38.10 <i>1.500</i>	1000.0 <i>39.370</i>	385	9.5	
0R-0413-0500-BR385	41.28 <i>1.625</i>	500.0 <i>19.685</i>	385	11.15	
0R-0413-1000-BR385	41.28 <i>1.625</i>	1000.0 <i>39.370</i>	385	11.15	
# 0R-0445-0500-BR385	44.45 <i>1.750</i>	500.0 <i>19.685</i>	385	12.93	
# 0R-0445-1000-BR385	44.45 <i>1.750</i>	1000.0 <i>39.370</i>	385	12.93	
0R-0572-0500-BR385	57.15 <i>2.250</i>	500.0 <i>19.685</i>	385	21.37	
0R-0572-1000-BR385	57.15 <i>2.250</i>	1000.0 <i>39.370</i>	385	21.37	
# 0R-0635-0500-BR385	63.50 <i>2.500</i>	500.0 <i>19.685</i>	385	26.38	
# 0R-0635-1000-BR385	63.50 <i>2.500</i>	1000.0 <i>39.370</i>	385	26.38	
# 0R-0699-0500-BR385	69.85 <i>2.750</i>	500.0 <i>19.685</i>	385	31.92	

Indicates item not stocked at time of printing - Please enquire for lead time

Page 12 of 13

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Rod - Round - Brass

Part Number	Diameter (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Grade	Weight kg	Other Information
# 0R-0699-1000-BR385	69.85 <i>2.750</i>	1000.0 <i>39.370</i>	385	31.92	
# 0R-0889-0500-BR385	88.90 <i>3.500</i>	500.0 <i>19.685</i>	385	51.71	
# 0R-0889-1000-BR385	88.90 <i>3.500</i>	1000.0 <i>39.370</i>	385	51.71	
# 0R-1016-0500-BR385	101.60 <i>4.000</i>	500.0 <i>19.685</i>	385	67.54	
# 0R-1016-1000-BR385	101.60 <i>4.000</i>	1000.0 <i>39.370</i>	385	67.54	
# 0R-1143-0500-BR385	114.30 <i>4.500</i>	500.0 <i>19.685</i>	385	85.48	
# 0R-1143-1000-BR385	114.30 <i>4.500</i>	1000.0 <i>39.370</i>	385	85.48	
# 0R-1270-0500-BR385	127.00 <i>5.000</i>	500.0 <i>19.685</i>	385	105.53	
# 0R-1270-1000-BR385	127.00 <i>5.000</i>	1000.0 <i>39.370</i>	385	105.53	

Indicates item not stocked at time of printing - Please enquire for lead time

Page 13 of 13

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

