



Screws - Countersunk - Steel - Philips

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 16

INFORMATION

Flat Head Countersunk UNC - UNF - METRIC


Nuts sold seperately - See Nuts.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au//categories/nuts/all/pics/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Countersunk - Steel - Philips

Part Number	Thread Size (C)	Length to top edge (L) mm	Material	Head Diameter (A) mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SK020M-005-PH-CZ	M2x0.4 (2mm Standard)	5 <i>0.197</i>	Zinc Plated Steel	4.0 <i>0.157</i>	1.2 <i>0.047</i>	Countersunk / Philips	0.400 <i>0.016</i>
SK020M-006-PH-CZ	M2x0.4 (2mm Standard)	6 <i>0.236</i>	Zinc Plated Steel	4.0 <i>0.157</i>	1.2 <i>0.047</i>	Countersunk / Philips	0.400 <i>0.016</i>
SK020M-008-PH-CZ	M2x0.4 (2mm Standard)	8 <i>0.315</i>	Zinc Plated Steel	4.0 <i>0.157</i>	1.2 <i>0.047</i>	Countersunk / Philips	0.400 <i>0.016</i>
# SK020M-010-PH-CZ	M2x0.4 (2mm Standard)	10 <i>0.394</i>	Zinc Plated Steel	4.0 <i>0.157</i>	1.2 <i>0.047</i>	Countersunk / Philips	0.400 <i>0.016</i>
# SK020M-012-PH-CZ	M2x0.4 (2mm Standard)	12 <i>0.472</i>	Zinc Plated Steel	4.0 <i>0.157</i>	1.2 <i>0.047</i>	Countersunk / Philips	0.400 <i>0.016</i>
SK022C-005-PH-CZ	2-56 UNC (2.184mm)	4.8 <i>0.189</i>	Zinc Plated	5.0 <i>0.197</i>	1.6 <i>0.063</i>	Countersunk / Philips	0.454 <i>0.018</i>
# SK022C-010-PH-CZ	2-56 UNC (2.184mm)	9.5 <i>0.374</i>	Zinc Plated	5.0 <i>0.197</i>	1.6 <i>0.063</i>	Countersunk / Philips	0.454 <i>0.018</i>
# SK022C-013-PH-CZ	2-56 UNC (2.184mm)	12.7 <i>0.500</i>	Zinc Plated	5.0 <i>0.197</i>	1.6 <i>0.063</i>	Countersunk / Philips	0.454 <i>0.018</i>
# SK025M-005-PH-CZ	M2.5x0.45 (2.5mm Standard)	5 <i>0.197</i>	Zinc Plated	5.0 <i>0.197</i>	1.5 <i>0.059</i>	Countersunk / Philips	0.450 <i>0.018</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 16

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Countersunk - Steel - Philips

Part Number	Thread Size (C)	Length to top edge (L) mm	Material	Head Diameter (A) mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SK025M-006-PH-CZ	M2.5x0.45 (2.5mm Standard)	6 <i>0.236</i>	Zinc Plated	5.0 <i>0.197</i>	1.5 <i>0.059</i>	Countersunk / Philips	0.450 <i>0.018</i>
# SK025M-008-PH-CZ	M2.5x0.45 (2.5mm Standard)	8 <i>0.315</i>	Zinc Plated	5.0 <i>0.197</i>	1.5 <i>0.059</i>	Countersunk / Philips	0.450 <i>0.018</i>
# SK025M-010-PH-CZ	M2.5x0.45 (2.5mm Standard)	10 <i>0.394</i>	Zinc Plated	5.0 <i>0.197</i>	1.5 <i>0.059</i>	Countersunk / Philips	0.450 <i>0.018</i>
SK025M-012-PH-CZ	M2.5x0.45 (2.5mm Standard)	12 <i>0.472</i>	Zinc Plated	5.0 <i>0.197</i>	1.5 <i>0.059</i>	Countersunk / Philips	0.450 <i>0.018</i>
# SK025M-016-PH-CZ	M2.5x0.45 (2.5mm Standard)	16 <i>0.630</i>	Zinc Plated	5.0 <i>0.197</i>	1.5 <i>0.059</i>	Countersunk / Philips	0.450 <i>0.018</i>
# SK025M-020-PH-CZ	M2.5x0.45 (2.5mm Standard)	20 <i>0.787</i>	Zinc Plated	5.0 <i>0.197</i>	1.5 <i>0.059</i>	Countersunk / Philips	0.450 <i>0.018</i>
# SK025M-025-PH-CZ	M2.5x0.45 (2.5mm Standard)	25 <i>0.984</i>	Zinc Plated	5.0 <i>0.197</i>	1.5 <i>0.059</i>	Countersunk / Philips	0.450 <i>0.018</i>
# SK028C-006-PH-BO	4-40 UNC (2.845mm)	6.4 <i>0.252</i>	Black Oxide Steel	6.5 <i>0.256</i>	2.1 <i>0.083</i>	Countersunk / Philips	0.635 <i>0.025</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 16

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Countersunk - Steel - Philips

Part Number	Thread Size (C)	Length to top edge (L) mm	Material	Head Diameter (A) mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SK028C-006-PH-CZ	4-40 UNC (2.845mm)	6.4 <i>0.252</i>	Zinc Plated	6.5 <i>0.256</i>	2.1 <i>0.083</i>	Countersunk / Philips	0.635 <i>0.025</i>
SK028C-013-PH-CZ	4-40 UNC (2.845mm)	12.7 <i>0.500</i>	Zinc Plated	6.5 <i>0.256</i>	2.1 <i>0.083</i>	Countersunk / Philips	0.635 <i>0.025</i>
# SK028C-019-PH-CZ	4-40 UNC (2.845mm)	19.1 <i>0.752</i>	Zinc Plated	6.5 <i>0.256</i>	2.1 <i>0.083</i>	Countersunk / Philips	0.635 <i>0.025</i>
# SK028C-025-PH-CZ	4-40 UNC (2.845mm)	25.4 <i>1.000</i>	Zinc Plated	6.5 <i>0.256</i>	2.1 <i>0.083</i>	Countersunk / Philips	0.635 <i>0.025</i>
# SK028C-038-PH-CZ	4-40 UNC (2.845mm)	38.1 <i>1.500</i>	Zinc Plated	6.5 <i>0.256</i>	2.1 <i>0.083</i>	Countersunk / Philips	0.635 <i>0.025</i>
SK030M-005-PH-CZ	M3x0.5 (3mm Standard)	5 <i>0.197</i>	Zinc Plated	6.0 <i>0.236</i>	1.7 <i>0.067</i>	Countersunk / Philips	0.500 <i>0.020</i>
SK030M-006-PH-CZ	M3x0.5 (3mm Standard)	6 <i>0.236</i>	Zinc Plated	6.0 <i>0.236</i>	1.7 <i>0.067</i>	Countersunk / Philips	0.500 <i>0.020</i>
SK030M-008-PH-CZ	M3x0.5 (3mm Standard)	8 <i>0.315</i>	Zinc Plated	6.0 <i>0.236</i>	1.7 <i>0.067</i>	Countersunk / Philips	0.500 <i>0.020</i>
# SK030M-010-PH-CZ	M3x0.5 (3mm Standard)	10 <i>0.394</i>	Zinc Plated	6.0 <i>0.236</i>	1.7 <i>0.067</i>	Countersunk / Philips	0.500 <i>0.020</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 16

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Countersunk - Steel - Philips

Part Number	Thread Size (C)	Length to top edge (L) mm	Material	Head Diameter (A) mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SK030M-012-PH-CZ	M3x0.5 (3mm Standard)	12 <i>0.472</i>	Zinc Plated	6.0 <i>0.236</i>	1.7 <i>0.067</i>	Countersunk / Philips	0.500 <i>0.020</i>
# SK030M-016-PH-CZ	M3x0.5 (3mm Standard)	16 <i>0.630</i>	Zinc Plated	6.0 <i>0.236</i>	1.7 <i>0.067</i>	Countersunk / Philips	0.500 <i>0.020</i>
SK030M-020-PH-CZ	M3x0.5 (3mm Standard)	20 <i>0.787</i>	Zinc Plated	6.0 <i>0.236</i>	1.7 <i>0.067</i>	Countersunk / Philips	0.500 <i>0.020</i>
# SK030M-025-PH-CZ	M3x0.5 (3mm Standard)	25 <i>0.984</i>	Zinc Plated	6.0 <i>0.236</i>	1.7 <i>0.067</i>	Countersunk / Philips	0.500 <i>0.020</i>
# SK030M-030-PH-CZ	M3x0.5 (3mm Standard)	30 <i>1.181</i>	Zinc Plated	6.0 <i>0.236</i>	1.7 <i>0.067</i>	Countersunk / Philips	0.500 <i>0.020</i>
# SK030M-045-PH-CZ	M3x0.5 (3mm Standard)	45 <i>1.772</i>	Zinc Plated Steel	6.0 <i>0.236</i>	1.7 <i>0.067</i>	Countersunk / Philips	0.500 <i>0.020</i>
SK032W-006-PH-CZ	1/8-40 BSW (3.175mm)	6.4 <i>0.252</i>	Zinc Plated Steel	7.1 <i>0.280</i>	2.3 <i>0.091</i>	Countersunk / Philips	0.635 <i>0.025</i>
SK032W-013-PH-CZ	1/8-40 BSW (3.175mm)	12.7 <i>0.500</i>	Zinc Plated Steel	7.1 <i>0.280</i>	2.3 <i>0.091</i>	Countersunk / Philips	0.635 <i>0.025</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 16

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Countersunk - Steel - Philips

Part Number	Thread Size (C)	Length to top edge (L) mm	Material	Head Diameter (A) mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SK032W-019-PH-CZ	1/8-40 BSW (3.175mm)	19.1 <i>0.752</i>	Zinc Plated Steel	7.1 <i>0.280</i>	2.3 <i>0.091</i>	Countersunk / Philips	0.635 <i>0.025</i>
# SK032W-025-PH-CZ	1/8-40 BSW (3.175mm)	25.4 <i>1.000</i>	Zinc Plated Steel	7.1 <i>0.280</i>	2.3 <i>0.091</i>	Countersunk / Philips	0.635 <i>0.025</i>
SK035C-006-PH-BO	6-32 UNC (3.5mm)	6.4 <i>0.252</i>	Black Oxide Steel	7.8 <i>0.307</i>	2.5 <i>0.098</i>	Countersunk / Philips	0.794 <i>0.031</i>
SK035C-006-PH-CZ	6-32 UNC (3.5mm)	6.4 <i>0.252</i>	Zinc Plated Steel	7.8 <i>0.307</i>	2.5 <i>0.098</i>	Countersunk / Philips	0.794 <i>0.031</i>
SK035C-010-PH-BO	6-32 UNC (3.5mm)	9.5 <i>0.374</i>	Black Oxide Steel	7.8 <i>0.307</i>	2.5 <i>0.098</i>	Countersunk / Philips	0.794 <i>0.031</i>
# SK035C-013-PH-CZ	6-32 UNC (3.5mm)	12.7 <i>0.500</i>	Zinc Plated Steel	7.8 <i>0.307</i>	2.5 <i>0.098</i>	Countersunk / Philips	0.794 <i>0.031</i>
# SK035C-025-PH-CZ	6-32 UNC (3.5mm)	25.4 <i>1.000</i>	Zinc Plated Steel	7.8 <i>0.307</i>	2.5 <i>0.098</i>	Countersunk / Philips	0.794 <i>0.031</i>
# SK035C-038-PH-CZ	6-32 UNC (3.5mm)	38.1 <i>1.500</i>	Zinc Plated Steel	7.8 <i>0.307</i>	2.5 <i>0.098</i>	Countersunk / Philips	0.794 <i>0.031</i>
# SK039W-010-PH-CZ	5/32-32 BSW (3.969mm)	9.5 <i>0.374</i>	Zinc Plated Steel	7.0 <i>0.276</i>	1.8 <i>0.071</i>	Countersunk / Philips	0.794 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 8 of 16

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Countersunk - Steel - Philips

Part Number	Thread Size (C)	Length to top edge (L) mm	Material	Head Diameter (A) mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SK039W-013-PH-CZ	5/32-32 BSW (3.969mm)	12.7 <i>0.500</i>	Zinc Plated Steel	7.0 <i>0.276</i>	1.8 <i>0.071</i>	Countersunk / Philips	0.794 <i>0.031</i>
# SK039W-016-PH-CZ	5/32-32 BSW (3.969mm)	15.9 <i>0.626</i>	Zinc Plated Steel	7.0 <i>0.276</i>	1.8 <i>0.071</i>	Countersunk / Philips	0.794 <i>0.031</i>
# SK039W-019-PH-CZ	5/32-32 BSW (3.969mm)	19.1 <i>0.752</i>	Zinc Plated Steel	7.0 <i>0.276</i>	1.8 <i>0.071</i>	Countersunk / Philips	0.794 <i>0.031</i>
# SK039W-025-PH-CZ	5/32-32 BSW (3.969mm)	25.4 <i>1.000</i>	Zinc Plated Steel	7.0 <i>0.276</i>	1.8 <i>0.071</i>	Countersunk / Philips	0.794 <i>0.031</i>
# SK040M-006-PH-CZ	M4x0.7 (4mm Standard)	6 <i>0.236</i>	Zinc Plated Steel	8.0 <i>0.315</i>	2.3 <i>0.091</i>	Countersunk / Philips	0.700 <i>0.028</i>
# SK040M-008-PH-CZ	M4x0.7 (4mm Standard)	8 <i>0.315</i>	Zinc Plated Steel	8.0 <i>0.315</i>	2.3 <i>0.091</i>	Countersunk / Philips	0.700 <i>0.028</i>
SK040M-010-PH-CZ	M4x0.7 (4mm Standard)	10 <i>0.394</i>	Zinc Plated Steel	8.0 <i>0.315</i>	2.3 <i>0.091</i>	Countersunk / Philips	0.700 <i>0.028</i>
# SK040M-012-PH-CZ	M4x0.7 (4mm Standard)	12 <i>0.472</i>	Zinc Plated Steel	8.0 <i>0.315</i>	2.3 <i>0.091</i>	Countersunk / Philips	0.700 <i>0.028</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 16

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Countersunk - Steel - Philips

Part Number	Thread Size (C)	Length to top edge (L) mm	Material	Head Diameter (A) mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SK040M-016-PH-CZ	M4x0.7 (4mm Standard)	16 <i>0.630</i>	Zinc Plated Steel	8.0 <i>0.315</i>	2.3 <i>0.091</i>	Countersunk / Philips	0.700 <i>0.028</i>
# SK040M-020-PH-CZ	M4x0.7 (4mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	8.0 <i>0.315</i>	2.3 <i>0.091</i>	Countersunk / Philips	0.700 <i>0.028</i>
SK040M-025-PH-CZ	M4x0.7 (4mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	8.0 <i>0.315</i>	2.3 <i>0.091</i>	Countersunk / Philips	0.700 <i>0.028</i>
# SK040M-030-PH-CZ	M4x0.7 (4mm Standard)	30 <i>1.181</i>	Zinc Plated Steel	8.0 <i>0.315</i>	2.3 <i>0.091</i>	Countersunk / Philips	0.700 <i>0.028</i>
# SK040M-035-PH-CZ	M4x0.7 (4mm Standard)	35 <i>1.378</i>	Zinc Plated Steel	8.0 <i>0.315</i>	2.3 <i>0.091</i>	Countersunk / Philips	0.700 <i>0.028</i>
# SK040M-040-PH-CZ	M4x0.7 (4mm Standard)	40 <i>1.575</i>	Zinc Plated Steel	8.0 <i>0.315</i>	2.3 <i>0.091</i>	Countersunk / Philips	0.700 <i>0.028</i>
# SK040M-045-PH-CZ	M4x0.7 (4mm Standard)	45 <i>1.772</i>	Zinc Plated Steel	8.0 <i>0.315</i>	2.3 <i>0.091</i>	Countersunk / Philips	0.700 <i>0.028</i>
# SK040M-050-PH-CZ	M4x0.7 (4mm Standard)	50 <i>1.969</i>	Zinc Plated Steel	8.0 <i>0.315</i>	2.3 <i>0.091</i>	Countersunk / Philips	0.700 <i>0.028</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 10 of 16

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Countersunk - Steel - Philips

Part Number	Thread Size (C)	Length to top edge (L) mm	Material	Head Diameter (A) mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SK042C-006-PH-CZ	8-32 UNC (4.166mm)	6.4 <i>0.252</i>	Zinc Plated Steel	9.1 <i>0.358</i>	2.8 <i>0.110</i>	Countersunk / Philips	0.794 <i>0.031</i>
# SK042C-013-PH-CZ	8-32 UNC (4.166mm)	12.7 <i>0.500</i>	Zinc Plated Steel	9.1 <i>0.358</i>	2.8 <i>0.110</i>	Countersunk / Philips	0.794 <i>0.031</i>
# SK042C-025-PH-CZ	8-32 UNC (4.166mm)	25.4 <i>1.000</i>	Zinc Plated Steel	9.1 <i>0.358</i>	2.8 <i>0.110</i>	Countersunk / Philips	0.794 <i>0.031</i>
# SK042C-038-PH-CZ	8-32 UNC (4.166mm)	38.1 <i>1.500</i>	Zinc Plated Steel	9.1 <i>0.358</i>	2.8 <i>0.110</i>	Countersunk / Philips	0.794 <i>0.031</i>
SK048W-006-PH-CZ	3/16-24 BSW (4.762mm)	6.4 <i>0.252</i>	Zinc Plated Steel	10.4 <i>0.409</i>	3.2 <i>0.126</i>	Countersunk / Philips	1.058 <i>0.042</i>
# SK048W-010-PH-CZ	3/16-24 BSW (4.762mm)	9.5 <i>0.374</i>	Zinc Plated Steel	10.4 <i>0.409</i>	3.2 <i>0.126</i>	Countersunk / Philips	1.058 <i>0.042</i>
# SK048W-013-PH-CZ	3/16-24 BSW (4.762mm)	12.7 <i>0.500</i>	Zinc Plated Steel	10.4 <i>0.409</i>	3.2 <i>0.126</i>	Countersunk / Philips	1.058 <i>0.042</i>
SK048W-016-PH-CZ	3/16-24 BSW (4.762mm)	15.9 <i>0.626</i>	Zinc Plated Steel	10.4 <i>0.409</i>	3.2 <i>0.126</i>	Countersunk / Philips	1.058 <i>0.042</i>
# SK048W-019-PH-CZ	3/16-24 BSW (4.762mm)	19.1 <i>0.752</i>	Zinc Plated Steel	10.4 <i>0.409</i>	3.2 <i>0.126</i>	Countersunk / Philips	1.058 <i>0.042</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 11 of 16

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Countersunk - Steel - Philips

Part Number	Thread Size (C)	Length to top edge (L) mm	Material	Head Diameter (A) mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SK048W-025-PH-CZ	3/16-24 BSW (4.762mm)	25.4 <i>1.000</i>	Zinc Plated Steel	10.4 <i>0.409</i>	3.2 <i>0.126</i>	Countersunk / Philips	1.058 <i>0.042</i>
# SK048W-032-PH-CZ	3/16-24 BSW (4.762mm)	31.8 <i>1.252</i>	Zinc Plated Steel	10.4 <i>0.409</i>	3.2 <i>0.126</i>	Countersunk / Philips	1.058 <i>0.042</i>
# SK048W-038-PH-CZ	3/16-24 BSW (4.762mm)	38.1 <i>1.500</i>	Zinc Plated Steel	10.4 <i>0.409</i>	3.2 <i>0.126</i>	Countersunk / Philips	1.058 <i>0.042</i>
# SK048W-045-PH-CZ	3/16-24 BSW (4.762mm)	44.5 <i>1.752</i>	Zinc Plated Steel	10.4 <i>0.409</i>	3.2 <i>0.126</i>	Countersunk / Philips	1.058 <i>0.042</i>
# SK048W-051-PH-CZ	3/16-24 BSW (4.762mm)	50.8 <i>2.000</i>	Zinc Plated Steel	10.4 <i>0.409</i>	3.2 <i>0.126</i>	Countersunk / Philips	1.058 <i>0.042</i>
# SK048W-064-PH-CZ	3/16-24 BSW (4.762mm)	63.5 <i>2.500</i>	Zinc Plated Steel	10.4 <i>0.409</i>	3.2 <i>0.126</i>	Countersunk / Philips	1.058 <i>0.042</i>
# SK048W-076-PH-CZ	3/16-24 BSW (4.762mm)	76.2 <i>3.000</i>	Zinc Plated Steel	10.4 <i>0.409</i>	3.2 <i>0.126</i>	Countersunk / Philips	1.058 <i>0.042</i>
# SK048F-013-PH-CZ	10-32 UNF (4.762mm)	12.7 <i>0.500</i>	Zinc Plated Steel	10.4 <i>0.409</i>	3.2 <i>0.126</i>	Countersunk / Philips	0.794 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 12 of 16

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Countersunk - Steel - Philips

Part Number	Thread Size (C)	Length to top edge (L) mm	Material	Head Diameter (A) mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SK048F-025-PH-CZ	10-32 UNF (4.762mm)	25.4 <i>1.000</i>	Zinc Plated Steel	10.4 <i>0.409</i>	3.2 <i>0.126</i>	Countersunk / Philips	0.794 <i>0.031</i>
# SK048F-038-PH-CZ	10-32 UNF (4.762mm)	38.1 <i>1.500</i>	Zinc Plated Steel	10.4 <i>0.409</i>	3.2 <i>0.126</i>	Countersunk / Philips	0.794 <i>0.031</i>
SK050M-008-PH-CZ	M5x0.8 (5mm Standard)	8 <i>0.315</i>	Zinc Plated Steel	10.0 <i>0.394</i>	2.8 <i>0.110</i>	Countersunk / Philips	0.800 <i>0.031</i>
# SK050M-010-PH-CZ	M5x0.8 (5mm Standard)	10 <i>0.394</i>	Zinc Plated Steel	10.0 <i>0.394</i>	2.8 <i>0.110</i>	Countersunk / Philips	0.800 <i>0.031</i>
# SK050M-012-PH-CZ	M5x0.8 (5mm Standard)	12 <i>0.472</i>	Zinc Plated Steel	10.0 <i>0.394</i>	2.8 <i>0.110</i>	Countersunk / Philips	0.800 <i>0.031</i>
# SK050M-016-PH-CZ	M5x0.8 (5mm Standard)	16 <i>0.630</i>	Zinc Plated Steel	10.0 <i>0.394</i>	2.8 <i>0.110</i>	Countersunk / Philips	0.800 <i>0.031</i>
# SK050M-020-PH-CZ	M5x0.8 (5mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	10.0 <i>0.394</i>	2.8 <i>0.110</i>	Countersunk / Philips	0.800 <i>0.031</i>
# SK050M-025-PH-CZ	M5x0.8 (5mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	10.0 <i>0.394</i>	2.8 <i>0.110</i>	Countersunk / Philips	0.800 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Countersunk - Steel - Philips

Part Number	Thread Size (C)	Length to top edge (L) mm	Material	Head Diameter (A) mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SK050M-030-PH-CZ	M5x0.8 (5mm Standard)	30 <i>1.181</i>	Zinc Plated Steel	10.0 <i>0.394</i>	2.8 <i>0.110</i>	Countersunk / Philips	0.800 <i>0.031</i>
# SK050M-035-PH-CZ	M5x0.8 (5mm Standard)	35 <i>1.378</i>	Zinc Plated Steel	10.0 <i>0.394</i>	2.8 <i>0.110</i>	Countersunk / Philips	0.800 <i>0.031</i>
# SK050M-040-PH-CZ	M5x0.8 (5mm Standard)	40 <i>1.575</i>	Zinc Plated Steel	10.0 <i>0.394</i>	2.8 <i>0.110</i>	Countersunk / Philips	0.800 <i>0.031</i>
SK050M-045-PH-CZ	M5x0.8 (5mm Standard)	45 <i>1.772</i>	Zinc Plated Steel	10.0 <i>0.394</i>	2.8 <i>0.110</i>	Countersunk / Philips	0.800 <i>0.031</i>
# SK050M-050-PH-CZ	M5x0.8 (5mm Standard)	50 <i>1.969</i>	Zinc Plated Steel	10.0 <i>0.394</i>	2.8 <i>0.110</i>	Countersunk / Philips	0.800 <i>0.031</i>
# SK060M-010-PH-CZ	M6x1 (6mm Standard)	10 <i>0.394</i>	Zinc Plated Steel	12.0 <i>0.472</i>	3.3 <i>0.130</i>	Countersunk / Philips	1.000 <i>0.039</i>
# SK060M-012-PH-CZ	M6x1 (6mm Standard)	12 <i>0.472</i>	Zinc Plated Steel	12.0 <i>0.472</i>	3.3 <i>0.130</i>	Countersunk / Philips	1.000 <i>0.039</i>
# SK060M-016-PH-CZ	M6x1 (6mm Standard)	16 <i>0.630</i>	Zinc Plated Steel	12.0 <i>0.472</i>	3.3 <i>0.130</i>	Countersunk / Philips	1.000 <i>0.039</i>
# SK060M-020-PH-CZ	M6x1 (6mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	12.0 <i>0.472</i>	3.3 <i>0.130</i>	Countersunk / Philips	1.000 <i>0.039</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 14 of 16

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Countersunk - Steel - Philips

Part Number	Thread Size (C)	Length to top edge (L) mm <i>inches</i>	Material	Head Diameter (A) mm <i>inches</i>	Max Head Height mm <i>inches</i>	Type	Pitch mm <i>inches</i>
# SK060M-025-PH-CZ	M6x1 (6mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	12.0 <i>0.472</i>	3.3 <i>0.130</i>	Countersunk / Philips	1.000 <i>0.039</i>
# SK060M-030-PH-CZ	M6x1 (6mm Standard)	30 <i>1.181</i>	Zinc Plated Steel	12.0 <i>0.472</i>	3.3 <i>0.130</i>	Countersunk / Philips	1.000 <i>0.039</i>
# SK060M-035-PH-CZ	M6x1 (6mm Standard)	35 <i>1.378</i>	Zinc Plated Steel	12.0 <i>0.472</i>	3.3 <i>0.130</i>	Countersunk / Philips	1.000 <i>0.039</i>
# SK060M-040-PH-CZ	M6x1 (6mm Standard)	40 <i>1.575</i>	Zinc Plated Steel	12.0 <i>0.472</i>	3.3 <i>0.130</i>	Countersunk / Philips	1.000 <i>0.039</i>
# SK060M-045-PH-CZ	M6x1 (6mm Standard)	45 <i>1.772</i>	Zinc Plated Steel	12.0 <i>0.472</i>	3.3 <i>0.130</i>	Countersunk / Philips	1.000 <i>0.039</i>
# SK060M-050-PH-CZ	M6x1 (6mm Standard)	50 <i>1.969</i>	Zinc Plated Steel	12.0 <i>0.472</i>	3.3 <i>0.130</i>	Countersunk / Philips	1.000 <i>0.039</i>
# SK060M-065-PH-CZ	M6x1 (6mm Standard)	65 <i>2.559</i>	Zinc Plated Steel	12.0 <i>0.472</i>	3.3 <i>0.130</i>	Countersunk / Philips	1.000 <i>0.039</i>
# SK060M-075-PH-CZ	M6x1 (6mm Standard)	75 <i>2.953</i>	Zinc Plated Steel	12.0 <i>0.472</i>	3.3 <i>0.130</i>	Countersunk / Philips	1.000 <i>0.039</i>
# SK064W-010-PH-CZ	1/4-20 BSW (6.35mm)	9.5 <i>0.374</i>	Zinc Plated Steel	13.5 <i>0.531</i>	4.1 <i>0.161</i>	Countersunk / Philips	1.270 <i>0.050</i>
# SK064W-013-PH-CZ	1/4-20 BSW (6.35mm)	12.7 <i>0.500</i>	Zinc Plated Steel	13.5 <i>0.531</i>	4.1 <i>0.161</i>	Countersunk / Philips	1.270 <i>0.050</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 15 of 16

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Countersunk - Steel - Philips

Part Number	Thread Size (C)	Length to top edge (L) mm	Material	Head Diameter (A) mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SK064W-016-PH-CZ	1/4-20 BSW (6.35mm)	15.9 <i>0.626</i>	Zinc Plated Steel	13.5 <i>0.531</i>	4.1 <i>0.161</i>	Countersunk / Philips	1.270 <i>0.050</i>
# SK064W-019-PH-CZ	1/4-20 BSW (6.35mm)	19.1 <i>0.752</i>	Zinc Plated Steel	13.5 <i>0.531</i>	4.1 <i>0.161</i>	Countersunk / Philips	1.270 <i>0.050</i>
# SK064W-025-PH-CZ	1/4-20 BSW (6.35mm)	25.4 <i>1.000</i>	Zinc Plated Steel	13.5 <i>0.531</i>	4.1 <i>0.161</i>	Countersunk / Philips	1.270 <i>0.050</i>
# SK064W-032-PH-CZ	1/4-20 BSW (6.35mm)	31.8 <i>1.252</i>	Zinc Plated Steel	13.5 <i>0.531</i>	4.1 <i>0.161</i>	Countersunk / Philips	1.270 <i>0.050</i>
# SK064W-038-PH-CZ	1/4-20 BSW (6.35mm)	38.1 <i>1.500</i>	Zinc Plated Steel	13.5 <i>0.531</i>	4.1 <i>0.161</i>	Countersunk / Philips	1.270 <i>0.050</i>
# SK064W-045-PH-CZ	1/4-20 BSW (6.35mm)	44.5 <i>1.752</i>	Zinc Plated Steel	13.5 <i>0.531</i>	4.1 <i>0.161</i>	Countersunk / Philips	1.270 <i>0.050</i>
# SK064W-051-PH-CZ	1/4-20 BSW (6.35mm)	50.8 <i>2.000</i>	Zinc Plated Steel	13.5 <i>0.531</i>	4.1 <i>0.161</i>	Countersunk / Philips	1.270 <i>0.050</i>
# SK064W-064-PH-CZ	1/4-20 BSW (6.35mm)	63.5 <i>2.500</i>	Zinc Plated Steel	13.5 <i>0.531</i>	4.1 <i>0.161</i>	Countersunk / Philips	1.270 <i>0.050</i>
# SK064W-076-PH-CZ	1/4-20 BSW (6.35mm)	76.2 <i>3.000</i>	Zinc Plated Steel	13.5 <i>0.531</i>	4.1 <i>0.161</i>	Countersunk / Philips	1.270 <i>0.050</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

