



Screws - Fillister Head - Nylon - Slotted

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

INFORMATION

UNC - UNF. Cheese head

Non Conductive.

Non Corrosive.

Non Magnetic.

Lightweight.


Vibration Resistant.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/categories/nuts/all/pics/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Fillister Head - Nylon - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC022C-003-F-SL-N	2-56 UNC (2.184mm)	3.2	Nylon (Zytel 101)	3.4	2.1	Fillister (Cheese) / Slotted	0.454
		<i>0.126</i>		<i>0.134</i>	<i>0.083</i>		<i>0.018</i>
SC022C-005-F-SL-N	2-56 UNC (2.184mm)	4.8	Nylon (Zytel 101)	3.4	2.1	Fillister (Cheese) / Slotted	0.454
		<i>0.189</i>		<i>0.134</i>	<i>0.083</i>		<i>0.018</i>
# SC022C-006-F-SL-N	2-56 UNC (2.184mm)	6.4	Nylon (Zytel 101)	3.4	2.1	Fillister (Cheese) / Slotted	0.454
		<i>0.252</i>		<i>0.134</i>	<i>0.083</i>		<i>0.018</i>
# SC022C-007-F-SL-N	2-56 UNC (2.184mm)	7.9	Nylon (Zytel 101)	3.4	2.1	Fillister (Cheese) / Slotted	0.454
		<i>0.311</i>		<i>0.134</i>	<i>0.083</i>		<i>0.018</i>
# SC022C-010-F-SL-N	2-56 UNC (2.184mm)	9.5	Nylon (Zytel 101)	3.4	2.1	Fillister (Cheese) / Slotted	0.454
		<i>0.374</i>		<i>0.134</i>	<i>0.083</i>		<i>0.018</i>
# SC022C-013-F-SL-N	2-56 UNC (2.184mm)	12.7	Nylon (Zytel 101)	3.4	2.1	Fillister (Cheese) / Slotted	0.454
		<i>0.500</i>		<i>0.134</i>	<i>0.083</i>		<i>0.018</i>
# SC022C-016-F-SL-N	2-56 UNC (2.184mm)	15.9	Nylon (Zytel 101)	3.4	2.1	Fillister (Cheese) / Slotted	0.454
		<i>0.626</i>		<i>0.134</i>	<i>0.083</i>		<i>0.018</i>
# SC022C-019-F-SL-N	2-56 UNC (2.184mm)	19.1	Nylon (Zytel 101)	3.4	2.1	Fillister (Cheese) / Slotted	0.454
		<i>0.752</i>		<i>0.134</i>	<i>0.083</i>		<i>0.018</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 12

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Fillister Head - Nylon - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC022C-025-F-SL-N	2-56 UNC (2.184mm)	25.4	Nylon (Zytel 101)	3.4	2.1	Fillister (Cheese) / Slotted	0.454
		<i>1.000</i>		<i>0.134</i>	<i>0.083</i>		<i>0.018</i>
# SC028C-003-F-SL-N	4-40 UNC (2.845mm)	3.2	Nylon (Zytel 101)	5.6	2.5	Fillister (Cheese) / Slotted	0.635
		<i>0.126</i>		<i>0.220</i>	<i>0.098</i>		<i>0.025</i>
# SC028C-005-F-SL-N	4-40 UNC (2.845mm)	4.8	Nylon (Zytel 101)	5.6	2.5	Fillister (Cheese) / Slotted	0.635
		<i>0.189</i>		<i>0.220</i>	<i>0.098</i>		<i>0.025</i>
# SC028C-006-F-SL-N	4-40 UNC (2.845mm)	6.4	Nylon (Zytel 101)	5.6	2.5	Fillister (Cheese) / Slotted	0.635
		<i>0.252</i>		<i>0.220</i>	<i>0.098</i>		<i>0.025</i>
SC028C-007-F-SL-N	4-40 UNC (2.845mm)	7.9	Nylon (Zytel 101)	5.6	2.5	Fillister (Cheese) / Slotted	0.635
		<i>0.311</i>		<i>0.220</i>	<i>0.098</i>		<i>0.025</i>
# SC028C-010-F-SL-N	4-40 UNC (2.845mm)	9.5	Nylon (Zytel 101)	5.6	2.5	Fillister (Cheese) / Slotted	0.635
		<i>0.374</i>		<i>0.220</i>	<i>0.098</i>		<i>0.025</i>
# SC028C-013-F-SL-N	4-40 UNC (2.845mm)	12.7	Nylon (Zytel 101)	5.6	2.5	Fillister (Cheese) / Slotted	0.635
		<i>0.500</i>		<i>0.220</i>	<i>0.098</i>		<i>0.025</i>
# SC028C-016-F-SL-N	4-40 UNC (2.845mm)	15.9	Nylon (Zytel 101)	5.6	2.5	Fillister (Cheese) / Slotted	0.635
		<i>0.626</i>		<i>0.220</i>	<i>0.098</i>		<i>0.025</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 12

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Fillister Head - Nylon - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC028C-019-F-SL-N	4-40 UNC (2.845mm)	19.1	Nylon (Zytel 101)	5.6	2.5	Fillister (Cheese) / Slotted	0.635
		<i>0.752</i>		<i>0.220</i>	<i>0.098</i>		<i>0.025</i>
# SC028C-022-F-SL-N	4-40 UNC (2.845mm)	22.2	Nylon (Zytel 101)	5.6	2.5	Fillister (Cheese) / Slotted	0.635
		<i>0.874</i>		<i>0.220</i>	<i>0.098</i>		<i>0.025</i>
# SC028C-025-F-SL-N	4-40 UNC (2.845mm)	25.4	Nylon (Zytel 101)	5.6	2.5	Fillister (Cheese) / Slotted	0.635
		<i>1.000</i>		<i>0.220</i>	<i>0.098</i>		<i>0.025</i>
# SC035C-005-F-SL-N	6-32 UNC (3.5mm)	4.8	Nylon (Zytel 101)	6.9	3.45	Fillister (Cheese) / Slotted	0.794
		<i>0.189</i>		<i>0.272</i>	<i>0.136</i>		<i>0.031</i>
# SC035C-006-F-SL-N	6-32 UNC (3.5mm)	6.4	Nylon (Zytel 101)	6.9	3.45	Fillister (Cheese) / Slotted	0.794
		<i>0.252</i>		<i>0.272</i>	<i>0.136</i>		<i>0.031</i>
# SC035C-007-F-SL-N	6-32 UNC (3.5mm)	7.9	Nylon (Zytel 101)	6.9	3.45	Fillister (Cheese) / Slotted	0.794
		<i>0.311</i>		<i>0.272</i>	<i>0.136</i>		<i>0.031</i>
# SC035C-010-F-SL-N	6-32 UNC (3.5mm)	9.5	Nylon (Zytel 101)	6.9	3.45	Fillister (Cheese) / Slotted	0.794
		<i>0.374</i>		<i>0.272</i>	<i>0.136</i>		<i>0.031</i>
# SC035C-011-F-SL-N	6-32 UNC (3.5mm)	11.1	Nylon (Zytel 101)	6.9	3.45	Fillister (Cheese) / Slotted	0.794
		<i>0.437</i>		<i>0.272</i>	<i>0.136</i>		<i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 12

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Fillister Head - Nylon - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC035C-013-F-SL-N	6-32 UNC (3.5mm)	12.7	Nylon (Zytel 101)	6.9	3.45	Fillister (Cheese) / Slotted	0.794
		<i>0.500</i>		<i>0.272</i>	<i>0.136</i>		<i>0.031</i>
# SC035C-016-F-SL-N	6-32 UNC (3.5mm)	15.9	Nylon (Zytel 101)	6.9	3.45	Fillister (Cheese) / Slotted	0.794
		<i>0.626</i>		<i>0.272</i>	<i>0.136</i>		<i>0.031</i>
# SC035C-019-F-SL-N	6-32 UNC (3.5mm)	19.1	Nylon (Zytel 101)	6.9	3.45	Fillister (Cheese) / Slotted	0.794
		<i>0.752</i>		<i>0.272</i>	<i>0.136</i>		<i>0.031</i>
# SC035C-022-F-SL-N	6-32 UNC (3.5mm)	22.2	Nylon (Zytel 101)	6.9	3.45	Fillister (Cheese) / Slotted	0.794
		<i>0.874</i>		<i>0.272</i>	<i>0.136</i>		<i>0.031</i>
# SC035C-025-F-SL-N	6-32 UNC (3.5mm)	25.4	Nylon (Zytel 101)	6.9	3.45	Fillister (Cheese) / Slotted	0.794
		<i>1.000</i>		<i>0.272</i>	<i>0.136</i>		<i>0.031</i>
# SC035C-032-F-SL-N	6-32 UNC (3.5mm)	31.8	Nylon (Zytel 101)	6.9	3.45	Fillister (Cheese) / Slotted	0.794
		<i>1.252</i>		<i>0.272</i>	<i>0.136</i>		<i>0.031</i>
# SC040M-020-F-SL-N	M4x0.7 (4mm Standard)	20	Nylon	7.0	2.6	Fillister (Cheese) / Slotted	0.700
		<i>0.787</i>		<i>0.276</i>	<i>0.102</i>		<i>0.028</i>
# SC042C-003-F-SL-N	8-32 UNC (4.166mm)	3.2	Nylon (Zytel 101)	8.2	3.6	Fillister (Cheese) / Slotted	0.794
		<i>0.126</i>		<i>0.323</i>	<i>0.142</i>		<i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 12

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Fillister Head - Nylon - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC042C-006-F-SL-N	8-32 UNC (4.166mm)	6.4	Nylon (Zytel 101)	8.2	3.6	Fillister (Cheese) / Slotted	0.794
		<i>0.252</i>		<i>0.323</i>	<i>0.142</i>		<i>0.031</i>
# SC042C-007-F-SL-N	8-32 UNC (4.166mm)	7.9	Nylon (Zytel 101)	8.2	3.6	Fillister (Cheese) / Slotted	0.794
		<i>0.311</i>		<i>0.323</i>	<i>0.142</i>		<i>0.031</i>
# SC042C-010-F-SL-N	8-32 UNC (4.166mm)	9.5	Nylon (Zytel 101)	8.2	3.6	Fillister (Cheese) / Slotted	0.794
		<i>0.374</i>		<i>0.323</i>	<i>0.142</i>		<i>0.031</i>
# SC042C-013-F-SL-N	8-32 UNC (4.166mm)	12.7	Nylon (Zytel 101)	8.2	3.6	Fillister (Cheese) / Slotted	0.794
		<i>0.500</i>		<i>0.323</i>	<i>0.142</i>		<i>0.031</i>
# SC042C-016-F-SL-N	8-32 UNC (4.166mm)	15.9	Nylon (Zytel 101)	8.2	3.6	Fillister (Cheese) / Slotted	0.794
		<i>0.626</i>		<i>0.323</i>	<i>0.142</i>		<i>0.031</i>
# SC042C-019-F-SL-N	8-32 UNC (4.166mm)	19.1	Nylon (Zytel 101)	8.2	3.6	Fillister (Cheese) / Slotted	0.794
		<i>0.752</i>		<i>0.323</i>	<i>0.142</i>		<i>0.031</i>
# SC042C-022-F-SL-N	8-32 UNC (4.166mm)	22.2	Nylon (Zytel 101)	8.2	3.6	Fillister (Cheese) / Slotted	0.794
		<i>0.874</i>		<i>0.323</i>	<i>0.142</i>		<i>0.031</i>
# SC042C-025-F-SL-N	8-32 UNC (4.166mm)	25.4	Nylon (Zytel 101)	8.2	3.6	Fillister (Cheese) / Slotted	0.794
		<i>1.000</i>		<i>0.323</i>	<i>0.142</i>		<i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 8 of 12

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Fillister Head - Nylon - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC042C-032-F-SL-N	8-32 UNC (4.166mm)	31.8	Nylon (Zytel 101)	8.2	3.6	Fillister (Cheese) / Slotted	0.794
		<i>1.252</i>		<i>0.323</i>	<i>0.142</i>		<i>0.031</i>
# SC042C-038-F-SL-N	8-32 UNC (4.166mm)	38.1	Nylon (Zytel 101)	8.2	3.6	Fillister (Cheese) / Slotted	0.794
		<i>1.500</i>		<i>0.323</i>	<i>0.142</i>		<i>0.031</i>
# SC048C-006-F-SL-N	10-24 UNC (4.762mm)	6.4	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	1.058
		<i>0.252</i>		<i>0.374</i>	<i>0.161</i>		<i>0.042</i>
# SC048C-007-F-SL-N	10-24 UNC (4.762mm)	7.9	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	1.058
		<i>0.311</i>		<i>0.374</i>	<i>0.161</i>		<i>0.042</i>
# SC048C-010-F-SL-N	10-24 UNC (4.762mm)	9.5	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	1.058
		<i>0.374</i>		<i>0.374</i>	<i>0.161</i>		<i>0.042</i>
# SC048C-013-F-SL-N	10-24 UNC (4.762mm)	12.7	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	1.058
		<i>0.500</i>		<i>0.374</i>	<i>0.161</i>		<i>0.042</i>
# SC048C-016-F-SL-N	10-24 UNC (4.762mm)	15.9	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	1.058
		<i>0.626</i>		<i>0.374</i>	<i>0.161</i>		<i>0.042</i>
# SC048C-019-F-SL-N	10-24 UNC (4.762mm)	19.1	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	1.058
		<i>0.752</i>		<i>0.374</i>	<i>0.161</i>		<i>0.042</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 12

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Fillister Head - Nylon - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC048C-025-F-SL-N	10-24 UNC (4.762mm)	25.4	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	1.058
		<i>1.000</i>		<i>0.374</i>	<i>0.161</i>		<i>0.042</i>
# SC048C-038-F-SL-N	10-24 UNC (4.762mm)	38.1	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	1.058
		<i>1.500</i>		<i>0.374</i>	<i>0.161</i>		<i>0.042</i>
SC048F-006-F-SL-N	10-32 UNF (4.762mm)	6.4	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	0.794
		<i>0.252</i>		<i>0.374</i>	<i>0.161</i>		<i>0.031</i>
# SC048F-007-F-SL-N	10-32 UNF (4.762mm)	7.9	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	0.794
		<i>0.311</i>		<i>0.374</i>	<i>0.161</i>		<i>0.031</i>
# SC048F-010-F-SL-N	10-32 UNF (4.762mm)	9.5	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	0.794
		<i>0.374</i>		<i>0.374</i>	<i>0.161</i>		<i>0.031</i>
# SC048F-013-F-SL-N	10-32 UNF (4.762mm)	12.7	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	0.794
		<i>0.500</i>		<i>0.374</i>	<i>0.161</i>		<i>0.031</i>
# SC048F-016-F-SL-N	10-32 UNF (4.762mm)	15.9	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	0.794
		<i>0.626</i>		<i>0.374</i>	<i>0.161</i>		<i>0.031</i>
# SC048F-019-F-SL-N	10-32 UNF (4.762mm)	19.1	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	0.794
		<i>0.752</i>		<i>0.374</i>	<i>0.161</i>		<i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 10 of 12

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Fillister Head - Nylon - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC048F-025-F-SL-N	10-32 UNF (4.762mm)	25.4	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	0.794
		<i>1.000</i>		<i>0.374</i>	<i>0.161</i>		<i>0.031</i>
# SC048F-032-F-SL-N	10-32 UNF (4.762mm)	31.8	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	0.794
		<i>1.252</i>		<i>0.374</i>	<i>0.161</i>		<i>0.031</i>
# SC048F-038-F-SL-N	10-32 UNF (4.762mm)	38.1	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	0.794
		<i>1.500</i>		<i>0.374</i>	<i>0.161</i>		<i>0.031</i>
# SC048F-045-F-SL-N	10-32 UNF (4.762mm)	44.5	Nylon (Zytel 101)	9.5	4.1	Fillister (Cheese) / Slotted	0.794
		<i>1.752</i>		<i>0.374</i>	<i>0.161</i>		<i>0.031</i>
# SC064C-006-F-SL-N	1/4-20 UNC (6.35mm)	6.4	Nylon (Zytel 101)	12.5	5.6	Fillister (Cheese) / Slotted	1.270
		<i>0.252</i>		<i>0.492</i>	<i>0.220</i>		<i>0.050</i>
# SC064C-010-F-SL-N	1/4-20 UNC (6.35mm)	9.5	Nylon (Zytel 101)	12.5	5.6	Fillister (Cheese) / Slotted	1.270
		<i>0.374</i>		<i>0.492</i>	<i>0.220</i>		<i>0.050</i>
# SC064C-013-F-SL-N	1/4-20 UNC (6.35mm)	12.7	Nylon (Zytel 101)	12.5	5.6	Fillister (Cheese) / Slotted	1.270
		<i>0.500</i>		<i>0.492</i>	<i>0.220</i>		<i>0.050</i>
# SC064C-016-F-SL-N	1/4-20 UNC (6.35mm)	15.9	Nylon (Zytel 101)	12.5	5.6	Fillister (Cheese) / Slotted	1.270
		<i>0.626</i>		<i>0.492</i>	<i>0.220</i>		<i>0.050</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 11 of 12

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Fillister Head - Nylon - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC064C-019-F-SL-N	1/4-20 UNC (6.35mm)	19.1	Nylon (Zytel 101)	12.5	5.6	Fillister (Cheese) / Slotted	1.270
		<i>0.752</i>		<i>0.492</i>	<i>0.220</i>		<i>0.050</i>
# SC064C-025-F-SL-N	1/4-20 UNC (6.35mm)	25.4	Nylon (Zytel 101)	12.5	5.6	Fillister (Cheese) / Slotted	1.270
		<i>1.000</i>		<i>0.492</i>	<i>0.220</i>		<i>0.050</i>
# SC064C-032-F-SL-N	1/4-20 UNC (6.35mm)	31.8	Nylon (Zytel 101)	12.5	5.6	Fillister (Cheese) / Slotted	1.270
		<i>1.252</i>		<i>0.492</i>	<i>0.220</i>		<i>0.050</i>
# SC064C-038-F-SL-N	1/4-20 UNC (6.35mm)	38.1	Nylon (Zytel 101)	12.5	5.6	Fillister (Cheese) / Slotted	1.270
		<i>1.500</i>		<i>0.492</i>	<i>0.220</i>		<i>0.050</i>
# SC064C-051-F-SL-N	1/4-20 UNC (6.35mm)	50.8	Nylon (Zytel 101)	12.5	5.6	Fillister (Cheese) / Slotted	1.270
		<i>2.000</i>		<i>0.492</i>	<i>0.220</i>		<i>0.050</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 12 of 12

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

