



# Screws - For Rings - Hoist

10/4/2018

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## INFORMATION


High tensile cap screws for use with stationary hoist rings

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au//partslist/ringshoiststationarywithoutscrows/>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - For Rings - Hoist

Part Number	Thread	Length mm	-
		<i>inches</i>	
# SHRS-1RS	5/16-18	31.750 <i>1.250</i>	-
# SHRS-3RS	41306.000	50.800 <i>2.000</i>	-
# SHRS-4RS	41306.000	57.150 <i>2.250</i>	-
# SHRS-2RS	42585.000	31.750 <i>1.250</i>	-

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

