



# Screws - Hex Head - Plain - Nylon

10/4/2018

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 10

## INFORMATION


UNC - UNF

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/categories/nuts/all/pics/>

**# Indicates item not stocked at time of printing - Please enquire for lead time**

**E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd**

**MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.**



# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Plain - Nylon

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Head Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC064C-013-H-N	1/4-20 UNC (6.35mm)	12.7 <i>0.500</i>	Nylon (Zytel 101)	9.53 <i>0.375</i>	4.83 <i>0.190</i>	Hex Head - No Slots	1.270 <i>0.050</i>
# SC064C-016-H-N	1/4-20 UNC (6.35mm)	15.9 <i>0.626</i>	Nylon (Zytel 101)	9.53 <i>0.375</i>	4.83 <i>0.190</i>	Hex Head - No Slots	1.270 <i>0.050</i>
SC064C-019-H-N	1/4-20 UNC (6.35mm)	19.1 <i>0.752</i>	Nylon (Zytel 101)	9.53 <i>0.375</i>	4.83 <i>0.190</i>	Hex Head - No Slots	1.270 <i>0.050</i>
# SC064C-025-H-N	1/4-20 UNC (6.35mm)	25.4 <i>1.000</i>	Nylon (Zytel 101)	9.53 <i>0.375</i>	4.83 <i>0.190</i>	Hex Head - No Slots	1.270 <i>0.050</i>
# SC064C-032-H-N	1/4-20 UNC (6.35mm)	31.8 <i>1.252</i>	Nylon (Zytel 101)	9.53 <i>0.375</i>	4.83 <i>0.190</i>	Hex Head - No Slots	1.270 <i>0.050</i>
# SC064C-038-H-N	1/4-20 UNC (6.35mm)	38.1 <i>1.500</i>	Nylon (Zytel 101)	9.53 <i>0.375</i>	4.83 <i>0.190</i>	Hex Head - No Slots	1.270 <i>0.050</i>
# SC064C-051-H-N	1/4-20 UNC (6.35mm)	50.8 <i>2.000</i>	Nylon (Zytel 101)	9.53 <i>0.375</i>	4.83 <i>0.190</i>	Hex Head - No Slots	1.270 <i>0.050</i>
# SC064C-064-H-N	1/4-20 UNC (6.35mm)	63.5 <i>2.500</i>	Nylon (Zytel 101)	9.53 <i>0.375</i>	4.83 <i>0.190</i>	Hex Head - No Slots	1.270 <i>0.050</i>
# SC064C-076-H-N	1/4-20 UNC (6.35mm)	76.2 <i>3.000</i>	Nylon (Zytel 101)	9.53 <i>0.375</i>	4.83 <i>0.190</i>	Hex Head - No Slots	1.270 <i>0.050</i>
# SC064C-127-H-N	1/4-20 UNC (6.35mm)	127 <i>5.000</i>	Nylon (Zytel 101)	9.53 <i>0.375</i>	4.83 <i>0.190</i>	Hex Head - No Slots	1.270 <i>0.050</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Plain - Nylon

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Head Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC064C-152-H-N	1/4-20 UNC (6.35mm)	152.4 <i>6.000</i>	Nylon (Zytel 101)	9.53 <i>0.375</i>	4.83 <i>0.190</i>	Hex Head - No Slots	1.270 <i>0.050</i>
# SC079C-013-H-N	5/16-18 UNC (7.938mm)	12.7 <i>0.500</i>	Nylon (Zytel 101)	12.70 <i>0.500</i>	5.84 <i>0.230</i>	Hex Head - No Slots	1.411 <i>0.056</i>
# SC079C-019-H-N	5/16-18 UNC (7.938mm)	19.1 <i>0.752</i>	Nylon (Zytel 101)	12.70 <i>0.500</i>	5.84 <i>0.230</i>	Hex Head - No Slots	1.411 <i>0.056</i>
# SC079C-025-H-N	5/16-18 UNC (7.938mm)	25.4 <i>1.000</i>	Nylon (Zytel 101)	12.70 <i>0.500</i>	5.84 <i>0.230</i>	Hex Head - No Slots	1.411 <i>0.056</i>
# SC079C-032-H-N	5/16-18 UNC (7.938mm)	31.8 <i>1.252</i>	Nylon (Zytel 101)	12.70 <i>0.500</i>	5.84 <i>0.230</i>	Hex Head - No Slots	1.411 <i>0.056</i>
# SC079C-038-H-N	5/16-18 UNC (7.938mm)	38.1 <i>1.500</i>	Nylon (Zytel 101)	12.70 <i>0.500</i>	5.84 <i>0.230</i>	Hex Head - No Slots	1.411 <i>0.056</i>
# SC079C-051-H-N	5/16-18 UNC (7.938mm)	50.8 <i>2.000</i>	Nylon (Zytel 101)	12.70 <i>0.500</i>	5.84 <i>0.230</i>	Hex Head - No Slots	1.411 <i>0.056</i>
# SC079C-064-H-N	5/16-18 UNC (7.938mm)	63.5 <i>2.500</i>	Nylon (Zytel 101)	12.70 <i>0.500</i>	5.84 <i>0.230</i>	Hex Head - No Slots	1.411 <i>0.056</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Plain - Nylon

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Head Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC095C-013-H-N	3/8-16 UNC (9.525mm)	12.7 <i>0.500</i>	Nylon (Zytel 101)	14.28 <i>0.562</i>	7.49 <i>0.295</i>	Hex Head - No Slots	1.588 <i>0.063</i>
# SC095C-019-H-N	3/8-16 UNC (9.525mm)	19.1 <i>0.752</i>	Nylon (Zytel 101)	14.28 <i>0.562</i>	7.49 <i>0.295</i>	Hex Head - No Slots	1.588 <i>0.063</i>
SC095C-025-H-N	3/8-16 UNC (9.525mm)	25.4 <i>1.000</i>	Nylon (Zytel 101)	14.28 <i>0.562</i>	7.49 <i>0.295</i>	Hex Head - No Slots	1.588 <i>0.063</i>
SC095C-032-H-N	3/8-16 UNC (9.525mm)	31.8 <i>1.252</i>	Nylon (Zytel 101)	14.28 <i>0.562</i>	7.49 <i>0.295</i>	Hex Head - No Slots	1.588 <i>0.063</i>
SC095C-038-H-N	3/8-16 UNC (9.525mm)	38.1 <i>1.500</i>	Nylon (Zytel 101)	14.28 <i>0.562</i>	7.49 <i>0.295</i>	Hex Head - No Slots	1.588 <i>0.063</i>
# SC095C-051-H-N	3/8-16 UNC (9.525mm)	50.8 <i>2.000</i>	Nylon (Zytel 101)	14.28 <i>0.562</i>	7.49 <i>0.295</i>	Hex Head - No Slots	1.588 <i>0.063</i>
SC095C-064-H-N	3/8-16 UNC (9.525mm)	63.5 <i>2.500</i>	Nylon (Zytel 101)	14.28 <i>0.562</i>	7.49 <i>0.295</i>	Hex Head - No Slots	1.588 <i>0.063</i>
# SC095C-076-H-N	3/8-16 UNC (9.525mm)	76.2 <i>3.000</i>	Nylon (Zytel 101)	14.28 <i>0.562</i>	7.49 <i>0.295</i>	Hex Head - No Slots	1.588 <i>0.063</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Plain - Nylon

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Head Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC095C-089-H-N	3/8-16 UNC (9.525mm)	88.9 <i>3.500</i>	Nylon (Zytel 101)	14.28 <i>0.562</i>	7.49 <i>0.295</i>	Hex Head - No Slots	1.588 <i>0.063</i>
# SC095C-102-H-N	3/8-16 UNC (9.525mm)	101.6 <i>4.000</i>	Nylon (Zytel 101)	14.28 <i>0.562</i>	7.49 <i>0.295</i>	Hex Head - No Slots	1.588 <i>0.063</i>
# SC095C-114-H-N	3/8-16 UNC (9.525mm)	114.3 <i>4.500</i>	Nylon (Zytel 101)	14.28 <i>0.562</i>	7.49 <i>0.295</i>	Hex Head - No Slots	1.588 <i>0.063</i>
# SC095C-127-H-N	3/8-16 UNC (9.525mm)	127 <i>5.000</i>	Nylon (Zytel 101)	14.28 <i>0.562</i>	7.49 <i>0.295</i>	Hex Head - No Slots	1.588 <i>0.063</i>
# SC095C-140-H-N	3/8-16 UNC (9.525mm)	139.7 <i>5.500</i>	Nylon (Zytel 101)	14.28 <i>0.562</i>	7.49 <i>0.295</i>	Hex Head - No Slots	1.588 <i>0.063</i>
# SC095C-152-H-N	3/8-16 UNC (9.525mm)	152.4 <i>6.000</i>	Nylon (Zytel 101)	14.28 <i>0.562</i>	7.49 <i>0.295</i>	Hex Head - No Slots	1.588 <i>0.063</i>
# SC127C-019-H-N	1/2-13 UNC (12.7mm)	19.1 <i>0.752</i>	Nylon (Zytel 101)	19.05 <i>0.750</i>	8.20 <i>0.323</i>	Hex Head - No Slots	1.954 <i>0.077</i>
# SC127C-025-H-N	1/2-13 UNC (12.7mm)	25.4 <i>1.000</i>	Nylon (Zytel 101)	19.05 <i>0.750</i>	8.20 <i>0.323</i>	Hex Head - No Slots	1.954 <i>0.077</i>
# SC127C-032-H-N	1/2-13 UNC (12.7mm)	31.8 <i>1.252</i>	Nylon (Zytel 101)	19.05 <i>0.750</i>	8.20 <i>0.323</i>	Hex Head - No Slots	1.954 <i>0.077</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Plain - Nylon

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Head Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC127C-038-H-N	1/2-13 UNC (12.7mm)	38.1 <i>1.500</i>	Nylon (Zytel 101)	19.05 <i>0.750</i>	8.20 <i>0.323</i>	Hex Head - No Slots	1.954 <i>0.077</i>
# SC127C-051-H-N	1/2-13 UNC (12.7mm)	50.8 <i>2.000</i>	Nylon (Zytel 101)	19.05 <i>0.750</i>	8.20 <i>0.323</i>	Hex Head - No Slots	1.954 <i>0.077</i>
# SC127C-064-H-N	1/2-13 UNC (12.7mm)	63.5 <i>2.500</i>	Nylon (Zytel 101)	19.05 <i>0.750</i>	8.20 <i>0.323</i>	Hex Head - No Slots	1.954 <i>0.077</i>
# SC127C-076-H-N	1/2-13 UNC (12.7mm)	76.2 <i>3.000</i>	Nylon (Zytel 101)	19.05 <i>0.750</i>	8.20 <i>0.323</i>	Hex Head - No Slots	1.954 <i>0.077</i>
# SC127C-089-H-N	1/2-13 UNC (12.7mm)	88.9 <i>3.500</i>	Nylon (Zytel 101)	19.05 <i>0.750</i>	8.20 <i>0.323</i>	Hex Head - No Slots	1.954 <i>0.077</i>
# SC127C-102-H-N	1/2-13 UNC (12.7mm)	101.6 <i>4.000</i>	Nylon (Zytel 101)	19.05 <i>0.750</i>	8.20 <i>0.323</i>	Hex Head - No Slots	1.954 <i>0.077</i>
# SC127C-114-H-N	1/2-13 UNC (12.7mm)	114.3 <i>4.500</i>	Nylon (Zytel 101)	19.05 <i>0.750</i>	8.20 <i>0.323</i>	Hex Head - No Slots	1.954 <i>0.077</i>
# SC127C-127-H-N	1/2-13 UNC (12.7mm)	127 <i>5.000</i>	Nylon (Zytel 101)	19.05 <i>0.750</i>	8.20 <i>0.323</i>	Hex Head - No Slots	1.954 <i>0.077</i>
# SC127C-140-H-N	1/2-13 UNC (12.7mm)	139.7 <i>5.500</i>	Nylon (Zytel 101)	19.05 <i>0.750</i>	8.20 <i>0.323</i>	Hex Head - No Slots	1.954 <i>0.077</i>
# SC127C-152-H-N	1/2-13 UNC (12.7mm)	152.4 <i>6.000</i>	Nylon (Zytel 101)	19.05 <i>0.750</i>	8.20 <i>0.323</i>	Hex Head - No Slots	1.954 <i>0.077</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 8 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



## Screws - Hex Head - Plain - Nylon

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Head Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC159C-051-H-N	5/8-11 UNC (15.875mm)	50.8 <i>2.000</i>	Nylon (Zytel 101)	23.83 <i>0.938</i>	10.24 <i>0.403</i>	Hex Head - No Slots	2.309 <i>0.091</i>
# SC159C-064-H-N	5/8-11 UNC (15.875mm)	63.5 <i>2.500</i>	Nylon (Zytel 101)	23.83 <i>0.938</i>	10.24 <i>0.403</i>	Hex Head - No Slots	2.309 <i>0.091</i>
# SC159C-076-H-N	5/8-11 UNC (15.875mm)	76.2 <i>3.000</i>	Nylon (Zytel 101)	23.83 <i>0.938</i>	10.24 <i>0.403</i>	Hex Head - No Slots	2.309 <i>0.091</i>
# SC159C-089-H-N	5/8-11 UNC (15.875mm)	88.9 <i>3.500</i>	Nylon (Zytel 101)	23.83 <i>0.938</i>	10.24 <i>0.403</i>	Hex Head - No Slots	2.309 <i>0.091</i>
# SC159C-102-H-N	5/8-11 UNC (15.875mm)	101.6 <i>4.000</i>	Nylon (Zytel 101)	23.83 <i>0.938</i>	10.24 <i>0.403</i>	Hex Head - No Slots	2.309 <i>0.091</i>
SC159C-114-H-N	5/8-11 UNC (15.875mm)	114.3 <i>4.500</i>	Nylon (Zytel 101)	23.83 <i>0.938</i>	10.24 <i>0.403</i>	Hex Head - No Slots	2.309 <i>0.091</i>
# SC159C-127-H-N	5/8-11 UNC (15.875mm)	127 <i>5.000</i>	Nylon (Zytel 101)	23.83 <i>0.938</i>	10.24 <i>0.403</i>	Hex Head - No Slots	2.309 <i>0.091</i>
# SC159C-140-H-N	5/8-11 UNC (15.875mm)	139.7 <i>5.500</i>	Nylon (Zytel 101)	23.83 <i>0.938</i>	10.24 <i>0.403</i>	Hex Head - No Slots	2.309 <i>0.091</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Plain - Nylon

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Head Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC159C-152-H-N	5/8-11 UNC (15.875mm)	152.4	Nylon (Zytel 101)	23.83	10.24	Hex Head - No Slots	2.309
		<i>6.000</i>		<i>0.938</i>	<i>0.403</i>		<i>0.091</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

