



# Screws - Hex Head - Steel - Zinc Plated - Full Thread

10/4/2018

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 18

## INFORMATION


BSW and METRIC - Set Screws

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/categories/nuts/all/pics/>

**# Indicates item not stocked at time of printing - Please enquire for lead time**

**E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd**

**MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.**



# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Steel - Zinc Plated - Full Thread

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC040M-010-HS-CZ	M4x0.7 (4mm Standard)	10 <i>0.394</i>	Zinc Plated Steel	7.00 <i>0.276</i>	2.93 <i>0.115</i>	Set Screw - Full Thread	0.700 <i>0.028</i>
# SC040M-012-HS-CZ	M4x0.7 (4mm Standard)	12 <i>0.472</i>	Zinc Plated Steel	7.00 <i>0.276</i>	2.93 <i>0.115</i>	Set Screw - Full Thread	0.700 <i>0.028</i>
# SC040M-016-HS-CZ	M4x0.7 (4mm Standard)	16 <i>0.630</i>	Zinc Plated Steel	7.00 <i>0.276</i>	2.93 <i>0.115</i>	Set Screw - Full Thread	0.700 <i>0.028</i>
# SC040M-020-HS-CZ	M4x0.7 (4mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	7.00 <i>0.276</i>	2.93 <i>0.115</i>	Set Screw - Full Thread	0.700 <i>0.028</i>
SC040M-025-HS-CZ	M4x0.7 (4mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	7.00 <i>0.276</i>	2.93 <i>0.115</i>	Set Screw - Full Thread	0.700 <i>0.028</i>
# SC040M-030-HS-CZ	M4x0.7 (4mm Standard)	30 <i>1.181</i>	Zinc Plated Steel	7.00 <i>0.276</i>	2.93 <i>0.115</i>	Set Screw - Full Thread	0.700 <i>0.028</i>
# SC040M-035-HS-CZ	M4x0.7 (4mm Standard)	35 <i>1.378</i>	Zinc Plated Steel	7.00 <i>0.276</i>	2.93 <i>0.115</i>	Set Screw - Full Thread	0.700 <i>0.028</i>
SC040M-040-HS-CZ	M4x0.7 (4mm Standard)	40 <i>1.575</i>	Zinc Plated Steel	7.00 <i>0.276</i>	2.93 <i>0.115</i>	Set Screw - Full Thread	0.700 <i>0.028</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Steel - Zinc Plated - Full Thread

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC040M-045-HS-CZ	M4x0.7 (4mm Standard)	45 <i>1.772</i>	Zinc Plated Steel	7.00 <i>0.276</i>	2.93 <i>0.115</i>	Set Screw - Full Thread	0.700 <i>0.028</i>
# SC040M-050-HS-CZ	M4x0.7 (4mm Standard)	50 <i>1.969</i>	Zinc Plated Steel	7.00 <i>0.276</i>	2.93 <i>0.115</i>	Set Screw - Full Thread	0.700 <i>0.028</i>
SC048W-010-HS-CZ	3/16-24 BSW (4.762mm)	9.5 <i>0.374</i>	Zinc Plated Steel	7.93 <i>0.312</i>	3.05 <i>0.120</i>	Set Screw - Full Thread	1.058 <i>0.042</i>
# SC048W-013-HS-CZ	3/16-24 BSW (4.762mm)	12.7 <i>0.500</i>	Zinc Plated Steel	7.93 <i>0.312</i>	3.05 <i>0.120</i>	Set Screw - Full Thread	1.058 <i>0.042</i>
# SC048W-016-HS-CZ	3/16-24 BSW (4.762mm)	15.9 <i>0.626</i>	Zinc Plated Steel	7.93 <i>0.312</i>	3.05 <i>0.120</i>	Set Screw - Full Thread	1.058 <i>0.042</i>
# SC048W-019-HS-CZ	3/16-24 BSW (4.762mm)	19.1 <i>0.752</i>	Zinc Plated Steel	7.93 <i>0.312</i>	3.05 <i>0.120</i>	Set Screw - Full Thread	1.058 <i>0.042</i>
# SC048W-025-HS-CZ	3/16-24 BSW (4.762mm)	25.4 <i>1.000</i>	Zinc Plated Steel	7.93 <i>0.312</i>	3.05 <i>0.120</i>	Set Screw - Full Thread	1.058 <i>0.042</i>
SC048W-032-HS-CZ	3/16-24 BSW (4.762mm)	31.8 <i>1.252</i>	Zinc Plated Steel	7.93 <i>0.312</i>	3.05 <i>0.120</i>	Set Screw - Full Thread	1.058 <i>0.042</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Steel - Zinc Plated - Full Thread

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC048W-038-HS-CZ	3/16-24 BSW (4.762mm)	38.1 <i>1.500</i>	Zinc Plated Steel	7.93 <i>0.312</i>	3.05 <i>0.120</i>	Set Screw - Full Thread	1.058 <i>0.042</i>
# SC048W-051-HS-CZ	3/16-24 BSW (4.762mm)	50.8 <i>2.000</i>	Zinc Plated Steel	7.93 <i>0.312</i>	3.05 <i>0.120</i>	Set Screw - Full Thread	1.058 <i>0.042</i>
# SC050M-010-HS-CZ	M5x0.8 (5mm Standard)	10 <i>0.394</i>	Zinc Plated Steel	8.00 <i>0.315</i>	3.65 <i>0.144</i>	Set Screw - Full Thread	0.800 <i>0.031</i>
# SC050M-012-HS-CZ	M5x0.8 (5mm Standard)	12 <i>0.472</i>	Zinc Plated Steel	8.00 <i>0.315</i>	3.65 <i>0.144</i>	Set Screw - Full Thread	0.800 <i>0.031</i>
# SC050M-016-HS-CZ	M5x0.8 (5mm Standard)	16 <i>0.630</i>	Zinc Plated Steel	8.00 <i>0.315</i>	3.65 <i>0.144</i>	Set Screw - Full Thread	0.800 <i>0.031</i>
# SC050M-020-HS-CZ	M5x0.8 (5mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	8.00 <i>0.315</i>	3.65 <i>0.144</i>	Set Screw - Full Thread	0.800 <i>0.031</i>
# SC050M-025-HS-CZ	M5x0.8 (5mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	8.00 <i>0.315</i>	3.65 <i>0.144</i>	Set Screw - Full Thread	0.800 <i>0.031</i>
SC050M-030-HS-CZ	M5x0.8 (5mm Standard)	30 <i>1.181</i>	Zinc Plated Steel	8.00 <i>0.315</i>	3.65 <i>0.144</i>	Set Screw - Full Thread	0.800 <i>0.031</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Steel - Zinc Plated - Full Thread

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC050M-035-HS-CZ	M5x0.8 (5mm Standard)	35 <i>1.378</i>	Zinc Plated Steel	8.00 <i>0.315</i>	3.65 <i>0.144</i>	Set Screw - Full Thread	0.800 <i>0.031</i>
# SC050M-040-HS-CZ	M5x0.8 (5mm Standard)	40 <i>1.575</i>	Zinc Plated Steel	8.00 <i>0.315</i>	3.65 <i>0.144</i>	Set Screw - Full Thread	0.800 <i>0.031</i>
# SC050M-045-HS-CZ	M5x0.8 (5mm Standard)	45 <i>1.772</i>	Zinc Plated Steel	8.00 <i>0.315</i>	3.65 <i>0.144</i>	Set Screw - Full Thread	0.800 <i>0.031</i>
# SC050M-050-HS-CZ	M5x0.8 (5mm Standard)	50 <i>1.969</i>	Zinc Plated Steel	8.00 <i>0.315</i>	3.65 <i>0.144</i>	Set Screw - Full Thread	0.800 <i>0.031</i>
# SC060M-010-HS-CZ	M6x1 (6mm Standard)	10 <i>0.394</i>	Zinc Plated Steel	10.00 <i>0.394</i>	4.15 <i>0.163</i>	Set Screw - Full Thread	1.000 <i>0.039</i>
# SC060M-012-HS-CZ	M6x1 (6mm Standard)	12 <i>0.472</i>	Zinc Plated Steel	10.00 <i>0.394</i>	4.15 <i>0.163</i>	Set Screw - Full Thread	1.000 <i>0.039</i>
# SC060M-016-HS-CZ	M6x1 (6mm Standard)	16 <i>0.630</i>	Zinc Plated Steel	10.00 <i>0.394</i>	4.15 <i>0.163</i>	Set Screw - Full Thread	1.000 <i>0.039</i>
# SC060M-020-HS-CZ	M6x1 (6mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	10.00 <i>0.394</i>	4.15 <i>0.163</i>	Set Screw - Full Thread	1.000 <i>0.039</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Steel - Zinc Plated - Full Thread

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC060M-025-HS-CZ	M6x1 (6mm Standard)	25	Zinc Plated Steel	10.00	4.15	Set Screw - Full Thread	1.000
		<i>0.984</i>		<i>0.394</i>	<i>0.163</i>		<i>0.039</i>
# SC060M-030-HS-CZ	M6x1 (6mm Standard)	30	Zinc Plated Steel	10.00	4.15	Set Screw - Full Thread	1.000
		<i>1.181</i>		<i>0.394</i>	<i>0.163</i>		<i>0.039</i>
# SC060M-035-HS-CZ	M6x1 (6mm Standard)	35	Zinc Plated Steel	10.00	4.15	Set Screw - Full Thread	1.000
		<i>1.378</i>		<i>0.394</i>	<i>0.163</i>		<i>0.039</i>
SC060M-040-HS-CZ	M6x1 (6mm Standard)	40	Zinc Plated Steel	10.00	4.15	Set Screw - Full Thread	1.000
		<i>1.575</i>		<i>0.394</i>	<i>0.163</i>		<i>0.039</i>
# SC060M-045-HS-CZ	M6x1 (6mm Standard)	45	Zinc Plated Steel	10.00	4.15	Set Screw - Full Thread	1.000
		<i>1.772</i>		<i>0.394</i>	<i>0.163</i>		<i>0.039</i>
# SC060M-050-HS-CZ	M6x1 (6mm Standard)	50	Zinc Plated Steel	10.00	4.15	Set Screw - Full Thread	1.000
		<i>1.969</i>		<i>0.394</i>	<i>0.163</i>		<i>0.039</i>
# SC060M-065-HS-CZ	M6x1 (6mm Standard)	65	Zinc Plated Steel	10.00	4.15	Set Screw - Full Thread	1.000
		<i>2.559</i>		<i>0.394</i>	<i>0.163</i>		<i>0.039</i>
# SC060M-075-HS-CZ	M6x1 (6mm Standard)	75	Zinc Plated Steel	10.00	4.15	Set Screw - Full Thread	1.000
		<i>2.953</i>		<i>0.394</i>	<i>0.163</i>		<i>0.039</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 8 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



## Screws - Hex Head - Steel - Zinc Plated - Full Thread

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC064W-010-HS-CZ	1/4-20 BSW (6.35mm)	9.5	Zinc Plated Steel	11.13	4.14	Set Screw - Full Thread	1.270
		<i>0.374</i>		<i>0.438</i>	<i>0.163</i>		<i>0.050</i>
SC064W-013-HS-CZ	1/4-20 BSW (6.35mm)	12.7	Zinc Plated Steel	11.13	4.14	Set Screw - Full Thread	1.270
		<i>0.500</i>		<i>0.438</i>	<i>0.163</i>		<i>0.050</i>
SC064W-016-HS-CZ	1/4-20 BSW (6.35mm)	15.9	Zinc Plated Steel	11.13	4.14	Set Screw - Full Thread	1.270
		<i>0.626</i>		<i>0.438</i>	<i>0.163</i>		<i>0.050</i>
# SC064W-019-HS-CZ	1/4-20 BSW (6.35mm)	19.1	Zinc Plated Steel	11.13	4.14	Set Screw - Full Thread	1.270
		<i>0.752</i>		<i>0.438</i>	<i>0.163</i>		<i>0.050</i>
# SC064W-025-HS-CZ	1/4-20 BSW (6.35mm)	25.4	Zinc Plated Steel	11.13	4.14	Set Screw - Full Thread	1.270
		<i>1.000</i>		<i>0.438</i>	<i>0.163</i>		<i>0.050</i>
# SC064W-032-HS-CZ	1/4-20 BSW (6.35mm)	31.8	Zinc Plated Steel	11.13	4.14	Set Screw - Full Thread	1.270
		<i>1.252</i>		<i>0.438</i>	<i>0.163</i>		<i>0.050</i>
# SC064W-038-HS-CZ	1/4-20 BSW (6.35mm)	38.1	Zinc Plated Steel	11.13	4.14	Set Screw - Full Thread	1.270
		<i>1.500</i>		<i>0.438</i>	<i>0.163</i>		<i>0.050</i>
# SC064W-045-HS-CZ	1/4-20 BSW (6.35mm)	44.5	Zinc Plated Steel	11.13	4.14	Set Screw - Full Thread	1.270
		<i>1.752</i>		<i>0.438</i>	<i>0.163</i>		<i>0.050</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Steel - Zinc Plated - Full Thread

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC064W-051-HS-CZ	1/4-20 BSW (6.35mm)	50.8	Zinc Plated Steel	11.13	4.14	Set Screw - Full Thread	1.270
		<i>2.000</i>		<i>0.438</i>	<i>0.163</i>		<i>0.050</i>
# SC064W-057-HS-CZ	1/4-20 BSW (6.35mm)	57.2	Zinc Plated Steel	11.13	4.14	Set Screw - Full Thread	1.270
		<i>2.252</i>		<i>0.438</i>	<i>0.163</i>		<i>0.050</i>
# SC064W-064-HS-CZ	1/4-20 BSW (6.35mm)	63.5	Zinc Plated Steel	11.13	4.14	Set Screw - Full Thread	1.270
		<i>2.500</i>		<i>0.438</i>	<i>0.163</i>		<i>0.050</i>
# SC064W-076-HS-CZ	1/4-20 BSW (6.35mm)	76.2	Zinc Plated Steel	11.13	4.14	Set Screw - Full Thread	1.270
		<i>3.000</i>		<i>0.438</i>	<i>0.163</i>		<i>0.050</i>
# SC079W-013-HS-CZ	5/16-18 BSW (7.938mm)	12.7	Zinc Plated Steel	12.70	5.36	Set Screw - Full Thread	1.411
		<i>0.500</i>		<i>0.500</i>	<i>0.211</i>		<i>0.056</i>
# SC079W-016-HS-CZ	5/16-18 BSW (7.938mm)	15.9	Zinc Plated Steel	12.70	5.36	Set Screw - Full Thread	1.411
		<i>0.626</i>		<i>0.500</i>	<i>0.211</i>		<i>0.056</i>
# SC079W-019-HS-CZ	5/16-18 BSW (7.938mm)	19.1	Zinc Plated Steel	12.70	5.36	Set Screw - Full Thread	1.411
		<i>0.752</i>		<i>0.500</i>	<i>0.211</i>		<i>0.056</i>
# SC079W-025-HS-CZ	5/16-18 BSW (7.938mm)	25.4	Zinc Plated Steel	12.70	5.36	Set Screw - Full Thread	1.411
		<i>1.000</i>		<i>0.500</i>	<i>0.211</i>		<i>0.056</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 10 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Steel - Zinc Plated - Full Thread

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC079W-032-HS-CZ	5/16-18 BSW (7.938mm)	31.8 <i>1.252</i>	Zinc Plated Steel	12.70 <i>0.500</i>	5.36 <i>0.211</i>	Set Screw - Full Thread	1.411 <i>0.056</i>
# SC079W-038-HS-CZ	5/16-18 BSW (7.938mm)	38.1 <i>1.500</i>	Zinc Plated Steel	12.70 <i>0.500</i>	5.36 <i>0.211</i>	Set Screw - Full Thread	1.411 <i>0.056</i>
# SC079W-045-HS-CZ	5/16-18 BSW (7.938mm)	44.5 <i>1.752</i>	Zinc Plated Steel	12.70 <i>0.500</i>	5.36 <i>0.211</i>	Set Screw - Full Thread	1.411 <i>0.056</i>
# SC079W-051-HS-CZ	5/16-18 BSW (7.938mm)	50.8 <i>2.000</i>	Zinc Plated Steel	12.70 <i>0.500</i>	5.36 <i>0.211</i>	Set Screw - Full Thread	1.411 <i>0.056</i>
# SC079W-057-HS-CZ	5/16-18 BSW (7.938mm)	57.2 <i>2.252</i>	Zinc Plated Steel	12.70 <i>0.500</i>	5.36 <i>0.211</i>	Set Screw - Full Thread	1.411 <i>0.056</i>
# SC079W-064-HS-CZ	5/16-18 BSW (7.938mm)	63.5 <i>2.500</i>	Zinc Plated Steel	12.70 <i>0.500</i>	5.36 <i>0.211</i>	Set Screw - Full Thread	1.411 <i>0.056</i>
# SC079W-076-HS-CZ	5/16-18 BSW (7.938mm)	76.2 <i>3.000</i>	Zinc Plated Steel	12.70 <i>0.500</i>	5.36 <i>0.211</i>	Set Screw - Full Thread	1.411 <i>0.056</i>
# SC080M-012-HS-CZ	M8x1.25 (8mm Standard)	12 <i>0.472</i>	Zinc Plated Steel	13.00 <i>0.512</i>	5.45 <i>0.215</i>	Set Screw - Full Thread	1.250 <i>0.049</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 11 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Steel - Zinc Plated - Full Thread

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC080M-016-HS-CZ	M8x1.25 (8mm Standard)	16 <i>0.630</i>	Zinc Plated Steel	13.00 <i>0.512</i>	5.45 <i>0.215</i>	Set Screw - Full Thread	1.250 <i>0.049</i>
# SC080M-020-HS-CZ	M8x1.25 (8mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	13.00 <i>0.512</i>	5.45 <i>0.215</i>	Set Screw - Full Thread	1.250 <i>0.049</i>
# SC080M-025-HS-CZ	M8x1.25 (8mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	13.00 <i>0.512</i>	5.45 <i>0.215</i>	Set Screw - Full Thread	1.250 <i>0.049</i>
# SC080M-030-HS-CZ	M8x1.25 (8mm Standard)	30 <i>1.181</i>	Zinc Plated Steel	13.00 <i>0.512</i>	5.45 <i>0.215</i>	Set Screw - Full Thread	1.250 <i>0.049</i>
# SC080M-035-HS-CZ	M8x1.25 (8mm Standard)	35 <i>1.378</i>	Zinc Plated Steel	13.00 <i>0.512</i>	5.45 <i>0.215</i>	Set Screw - Full Thread	1.250 <i>0.049</i>
# SC080M-040-HS-CZ	M8x1.25 (8mm Standard)	40 <i>1.575</i>	Zinc Plated Steel	13.00 <i>0.512</i>	5.45 <i>0.215</i>	Set Screw - Full Thread	1.250 <i>0.049</i>
# SC080M-045-HS-CZ	M8x1.25 (8mm Standard)	45 <i>1.772</i>	Zinc Plated Steel	13.00 <i>0.512</i>	5.45 <i>0.215</i>	Set Screw - Full Thread	1.250 <i>0.049</i>
# SC080M-050-HS-CZ	M8x1.25 (8mm Standard)	50 <i>1.969</i>	Zinc Plated Steel	13.00 <i>0.512</i>	5.45 <i>0.215</i>	Set Screw - Full Thread	1.250 <i>0.049</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 12 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Steel - Zinc Plated - Full Thread

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC080M-065-HS-CZ	M8x1.25 (8mm Standard)	65 <i>2.559</i>	Zinc Plated Steel	13.00 <i>0.512</i>	5.45 <i>0.215</i>	Set Screw - Full Thread	1.250 <i>0.049</i>
# SC080M-075-HS-CZ	M8x1.25 (8mm Standard)	75 <i>2.953</i>	Zinc Plated Steel	13.00 <i>0.512</i>	5.45 <i>0.215</i>	Set Screw - Full Thread	1.250 <i>0.049</i>
# SC095W-013-HS-CZ	3/8-16 BSW (9.525mm)	12.7 <i>0.500</i>	Zinc Plated Steel	14.28 <i>0.562</i>	6.17 <i>0.243</i>	Set Screw - Full Thread	1.588 <i>0.063</i>
# SC095W-016-HS-CZ	3/8-16 BSW (9.525mm)	15.9 <i>0.626</i>	Zinc Plated Steel	14.28 <i>0.562</i>	6.17 <i>0.243</i>	Set Screw - Full Thread	1.588 <i>0.063</i>
SC095W-019-HS-CZ	3/8-16 BSW (9.525mm)	19.1 <i>0.752</i>	Zinc Plated Steel	14.28 <i>0.562</i>	6.17 <i>0.243</i>	Set Screw - Full Thread	1.588 <i>0.063</i>
# SC095W-025-HS-CZ	3/8-16 BSW (9.525mm)	25.4 <i>1.000</i>	Zinc Plated Steel	14.28 <i>0.562</i>	6.17 <i>0.243</i>	Set Screw - Full Thread	1.588 <i>0.063</i>
# SC095W-032-HS-CZ	3/8-16 BSW (9.525mm)	31.8 <i>1.252</i>	Zinc Plated Steel	14.28 <i>0.562</i>	6.17 <i>0.243</i>	Set Screw - Full Thread	1.588 <i>0.063</i>
# SC095W-038-HS-CZ	3/8-16 BSW (9.525mm)	38.1 <i>1.500</i>	Zinc Plated Steel	14.28 <i>0.562</i>	6.17 <i>0.243</i>	Set Screw - Full Thread	1.588 <i>0.063</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 13 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Steel - Zinc Plated - Full Thread

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC095W-045-HS-CZ	3/8-16 BSW (9.525mm)	44.5 <i>1.752</i>	Zinc Plated Steel	14.28 <i>0.562</i>	6.17 <i>0.243</i>	Set Screw - Full Thread	1.588 <i>0.063</i>
# SC095W-051-HS-CZ	3/8-16 BSW (9.525mm)	50.8 <i>2.000</i>	Zinc Plated Steel	14.28 <i>0.562</i>	6.17 <i>0.243</i>	Set Screw - Full Thread	1.588 <i>0.063</i>
# SC095W-064-HS-CZ	3/8-16 BSW (9.525mm)	63.5 <i>2.500</i>	Zinc Plated Steel	14.28 <i>0.562</i>	6.17 <i>0.243</i>	Set Screw - Full Thread	1.588 <i>0.063</i>
# SC095W-076-HS-CZ	3/8-16 BSW (9.525mm)	76.2 <i>3.000</i>	Zinc Plated Steel	14.28 <i>0.562</i>	6.17 <i>0.243</i>	Set Screw - Full Thread	1.588 <i>0.063</i>
# SC095W-089-HS-CZ	3/8-16 BSW (9.525mm)	88.9 <i>3.500</i>	Zinc Plated Steel	14.28 <i>0.562</i>	6.17 <i>0.243</i>	Set Screw - Full Thread	1.588 <i>0.063</i>
# SC095W-102-HS-CZ	3/8-16 BSW (9.525mm)	101.6 <i>4.000</i>	Zinc Plated Steel	14.28 <i>0.562</i>	6.17 <i>0.243</i>	Set Screw - Full Thread	1.588 <i>0.063</i>
# SC100M-012-HS-CZ	M10x1.5 (10mm Standard)	12 <i>0.472</i>	Zinc Plated Steel	17.00 <i>0.669</i>	6.58 <i>0.259</i>	Set Screw - Full Thread	1.500 <i>0.059</i>
# SC100M-016-HS-CZ	M10x1.5 (10mm Standard)	16 <i>0.630</i>	Zinc Plated Steel	17.00 <i>0.669</i>	6.58 <i>0.259</i>	Set Screw - Full Thread	1.500 <i>0.059</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 14 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Steel - Zinc Plated - Full Thread

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC100M-020-HS-CZ	M10x1.5 (10mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	17.00 <i>0.669</i>	6.58 <i>0.259</i>	Set Screw - Full Thread	1.500 <i>0.059</i>
# SC100M-025-HS-CZ	M10x1.5 (10mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	17.00 <i>0.669</i>	6.58 <i>0.259</i>	Set Screw - Full Thread	1.500 <i>0.059</i>
# SC100M-030-HS-CZ	M10x1.5 (10mm Standard)	30 <i>1.181</i>	Zinc Plated Steel	17.00 <i>0.669</i>	6.58 <i>0.259</i>	Set Screw - Full Thread	1.500 <i>0.059</i>
# SC100M-035-HS-CZ	M10x1.5 (10mm Standard)	35 <i>1.378</i>	Zinc Plated Steel	17.00 <i>0.669</i>	6.58 <i>0.259</i>	Set Screw - Full Thread	1.500 <i>0.059</i>
# SC100M-040-HS-CZ	M10x1.5 (10mm Standard)	40 <i>1.575</i>	Zinc Plated Steel	17.00 <i>0.669</i>	6.58 <i>0.259</i>	Set Screw - Full Thread	1.500 <i>0.059</i>
# SC100M-045-HS-CZ	M10x1.5 (10mm Standard)	45 <i>1.772</i>	Zinc Plated Steel	17.00 <i>0.669</i>	6.58 <i>0.259</i>	Set Screw - Full Thread	1.500 <i>0.059</i>
# SC100M-050-HS-CZ	M10x1.5 (10mm Standard)	50 <i>1.969</i>	Zinc Plated Steel	17.00 <i>0.669</i>	6.58 <i>0.259</i>	Set Screw - Full Thread	1.500 <i>0.059</i>
# SC100M-065-HS-CZ	M10x1.5 (10mm Standard)	65 <i>2.559</i>	Zinc Plated Steel	17.00 <i>0.669</i>	6.58 <i>0.259</i>	Set Screw - Full Thread	1.500 <i>0.059</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 15 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Steel - Zinc Plated - Full Thread

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC100M-075-HS-CZ	M10x1.5 (10mm Standard)	75 <i>2.953</i>	Zinc Plated Steel	17.00 <i>0.669</i>	6.58 <i>0.259</i>	Set Screw - Full Thread	1.500 <i>0.059</i>
# SC100M-090-HS-CZ	M10x1.5 (10mm Standard)	90 <i>3.543</i>	Zinc Plated Steel	17.00 <i>0.669</i>	6.58 <i>0.259</i>	Set Screw - Full Thread	1.500 <i>0.059</i>
# SC100M-100-HS-CZ	M10x1.5 (10mm Standard)	100 <i>3.937</i>	Zinc Plated Steel	17.00 <i>0.669</i>	6.58 <i>0.259</i>	Set Screw - Full Thread	1.500 <i>0.059</i>
# SC120M-020-HS-CZ	M12x1.75 (12mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	19.00 <i>0.748</i>	7.68 <i>0.302</i>	Set Screw - Full Thread	1.750 <i>0.069</i>
# SC120M-025-HS-CZ	M12x1.75 (12mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	19.00 <i>0.748</i>	7.68 <i>0.302</i>	Set Screw - Full Thread	1.750 <i>0.069</i>
# SC120M-030-HS-CZ	M12x1.75 (12mm Standard)	30 <i>1.181</i>	Zinc Plated Steel	19.00 <i>0.748</i>	7.68 <i>0.302</i>	Set Screw - Full Thread	1.750 <i>0.069</i>
# SC120M-035-HS-CZ	M12x1.75 (12mm Standard)	35 <i>1.378</i>	Zinc Plated Steel	19.00 <i>0.748</i>	7.68 <i>0.302</i>	Set Screw - Full Thread	1.750 <i>0.069</i>
# SC120M-040-HS-CZ	M12x1.75 (12mm Standard)	40 <i>1.575</i>	Zinc Plated Steel	19.00 <i>0.748</i>	7.68 <i>0.302</i>	Set Screw - Full Thread	1.750 <i>0.069</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 16 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



## Screws - Hex Head - Steel - Zinc Plated - Full Thread

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC120M-050-HS-CZ	M12x1.75 (12mm Standard)	50 <i>1.969</i>	Zinc Plated Steel	19.00 <i>0.748</i>	7.68 <i>0.302</i>	Set Screw - Full Thread	1.750 <i>0.069</i>
# SC120M-060-HS-CZ	M12x1.75 (12mm Standard)	60 <i>2.362</i>	Zinc Plated Steel	19.00 <i>0.748</i>	7.68 <i>0.302</i>	Set Screw - Full Thread	1.750 <i>0.069</i>
# SC120M-065-HS-CZ	M12x1.75 (12mm Standard)	65 <i>2.559</i>	Zinc Plated Steel	19.00 <i>0.748</i>	7.68 <i>0.302</i>	Set Screw - Full Thread	1.750 <i>0.069</i>
# SC120M-075-HS-CZ	M12x1.75 (12mm Standard)	75 <i>2.953</i>	Zinc Plated Steel	19.00 <i>0.748</i>	7.68 <i>0.302</i>	Set Screw - Full Thread	1.750 <i>0.069</i>
# SC120M-090-HS-CZ	M12x1.75 (12mm Standard)	90 <i>3.543</i>	Zinc Plated Steel	19.00 <i>0.748</i>	7.68 <i>0.302</i>	Set Screw - Full Thread	1.750 <i>0.069</i>
# SC120M-100-HS-CZ	M12x1.75 (12mm Standard)	100 <i>3.937</i>	Zinc Plated Steel	19.00 <i>0.748</i>	7.68 <i>0.302</i>	Set Screw - Full Thread	1.750 <i>0.069</i>
# SC127W-019-HS-CZ	1/2-12 BSW (12.7mm)	19.1 <i>0.752</i>	Zinc Plated Steel	19.05 <i>0.750</i>	8.20 <i>0.323</i>	Set Screw - Full Thread	2.117 <i>0.083</i>
# SC127W-025-HS-CZ	1/2-12 BSW (12.7mm)	25.4 <i>1.000</i>	Zinc Plated Steel	19.05 <i>0.750</i>	8.20 <i>0.323</i>	Set Screw - Full Thread	2.117 <i>0.083</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 17 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Hex Head - Steel - Zinc Plated - Full Thread

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC127W-032-HS-CZ	1/2-12 BSW (12.7mm)	31.8	Zinc Plated Steel	19.05	8.20	Set Screw - Full Thread	2.117
		<i>1.252</i>		<i>0.750</i>	<i>0.323</i>		<i>0.083</i>
# SC127W-038-HS-CZ	1/2-12 BSW (12.7mm)	38.1	Zinc Plated Steel	19.05	8.20	Set Screw - Full Thread	2.117
		<i>1.500</i>		<i>0.750</i>	<i>0.323</i>		<i>0.083</i>
# SC127W-051-HS-CZ	1/2-12 BSW (12.7mm)	50.8	Zinc Plated Steel	19.05	8.20	Set Screw - Full Thread	2.117
		<i>2.000</i>		<i>0.750</i>	<i>0.323</i>		<i>0.083</i>
# SC127W-064-HS-CZ	1/2-12 BSW (12.7mm)	63.5	Zinc Plated Steel	19.05	8.20	Set Screw - Full Thread	2.117
		<i>2.500</i>		<i>0.750</i>	<i>0.323</i>		<i>0.083</i>
# SC127W-076-HS-CZ	1/2-12 BSW (12.7mm)	76.2	Zinc Plated Steel	19.05	8.20	Set Screw - Full Thread	2.117
		<i>3.000</i>		<i>0.750</i>	<i>0.323</i>		<i>0.083</i>
# SC127W-089-HS-CZ	1/2-12 BSW (12.7mm)	88.9	Zinc Plated Steel	19.05	8.20	Set Screw - Full Thread	2.117
		<i>3.500</i>		<i>0.750</i>	<i>0.323</i>		<i>0.083</i>
# SC127W-102-HS-CZ	1/2-12 BSW (12.7mm)	101.6	Zinc Plated Steel	19.05	8.20	Set Screw - Full Thread	2.117
		<i>4.000</i>		<i>0.750</i>	<i>0.323</i>		<i>0.083</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 18 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

