



Screws - Hex Head - Steel - Zinc Plated

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 18

INFORMATION


BSW and METRIC - Bolts

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/categories/nuts/all/pics/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel - Zinc Plated

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# SC060M-020-H-CZ	M6x1 (6mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
# SC060M-025-H-CZ	M6x1 (6mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
# SC060M-030-H-CZ	M6x1 (6mm Standard)	30 <i>1.181</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
# SC060M-035-H-CZ	M6x1 (6mm Standard)	35 <i>1.378</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
# SC060M-040-H-CZ	M6x1 (6mm Standard)	40 <i>1.575</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
# SC060M-045-H-CZ	M6x1 (6mm Standard)	45 <i>1.772</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
# SC060M-050-H-CZ	M6x1 (6mm Standard)	50 <i>1.969</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
SC060M-055-H-CZ	M6x1 (6mm Standard)	55 <i>2.165</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
# SC060M-060-H-CZ	M6x1 (6mm Standard)	60 <i>2.362</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
# SC060M-065-H-CZ	M6x1 (6mm Standard)	65 <i>2.559</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel - Zinc Plated

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# SC060M-070-H-CZ	M6x1 (6mm Standard)	70 <i>2.756</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
# SC060M-075-H-CZ	M6x1 (6mm Standard)	75 <i>2.953</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
# SC060M-080-H-CZ	M6x1 (6mm Standard)	80 <i>3.150</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
# SC060M-085-H-CZ	M6x1 (6mm Standard)	85 <i>3.346</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
# SC060M-090-H-CZ	M6x1 (6mm Standard)	90 <i>3.543</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
# SC060M-100-H-CZ	M6x1 (6mm Standard)	100 <i>3.937</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
# SC060M-120-H-CZ	M6x1 (6mm Standard)	120 <i>4.724</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
# SC060M-130-H-CZ	M6x1 (6mm Standard)	130 <i>5.118</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
# SC060M-140-H-CZ	M6x1 (6mm Standard)	140 <i>5.512</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>
# SC060M-150-H-CZ	M6x1 (6mm Standard)	150 <i>5.906</i>	Zinc Plated Steel	Bolt	1.000 <i>0.039</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel - Zinc Plated

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# SC064W-019-H-CZ	1/4-20 BSW (6.35mm)	19.1 <i>0.752</i>	Zinc Plated Steel	Bolt	1.270 <i>0.050</i>
# SC064W-025-H-CZ	1/4-20 BSW (6.35mm)	25.4 <i>1.000</i>	Zinc Plated Steel	Bolt	1.270 <i>0.050</i>
# SC064W-032-H-CZ	1/4-20 BSW (6.35mm)	31.8 <i>1.252</i>	Zinc Plated Steel	Bolt	1.270 <i>0.050</i>
# SC064W-038-H-CZ	1/4-20 BSW (6.35mm)	38.1 <i>1.500</i>	Zinc Plated Steel	Bolt	1.270 <i>0.050</i>
# SC064W-045-H-CZ	1/4-20 BSW (6.35mm)	44.5 <i>1.752</i>	Zinc Plated Steel	Bolt	1.270 <i>0.050</i>
# SC064W-051-H-CZ	1/4-20 BSW (6.35mm)	50.8 <i>2.000</i>	Zinc Plated Steel	Bolt	1.270 <i>0.050</i>
# SC064W-057-H-CZ	1/4-20 BSW (6.35mm)	57.2 <i>2.252</i>	Zinc Plated Steel	Bolt	1.270 <i>0.050</i>
# SC064W-064-H-CZ	1/4-20 BSW (6.35mm)	63.5 <i>2.500</i>	Zinc Plated Steel	Bolt	1.270 <i>0.050</i>
# SC064W-070-H-CZ	1/4-20 BSW (6.35mm)	69.9 <i>2.752</i>	Zinc Plated Steel	Bolt	1.270 <i>0.050</i>
# SC064W-076-H-CZ	1/4-20 BSW (6.35mm)	76.2 <i>3.000</i>	Zinc Plated Steel	Bolt	1.270 <i>0.050</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel - Zinc Plated

Part Number	Thread Size (C)	Thread Length mm	Material	Type	Pitch mm
		<i>inches</i>			<i>inches</i>
# SC064W-089-H-CZ	1/4-20 BSW (6.35mm)	88.9 <i>3.500</i>	Zinc Plated Steel	Bolt	1.270 <i>0.050</i>
# SC064W-102-H-CZ	1/4-20 BSW (6.35mm)	101.6 <i>4.000</i>	Zinc Plated Steel	Bolt	1.270 <i>0.050</i>
# SC064W-114-H-CZ	1/4-20 BSW (6.35mm)	114.3 <i>4.500</i>	Zinc Plated Steel	Bolt	1.270 <i>0.050</i>
# SC064W-127-H-CZ	1/4-20 BSW (6.35mm)	127 <i>5.000</i>	Zinc Plated Steel	Bolt	1.270 <i>0.050</i>
# SC064W-140-H-CZ	1/4-20 BSW (6.35mm)	139.7 <i>5.500</i>	Zinc Plated Steel	Bolt	1.270 <i>0.050</i>
# SC064W-152-H-CZ	1/4-20 BSW (6.35mm)	152.4 <i>6.000</i>	Zinc Plated Steel	Bolt	1.270 <i>0.050</i>
# SC079W-019-H-CZ	5/16-18 BSW (7.938mm)	19.1 <i>0.752</i>	Zinc Plated Steel	Bolt	1.411 <i>0.056</i>
# SC079W-025-H-CZ	5/16-18 BSW (7.938mm)	25.4 <i>1.000</i>	Zinc Plated Steel	Bolt	1.411 <i>0.056</i>
# SC079W-032-H-CZ	5/16-18 BSW (7.938mm)	31.8 <i>1.252</i>	Zinc Plated Steel	Bolt	1.411 <i>0.056</i>
# SC079W-038-H-CZ	5/16-18 BSW (7.938mm)	38.1 <i>1.500</i>	Zinc Plated Steel	Bolt	1.411 <i>0.056</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel - Zinc Plated

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
SC079W-045-H-CZ	5/16-18 BSW (7.938mm)	44.5 <i>1.752</i>	Zinc Plated Steel	Bolt	1.411 <i>0.056</i>
# SC079W-051-H-CZ	5/16-18 BSW (7.938mm)	50.8 <i>2.000</i>	Zinc Plated Steel	Bolt	1.411 <i>0.056</i>
# SC079W-057-H-CZ	5/16-18 BSW (7.938mm)	57.2 <i>2.252</i>	Zinc Plated Steel	Bolt	1.411 <i>0.056</i>
# SC079W-064-H-CZ	5/16-18 BSW (7.938mm)	63.5 <i>2.500</i>	Zinc Plated Steel	Bolt	1.411 <i>0.056</i>
# SC079W-070-H-CZ	5/16-18 BSW (7.938mm)	69.9 <i>2.752</i>	Zinc Plated Steel	Bolt	1.411 <i>0.056</i>
# SC079W-076-H-CZ	5/16-18 BSW (7.938mm)	76.2 <i>3.000</i>	Zinc Plated Steel	Bolt	1.411 <i>0.056</i>
# SC079W-089-H-CZ	5/16-18 BSW (7.938mm)	88.9 <i>3.500</i>	Zinc Plated Steel	Bolt	1.411 <i>0.056</i>
# SC079W-102-H-CZ	5/16-18 BSW (7.938mm)	101.6 <i>4.000</i>	Zinc Plated Steel	Bolt	1.411 <i>0.056</i>
# SC079W-114-H-CZ	5/16-18 BSW (7.938mm)	114.3 <i>4.500</i>	Zinc Plated Steel	Bolt	1.411 <i>0.056</i>
# SC079W-127-H-CZ	5/16-18 BSW (7.938mm)	127 <i>5.000</i>	Zinc Plated Steel	Bolt	1.411 <i>0.056</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel - Zinc Plated

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# SC079W-140-H-CZ	5/16-18 BSW (7.938mm)	139.7 <i>5.500</i>	Zinc Plated Steel	Bolt	1.411 <i>0.056</i>
# SC079W-152-H-CZ	5/16-18 BSW (7.938mm)	152.4 <i>6.000</i>	Zinc Plated Steel	Bolt	1.411 <i>0.056</i>
# SC080M-020-H-CZ	M8x1.25 (8mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
# SC080M-025-H-CZ	M8x1.25 (8mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
# SC080M-030-H-CZ	M8x1.25 (8mm Standard)	30 <i>1.181</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
# SC080M-035-H-CZ	M8x1.25 (8mm Standard)	35 <i>1.378</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
# SC080M-040-H-CZ	M8x1.25 (8mm Standard)	40 <i>1.575</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
SC080M-045-H-CZ	M8x1.25 (8mm Standard)	45 <i>1.772</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
SC080M-050-H-CZ	M8x1.25 (8mm Standard)	50 <i>1.969</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
# SC080M-055-H-CZ	M8x1.25 (8mm Standard)	55 <i>2.165</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel - Zinc Plated

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
SC080M-060-H-CZ	M8x1.25 (8mm Standard)	60 <i>2.362</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
# SC080M-065-H-CZ	M8x1.25 (8mm Standard)	65 <i>2.559</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
# SC080M-070-H-CZ	M8x1.25 (8mm Standard)	70 <i>2.756</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
# SC080M-075-H-CZ	M8x1.25 (8mm Standard)	75 <i>2.953</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
# SC080M-080-H-CZ	M8x1.25 (8mm Standard)	80 <i>3.150</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
# SC080M-085-H-CZ	M8x1.25 (8mm Standard)	85 <i>3.346</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
# SC080M-090-H-CZ	M8x1.25 (8mm Standard)	90 <i>3.543</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
# SC080M-100-H-CZ	M8x1.25 (8mm Standard)	100 <i>3.937</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
# SC080M-120-H-CZ	M8x1.25 (8mm Standard)	120 <i>4.724</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
# SC080M-130-H-CZ	M8x1.25 (8mm Standard)	130 <i>5.118</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel - Zinc Plated

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# SC080M-140-H-CZ	M8x1.25 (8mm Standard)	140 <i>5.512</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
# SC080M-150-H-CZ	M8x1.25 (8mm Standard)	150 <i>5.906</i>	Zinc Plated Steel	Bolt	1.250 <i>0.049</i>
# SC095W-019-H-CZ	3/8-16 BSW (9.525mm)	19.1 <i>0.752</i>	Zinc Plated Steel	Bolt	1.588 <i>0.063</i>
# SC095W-025-H-CZ	3/8-16 BSW (9.525mm)	25.4 <i>1.000</i>	Zinc Plated Steel	Bolt	1.588 <i>0.063</i>
# SC095W-032-H-CZ	3/8-16 BSW (9.525mm)	31.8 <i>1.252</i>	Zinc Plated Steel	Bolt	1.588 <i>0.063</i>
# SC095W-038-H-CZ	3/8-16 BSW (9.525mm)	38.1 <i>1.500</i>	Zinc Plated Steel	Bolt	1.588 <i>0.063</i>
# SC095W-045-H-CZ	3/8-16 BSW (9.525mm)	44.5 <i>1.752</i>	Zinc Plated Steel	Bolt	1.588 <i>0.063</i>
# SC095W-051-H-CZ	3/8-16 BSW (9.525mm)	50.8 <i>2.000</i>	Zinc Plated Steel	Bolt	1.588 <i>0.063</i>
# SC095W-057-H-CZ	3/8-16 BSW (9.525mm)	57.2 <i>2.252</i>	Zinc Plated Steel	Bolt	1.588 <i>0.063</i>
# SC095W-064-H-CZ	3/8-16 BSW (9.525mm)	63.5 <i>2.500</i>	Zinc Plated Steel	Bolt	1.588 <i>0.063</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 11 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel - Zinc Plated

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# SC095W-070-H-CZ	3/8-16 BSW (9.525mm)	69.9 <i>2.752</i>	Zinc Plated Steel	Bolt	1.588 <i>0.063</i>
# SC095W-076-H-CZ	3/8-16 BSW (9.525mm)	76.2 <i>3.000</i>	Zinc Plated Steel	Bolt	1.588 <i>0.063</i>
# SC095W-089-H-CZ	3/8-16 BSW (9.525mm)	88.9 <i>3.500</i>	Zinc Plated Steel	Bolt	1.588 <i>0.063</i>
# SC095W-102-H-CZ	3/8-16 BSW (9.525mm)	101.6 <i>4.000</i>	Zinc Plated Steel	Bolt	1.588 <i>0.063</i>
# SC095W-114-H-CZ	3/8-16 BSW (9.525mm)	114.3 <i>4.500</i>	Zinc Plated Steel	Bolt	1.588 <i>0.063</i>
# SC095W-127-H-CZ	3/8-16 BSW (9.525mm)	127 <i>5.000</i>	Zinc Plated Steel	Bolt	1.588 <i>0.063</i>
# SC095W-140-H-CZ	3/8-16 BSW (9.525mm)	139.7 <i>5.500</i>	Zinc Plated Steel	Bolt	1.588 <i>0.063</i>
# SC095W-152-H-CZ	3/8-16 BSW (9.525mm)	152.4 <i>6.000</i>	Zinc Plated Steel	Bolt	1.588 <i>0.063</i>
SC100M-020-H-CZ	M10x1.5 (10mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
SC100M-025-H-CZ	M10x1.5 (10mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel - Zinc Plated

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# SC100M-030-H-CZ	M10x1.5 (10mm Standard)	30 <i>1.181</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
# SC100M-035-H-CZ	M10x1.5 (10mm Standard)	35 <i>1.378</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
SC100M-040-H-CZ	M10x1.5 (10mm Standard)	40 <i>1.575</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
# SC100M-045-H-CZ	M10x1.5 (10mm Standard)	45 <i>1.772</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
# SC100M-050-H-CZ	M10x1.5 (10mm Standard)	50 <i>1.969</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
# SC100M-055-H-CZ	M10x1.5 (10mm Standard)	55 <i>2.165</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
# SC100M-060-H-CZ	M10x1.5 (10mm Standard)	60 <i>2.362</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
# SC100M-065-H-CZ	M10x1.5 (10mm Standard)	65 <i>2.559</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
# SC100M-070-H-CZ	M10x1.5 (10mm Standard)	70 <i>2.756</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
# SC100M-075-H-CZ	M10x1.5 (10mm Standard)	75 <i>2.953</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 13 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel - Zinc Plated

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# SC100M-080-H-CZ	M10x1.5 (10mm Standard)	80 <i>3.150</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
# SC100M-085-H-CZ	M10x1.5 (10mm Standard)	85 <i>3.346</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
# SC100M-090-H-CZ	M10x1.5 (10mm Standard)	90 <i>3.543</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
# SC100M-100-H-CZ	M10x1.5 (10mm Standard)	100 <i>3.937</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
# SC100M-110-H-CZ	M10x1.5 (10mm Standard)	110 <i>4.331</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
# SC100M-120-H-CZ	M10x1.5 (10mm Standard)	120 <i>4.724</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
# SC100M-130-H-CZ	M10x1.5 (10mm Standard)	130 <i>5.118</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
# SC100M-140-H-CZ	M10x1.5 (10mm Standard)	140 <i>5.512</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
# SC100M-150-H-CZ	M10x1.5 (10mm Standard)	150 <i>5.906</i>	Zinc Plated Steel	Bolt	1.500 <i>0.059</i>
# SC120M-025-H-CZ	M12x1.75 (12mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 14 of 18

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel - Zinc Plated

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# SC120M-030-H-CZ	M12x1.75 (12mm Standard)	30 <i>1.181</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC120M-035-H-CZ	M12x1.75 (12mm Standard)	35 <i>1.378</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC120M-040-H-CZ	M12x1.75 (12mm Standard)	40 <i>1.575</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC120M-045-H-CZ	M12x1.75 (12mm Standard)	45 <i>1.772</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC120M-050-H-CZ	M12x1.75 (12mm Standard)	50 <i>1.969</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC120M-055-H-CZ	M12x1.75 (12mm Standard)	55 <i>2.165</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC120M-060-H-CZ	M12x1.75 (12mm Standard)	60 <i>2.362</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC120M-065-H-CZ	M12x1.75 (12mm Standard)	65 <i>2.559</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC120M-070-H-CZ	M12x1.75 (12mm Standard)	70 <i>2.756</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC120M-075-H-CZ	M12x1.75 (12mm Standard)	75 <i>2.953</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel - Zinc Plated

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# SC120M-080-H-CZ	M12x1.75 (12mm Standard)	80 <i>3.150</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC120M-085-H-CZ	M12x1.75 (12mm Standard)	85 <i>3.346</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC120M-090-H-CZ	M12x1.75 (12mm Standard)	90 <i>3.543</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC120M-100-H-CZ	M12x1.75 (12mm Standard)	100 <i>3.937</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC120M-110-H-CZ	M12x1.75 (12mm Standard)	110 <i>4.331</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC120M-120-H-CZ	M12x1.75 (12mm Standard)	120 <i>4.724</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC120M-130-H-CZ	M12x1.75 (12mm Standard)	130 <i>5.118</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC120M-140-H-CZ	M12x1.75 (12mm Standard)	140 <i>5.512</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC120M-150-H-CZ	M12x1.75 (12mm Standard)	150 <i>5.906</i>	Zinc Plated Steel	Bolt	1.750 <i>0.069</i>
# SC127W-025-H-CZ	1/2-12 BSW (12.7mm)	25.4 <i>1.000</i>	Zinc Plated Steel	Bolt	2.117 <i>0.083</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel - Zinc Plated

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# SC127W-032-H-CZ	1/2-12 BSW (12.7mm)	31.8 <i>1.252</i>	Zinc Plated Steel	Bolt	2.117 <i>0.083</i>
# SC127W-038-H-CZ	1/2-12 BSW (12.7mm)	38.1 <i>1.500</i>	Zinc Plated Steel	Bolt	2.117 <i>0.083</i>
# SC127W-045-H-CZ	1/2-12 BSW (12.7mm)	44.5 <i>1.752</i>	Zinc Plated Steel	Bolt	2.117 <i>0.083</i>
# SC127W-051-H-CZ	1/2-12 BSW (12.7mm)	50.8 <i>2.000</i>	Zinc Plated Steel	Bolt	2.117 <i>0.083</i>
# SC127W-057-H-CZ	1/2-12 BSW (12.7mm)	57.2 <i>2.252</i>	Zinc Plated Steel	Bolt	2.117 <i>0.083</i>
# SC127W-064-H-CZ	1/2-12 BSW (12.7mm)	63.5 <i>2.500</i>	Zinc Plated Steel	Bolt	2.117 <i>0.083</i>
# SC127W-076-H-CZ	1/2-12 BSW (12.7mm)	76.2 <i>3.000</i>	Zinc Plated Steel	Bolt	2.117 <i>0.083</i>
# SC127W-089-H-CZ	1/2-12 BSW (12.7mm)	88.9 <i>3.500</i>	Zinc Plated Steel	Bolt	2.117 <i>0.083</i>
# SC127W-102-H-CZ	1/2-12 BSW (12.7mm)	101.6 <i>4.000</i>	Zinc Plated Steel	Bolt	2.117 <i>0.083</i>
# SC127W-114-H-CZ	1/2-12 BSW (12.7mm)	114.3 <i>4.500</i>	Zinc Plated Steel	Bolt	2.117 <i>0.083</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Hex Head - Steel - Zinc Plated

Part Number	Thread Size (C)	Thread Length mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# SC127W-127-H-CZ	1/2-12 BSW (12.7mm)	127 <i>5.000</i>	Zinc Plated Steel	Bolt	2.117 <i>0.083</i>
# SC127W-140-H-CZ	1/2-12 BSW (12.7mm)	139.7 <i>5.500</i>	Zinc Plated Steel	Bolt	2.117 <i>0.083</i>
# SC127W-152-H-CZ	1/2-12 BSW (12.7mm)	152.4 <i>6.000</i>	Zinc Plated Steel	Bolt	2.117 <i>0.083</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

