



# **Screws - Pan Head - 303/304 Stainless - Philips**

10/4/2018

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 27

## INFORMATION

Metal Thread Screws UNC - UNF - METRIC - Pan, cheese, fillister and round head.


Nuts sold seperately - See Nuts.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au//categories/nuts/all/pics/>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC015F-005-P-PH-S4	0-80 UNF (1.524mm)	4.8 <i>0.189</i>	304 Stainless	2.9 <i>0.114</i>	1.0 <i>0.039</i>	Pan / Philips	0.318 <i>0.013</i>
SC020M-003-P-PH-S4	M2x0.4 (2mm Standard)	3 <i>0.118</i>	304 Stainless	4.0 <i>0.157</i>	1.6 <i>0.063</i>	Pan / Philips	0.400 <i>0.016</i>
SC020M-004-P-PH-S4	M2x0.4 (2mm Standard)	4 <i>0.157</i>	304 Stainless	4.0 <i>0.157</i>	1.6 <i>0.063</i>	Pan / Philips	0.400 <i>0.016</i>
SC020M-005-P-PH-S4	M2x0.4 (2mm Standard)	5 <i>0.197</i>	304 Stainless	4.0 <i>0.157</i>	1.6 <i>0.063</i>	Pan / Philips	0.400 <i>0.016</i>
SC020M-006-P-PH-S4	M2x0.4 (2mm Standard)	6 <i>0.236</i>	304 Stainless	4.0 <i>0.157</i>	1.6 <i>0.063</i>	Pan / Philips	0.400 <i>0.016</i>
SC020M-008-P-PH-S4	M2x0.4 (2mm Standard)	8 <i>0.315</i>	304 Stainless	4.0 <i>0.157</i>	1.6 <i>0.063</i>	Pan / Philips	0.400 <i>0.016</i>
SC020M-010-P-PH-S4	M2x0.4 (2mm Standard)	10 <i>0.394</i>	304 Stainless	4.0 <i>0.157</i>	1.6 <i>0.063</i>	Pan / Philips	0.400 <i>0.016</i>
SC020M-012-P-PH-S4	M2x0.4 (2mm Standard)	12 <i>0.472</i>	304 Stainless	4.0 <i>0.157</i>	1.6 <i>0.063</i>	Pan / Philips	0.400 <i>0.016</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC020M-016-P-PH-S4	M2x0.4 (2mm Standard)	16 <i>0.630</i>	304 Stainless	4.0 <i>0.157</i>	1.6 <i>0.063</i>	Pan / Philips	0.400 <i>0.016</i>
SC020M-020-P-PH-S4	M2x0.4 (2mm Standard)	20 <i>0.787</i>	304 Stainless	4.0 <i>0.157</i>	1.6 <i>0.063</i>	Pan / Philips	0.400 <i>0.016</i>
SC020M-025-P-PH-S4	M2x0.4 (2mm Standard)	25 <i>0.984</i>	304 Stainless	4.0 <i>0.157</i>	1.6 <i>0.063</i>	Pan / Philips	0.400 <i>0.016</i>
SC020M-030-P-PH-S4	M2x0.4 (2mm Standard)	30 <i>1.181</i>	304 Stainless	4.0 <i>0.157</i>	1.6 <i>0.063</i>	Pan / Philips	0.400 <i>0.016</i>
SC022C-003-P-PH-S4	2-56 UNC (2.184mm)	3.2 <i>0.126</i>	304 Stainless	4.2 <i>0.165</i>	1.3 <i>0.051</i>	Pan / Philips	0.454 <i>0.018</i>
SC022C-005-P-PH-S4	2-56 UNC (2.184mm)	4.8 <i>0.189</i>	304 Stainless	4.2 <i>0.165</i>	1.3 <i>0.051</i>	Pan / Philips	0.454 <i>0.018</i>
SC022C-006-P-PH-S4	2-56 UNC (2.184mm)	6.4 <i>0.252</i>	304 Stainless	4.2 <i>0.165</i>	1.3 <i>0.051</i>	Pan / Philips	0.454 <i>0.018</i>
# SC022C-007-P-PH-S4	2-56 UNC (2.184mm)	7.9 <i>0.311</i>	304 Stainless	4.2 <i>0.165</i>	1.3 <i>0.051</i>	Pan / Philips	0.454 <i>0.018</i>
# SC022C-010-P-PH-S4	2-56 UNC (2.184mm)	9.5 <i>0.374</i>	304 Stainless	4.2 <i>0.165</i>	1.3 <i>0.051</i>	Pan / Philips	0.454 <i>0.018</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC022C-013-P-PH-S4	2-56 UNC (2.184mm)	12.7 <i>0.500</i>	304 Stainless	4.2 <i>0.165</i>	1.3 <i>0.051</i>	Pan / Philips	0.454 <i>0.018</i>
SC022C-016-P-PH-S4	2-56 UNC (2.184mm)	15.90 <i>0.626</i>	304 Stainless	4.2 <i>0.165</i>	1.3 <i>0.051</i>	Pan / Philips	
SC022C-019-P-PH-S4	2-56 UNC (2.184mm)	19.1 <i>0.752</i>	304 Stainless	4.2 <i>0.165</i>	1.3 <i>0.051</i>	Pan / Philips	0.454 <i>0.018</i>
SC022C-025-P-PH-S4	2-56 UNC (2.184mm)	25.4 <i>1.000</i>	304 Stainless	4.2 <i>0.165</i>	1.3 <i>0.051</i>	Pan / Philips	0.454 <i>0.018</i>
# SC022C-025-P-PH-S4B	2-56 UNC (2.184mm)	25.4 <i>1.000</i>	304 Stainless - Black Oxide Coated	4.2 <i>0.165</i>	1.3 <i>0.051</i>	Pan / Philips	0.454 <i>0.018</i>
# SC022C-032-P-PH-S4	2-56 UNC (2.184mm)	31.8 <i>1.252</i>	304 Stainless	4.2 <i>0.165</i>	1.3 <i>0.051</i>	Pan / Philips	0.454 <i>0.018</i>
SC022C-038-P-PH-S4	2-56 UNC (2.184mm)	38.1 <i>1.500</i>	304 Stainless	4.2 <i>0.165</i>	1.3 <i>0.051</i>	Pan / Philips	0.454 <i>0.018</i>
SC025M-003-P-PH-S4	M2.5x0.45 (2.5mm Standard)	3 <i>0.118</i>	304 Stainless	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Philips	0.450 <i>0.018</i>
SC025M-004-P-PH-S4	M2.5x0.45 (2.5mm Standard)	4 <i>0.157</i>	304 Stainless	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Philips	0.450 <i>0.018</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC025M-005-P-PH-S4	M2.5x0.45 (2.5mm Standard)	5	304 Stainless	5.0	2.0	Pan / Philips	0.450
		<i>0.197</i>		<i>0.197</i>	<i>0.079</i>		<i>0.018</i>
SC025M-006-P-PH-S4	M2.5x0.45 (2.5mm Standard)	6	304 Stainless	5.0	2.0	Pan / Philips	0.450
		<i>0.236</i>		<i>0.197</i>	<i>0.079</i>		<i>0.018</i>
SC025M-008-P-PH-S4	M2.5x0.45 (2.5mm Standard)	8	304 Stainless	5.0	2.0	Pan / Philips	0.450
		<i>0.315</i>		<i>0.197</i>	<i>0.079</i>		<i>0.018</i>
SC025M-010-P-PH-S4	M2.5x0.45 (2.5mm Standard)	10	304 Stainless	5.0	2.0	Pan / Philips	0.450
		<i>0.394</i>		<i>0.197</i>	<i>0.079</i>		<i>0.018</i>
SC025M-012-P-PH-S4	M2.5x0.45 (2.5mm Standard)	12	304 Stainless	5.0	2.0	Pan / Philips	0.450
		<i>0.472</i>		<i>0.197</i>	<i>0.079</i>		<i>0.018</i>
SC025M-016-P-PH-S4	M2.5x0.45 (2.5mm Standard)	16	304 Stainless	5.0	2.0	Pan / Philips	0.450
		<i>0.630</i>		<i>0.197</i>	<i>0.079</i>		<i>0.018</i>
SC025M-020-P-PH-S4	M2.5x0.45 (2.5mm Standard)	20	304 Stainless	5.0	2.0	Pan / Philips	0.450
		<i>0.787</i>		<i>0.197</i>	<i>0.079</i>		<i>0.018</i>
SC025M-025-P-PH-S4	M2.5x0.45 (2.5mm Standard)	25	304 Stainless	5.0	2.0	Pan / Philips	0.450
		<i>0.984</i>		<i>0.197</i>	<i>0.079</i>		<i>0.018</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC025M-030-P-PH-S4	M2.5x0.45 (2.5mm Standard)	30 <i>1.181</i>	304 Stainless	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Philips	0.450 <i>0.018</i>
SC026M-006-P-PH-S4	M2.6x0.45 (2.6mm)	6 <i>0.236</i>	304 Stainless	5.3 <i>0.209</i>	2.2 <i>0.087</i>	Pan / Philips	0.450 <i>0.018</i>
SC026M-008-P-PH-S4	M2.6x0.45 (2.6mm)	8 <i>0.315</i>	304 Stainless	5.3 <i>0.209</i>	2.2 <i>0.087</i>	Pan / Philips	0.450 <i>0.018</i>
# SC028C-003-P-PH-S4	4-40 UNC (2.845mm)	3.2 <i>0.126</i>	304 Stainless	5.6 <i>0.220</i>	1.7 <i>0.067</i>	Pan / Philips	0.635 <i>0.025</i>
SC028C-005-P-PH-S4	4-40 UNC (2.845mm)	4.8 <i>0.189</i>	304 Stainless	5.6 <i>0.220</i>	1.7 <i>0.067</i>	Pan / Philips	0.635 <i>0.025</i>
SC028C-006-P-PH-S4	4-40 UNC (2.845mm)	6.4 <i>0.252</i>	304 Stainless	5.6 <i>0.220</i>	1.7 <i>0.067</i>	Pan / Philips	0.635 <i>0.025</i>
SC028C-007-P-PH-S4	4-40 UNC (2.845mm)	7.9 <i>0.311</i>	304 Stainless	5.6 <i>0.220</i>	1.7 <i>0.067</i>	Pan / Philips	0.635 <i>0.025</i>
# SC028C-010-P-PH-S4	4-40 UNC (2.845mm)	9.5 <i>0.374</i>	304 Stainless	5.6 <i>0.220</i>	1.7 <i>0.067</i>	Pan / Philips	0.635 <i>0.025</i>
# SC028C-013-P-PH-S4	4-40 UNC (2.845mm)	12.7 <i>0.500</i>	304 Stainless	5.6 <i>0.220</i>	1.7 <i>0.067</i>	Pan / Philips	0.635 <i>0.025</i>
SC028C-016-P-PH-S4	4-40 UNC (2.845mm)	15.9 <i>0.626</i>	304 Stainless	5.6 <i>0.220</i>	1.7 <i>0.067</i>	Pan / Philips	0.635 <i>0.025</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 8 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC028C-019-P-PH-S4	4-40 UNC (2.845mm)	19.1 <i>0.752</i>	304 Stainless	5.6 <i>0.220</i>	1.7 <i>0.067</i>	Pan / Philips	0.635 <i>0.025</i>
SC028C-025-P-PH-S4	4-40 UNC (2.845mm)	25.4 <i>1.000</i>	304 Stainless	5.6 <i>0.220</i>	1.7 <i>0.067</i>	Pan / Philips	0.635 <i>0.025</i>
# SC028C-032-P-PH-S4	4-40 UNC (2.845mm)	31.8 <i>1.252</i>	304 Stainless	5.6 <i>0.220</i>	1.7 <i>0.067</i>	Pan / Philips	0.635 <i>0.025</i>
SC028C-038-P-PH-S4	4-40 UNC (2.845mm)	38.1 <i>1.500</i>	304 Stainless	5.6 <i>0.220</i>	1.7 <i>0.067</i>	Pan / Philips	0.635 <i>0.025</i>
SC030M-004-P-PH-S4	M3x0.5 (3mm Standard)	4 <i>0.157</i>	304 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Philips	0.500 <i>0.020</i>
SC030M-005-P-PH-S4	M3x0.5 (3mm Standard)	5 <i>0.197</i>	304 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Philips	0.500 <i>0.020</i>
SC030M-006-P-PH-S4	M3x0.5 (3mm Standard)	6 <i>0.236</i>	304 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Philips	0.500 <i>0.020</i>
SC030M-008-P-PH-S4	M3x0.5 (3mm Standard)	8 <i>0.315</i>	304 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Philips	0.500 <i>0.020</i>
SC030M-010-P-PH-S4	M3x0.5 (3mm Standard)	10 <i>0.394</i>	304 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Philips	0.500 <i>0.020</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC030M-012-P-PH-S4	M3x0.5 (3mm Standard)	12 <i>0.472</i>	304 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Philips	0.500 <i>0.020</i>
SC030M-014-P-PH-S4	M3x0.5 (3mm Standard)	14 <i>0.551</i>	304 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Philips	0.500 <i>0.020</i>
SC030M-016-P-PH-S4	M3x0.5 (3mm Standard)	16 <i>0.630</i>	304 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Philips	0.500 <i>0.020</i>
SC030M-020-P-PH-S4	M3x0.5 (3mm Standard)	20 <i>0.787</i>	304 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Philips	0.500 <i>0.020</i>
SC030M-025-P-PH-S4	M3x0.5 (3mm Standard)	25 <i>0.984</i>	304 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Philips	0.500 <i>0.020</i>
SC030M-030-P-PH-S4	M3x0.5 (3mm Standard)	30 <i>1.181</i>	304 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Philips	0.500 <i>0.020</i>
SC030M-035-P-PH-S4	M3x0.5 (3mm Standard)	35 <i>1.378</i>	304 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Philips	0.500 <i>0.020</i>
SC030M-040-P-PH-S4	M3x0.5 (3mm Standard)	40 <i>1.575</i>	304 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Philips	0.500 <i>0.020</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 10 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC030M-045-P-PH-S4	M3x0.5 (3mm Standard)	45 <i>1.772</i>	304 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Philips	0.500 <i>0.020</i>
SC030M-050-P-PH-S4	M3x0.5 (3mm Standard)	50 <i>1.969</i>	304 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Philips	0.500 <i>0.020</i>
SC035M-008-P-PH-S4	M3.5x0.6 (3.5mm Standard)	8 <i>0.315</i>	304 Stainless	7.0 <i>0.276</i>	2.7 <i>0.106</i>	Pan / Philips	0.600 <i>0.024</i>
# SC035C-003-P-PH-S4	6-32 UNC (3.5mm)	3.2 <i>0.126</i>	304 Stainless	6.9 <i>0.272</i>	2.1 <i>0.083</i>	Pan / Philips	0.794 <i>0.031</i>
SC035C-005-P-PH-S4	6-32 UNC (3.5mm)	4.8 <i>0.189</i>	304 Stainless	6.9 <i>0.272</i>	2.1 <i>0.083</i>	Pan / Philips	0.794 <i>0.031</i>
SC035C-006-P-PH-S4	6-32 UNC (3.5mm)	6.4 <i>0.252</i>	304 Stainless	6.9 <i>0.272</i>	2.1 <i>0.083</i>	Pan / Philips	0.794 <i>0.031</i>
SC035C-007-P-PH-S4	6-32 UNC (3.5mm)	7.9 <i>0.311</i>	304 Stainless	6.9 <i>0.272</i>	2.1 <i>0.083</i>	Pan / Philips	0.794 <i>0.031</i>
SC035C-010-P-PH-S4	6-32 UNC (3.5mm)	9.5 <i>0.374</i>	304 Stainless	6.9 <i>0.272</i>	2.1 <i>0.083</i>	Pan / Philips	0.794 <i>0.031</i>
SC035C-013-P-PH-S4	6-32 UNC (3.5mm)	12.7 <i>0.500</i>	304 Stainless	6.9 <i>0.272</i>	2.1 <i>0.083</i>	Pan / Philips	0.794 <i>0.031</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 11 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC035C-016-P-PH-S4	6-32 UNC (3.5mm)	15.9 <i>0.626</i>	304 Stainless	6.9 <i>0.272</i>	2.1 <i>0.083</i>	Pan / Philips	0.794 <i>0.031</i>
# SC035C-019-P-PH-S4	6-32 UNC (3.5mm)	19.1 <i>0.752</i>	304 Stainless	6.9 <i>0.272</i>	2.1 <i>0.083</i>	Pan / Philips	0.794 <i>0.031</i>
SC035C-025-P-PH-S4	6-32 UNC (3.5mm)	25.4 <i>1.000</i>	304 Stainless	6.9 <i>0.272</i>	2.1 <i>0.083</i>	Pan / Philips	0.794 <i>0.031</i>
# SC035C-032-P-PH-S4	6-32 UNC (3.5mm)	31.8 <i>1.252</i>	304 Stainless	6.9 <i>0.272</i>	2.1 <i>0.083</i>	Pan / Philips	
SC035C-038-P-PH-S4	6-32 UNC (3.5mm)	38.1 <i>1.500</i>	304 Stainless	6.9 <i>0.272</i>	2.1 <i>0.083</i>	Pan / Philips	0.794 <i>0.031</i>
# SC035C-045-P-PH-S4	6-32 UNC (3.5mm)	44.5 <i>1.752</i>	304 Stainless	6.9 <i>0.272</i>	2.1 <i>0.083</i>	Pan / Philips	0.794 <i>0.031</i>
# SC035C-051-P-PH-S4	6-32 UNC (3.5mm)	50.8 <i>2.000</i>	304 Stainless	6.9 <i>0.272</i>	2.1 <i>0.083</i>	Pan / Philips	0.794 <i>0.031</i>
# SC035C-064-P-PH-S4	6-32 UNC (3.5mm)	63.50 <i>2.500</i>	304 Stainless	6.9 <i>0.272</i>	2.1 <i>0.083</i>	Pan / Philips	
SC035C-076-P-PH-S4	6-32 UNC (3.5mm)	76.2 <i>3.000</i>	304 Stainless	6.9 <i>0.272</i>	2.1 <i>0.083</i>	Pan / Philips	0.794 <i>0.031</i>
SC040M-005-P-PH-S4	M4x0.7 (4mm Standard)	5 <i>0.197</i>	304 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Philips	0.700 <i>0.028</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 12 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC040M-006-P-PH-S4	M4x0.7 (4mm Standard)	6 <i>0.236</i>	304 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Philips	0.700 <i>0.028</i>
SC040M-008-P-PH-S4	M4x0.7 (4mm Standard)	8 <i>0.315</i>	304 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Philips	0.700 <i>0.028</i>
SC040M-010-P-PH-S4	M4x0.7 (4mm Standard)	10 <i>0.394</i>	304 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Philips	0.700 <i>0.028</i>
SC040M-012-P-PH-S4	M4x0.7 (4mm Standard)	12 <i>0.472</i>	304 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Philips	0.700 <i>0.028</i>
SC040M-016-P-PH-S4	M4x0.7 (4mm Standard)	16 <i>0.630</i>	304 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Philips	0.700 <i>0.028</i>
SC040M-020-P-PH-S4	M4x0.7 (4mm Standard)	20 <i>0.787</i>	304 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Philips	0.700 <i>0.028</i>
SC040M-025-P-PH-S4	M4x0.7 (4mm Standard)	25 <i>0.984</i>	304 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Philips	0.700 <i>0.028</i>
SC040M-030-P-PH-S4	M4x0.7 (4mm Standard)	30 <i>1.181</i>	304 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Philips	0.700 <i>0.028</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 13 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC040M-035-P-PH-S4	M4x0.7 (4mm Standard)	35 <i>1.378</i>	304 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Philips	0.700 <i>0.028</i>
SC040M-040-P-PH-S4	M4x0.7 (4mm Standard)	40 <i>1.575</i>	304 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Philips	0.700 <i>0.028</i>
SC040M-045-P-PH-S4	M4x0.7 (4mm Standard)	45 <i>1.772</i>	304 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Philips	0.700 <i>0.028</i>
# SC040M-050-P-PH-S4	M4x0.7 (4mm Standard)	50 <i>1.969</i>	304 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Philips	0.700 <i>0.028</i>
SC040M-060-P-PH-S4	M4x0.7 (4mm Standard)	60 <i>2.362</i>	304 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Philips	0.700 <i>0.028</i>
SC040M-080-P-PH-S4	M4x0.7 (4mm Standard)	80.00 <i>3.150</i>	304 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Philips	0.700 <i>0.028</i>
# SC042C-005-P-PH-S4	8-32 UNC (4.166mm)	4.8 <i>0.189</i>	304 Stainless	8.2 <i>0.323</i>	2.4 <i>0.094</i>	Pan / Philips	0.794 <i>0.031</i>
# SC042C-006-P-PH-S4	8-32 UNC (4.166mm)	6.4 <i>0.252</i>	304 Stainless	8.2 <i>0.323</i>	2.4 <i>0.094</i>	Pan / Philips	0.794 <i>0.031</i>
# SC042C-007-P-PH-S4	8-32 UNC (4.166mm)	7.9 <i>0.311</i>	304 Stainless	8.2 <i>0.323</i>	2.4 <i>0.094</i>	Pan / Philips	0.794 <i>0.031</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 14 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC042C-010-P-PH-S4	8-32 UNC (4.166mm)	9.5 <i>0.374</i>	304 Stainless	8.2 <i>0.323</i>	2.4 <i>0.094</i>	Pan / Philips	0.794 <i>0.031</i>
SC042C-013-P-PH-S4	8-32 UNC (4.166mm)	12.7 <i>0.500</i>	304 Stainless	8.2 <i>0.323</i>	2.4 <i>0.094</i>	Pan / Philips	0.794 <i>0.031</i>
# SC042C-016-P-PH-S4	8-32 UNC (4.166mm)	15.9 <i>0.626</i>	304 Stainless	8.2 <i>0.323</i>	2.4 <i>0.094</i>	Pan / Philips	0.794 <i>0.031</i>
SC042C-019-P-PH-S4	8-32 UNC (4.166mm)	19.1 <i>0.752</i>	304 Stainless	8.2 <i>0.323</i>	2.4 <i>0.094</i>	Pan / Philips	0.794 <i>0.031</i>
# SC042C-025-P-PH-S4	8-32 UNC (4.166mm)	25.4 <i>1.000</i>	304 Stainless	8.2 <i>0.323</i>	2.4 <i>0.094</i>	Pan / Philips	0.794 <i>0.031</i>
# SC042C-032-P-PH-S4	8-32 UNC (4.166mm)	31.8 <i>1.252</i>	304 Stainless	8.2 <i>0.323</i>	2.4 <i>0.094</i>	Pan / Philips	0.794 <i>0.031</i>
SC042C-038-P-PH-S4	8-32 UNC (4.166mm)	38.1 <i>1.500</i>	304 Stainless	8.2 <i>0.323</i>	2.4 <i>0.094</i>	Pan / Philips	0.794 <i>0.031</i>
SC042C-045-P-PH-S4	8-32 UNC (4.166mm)	44.5 <i>1.752</i>	304 Stainless	8.2 <i>0.323</i>	2.4 <i>0.094</i>	Pan / Philips	0.794 <i>0.031</i>
SC042C-051-P-PH-S4	8-32 UNC (4.166mm)	50.8 <i>2.000</i>	304 Stainless	8.2 <i>0.323</i>	2.4 <i>0.094</i>	Pan / Philips	0.794 <i>0.031</i>
# SC042C-064-P-PH-S4	8-32 UNC (4.166mm)	63.5 <i>2.500</i>	304 Stainless	8.2 <i>0.323</i>	2.4 <i>0.094</i>	Pan / Philips	0.794 <i>0.031</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 15 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC042C-076-P-PH-S4	8-32 UNC (4.166mm)	76.2 <i>3.000</i>	304 Stainless	8.2 <i>0.323</i>	2.4 <i>0.094</i>	Pan / Philips	0.794 <i>0.031</i>
# SC048W-006-P-PH-S4	3/16-24 BSW (4.762mm)	6.4 <i>0.252</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	1.058 <i>0.042</i>
# SC048W-007-P-PH-S4	3/16-24 BSW (4.762mm)	7.9 <i>0.311</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	1.058 <i>0.042</i>
# SC048W-010-P-PH-S4	3/16-24 BSW (4.762mm)	9.5 <i>0.374</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	1.058 <i>0.042</i>
# SC048W-013-P-PH-S4	3/16-24 BSW (4.762mm)	12.7 <i>0.500</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	1.058 <i>0.042</i>
# SC048W-016-P-PH-S4	3/16-24 BSW (4.762mm)	15.9 <i>0.626</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	1.058 <i>0.042</i>
# SC048W-019-P-PH-S4	3/16-24 BSW (4.762mm)	19.1 <i>0.752</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	1.058 <i>0.042</i>
# SC048W-025-P-PH-S4	3/16-24 BSW (4.762mm)	25.4 <i>1.000</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	1.058 <i>0.042</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 16 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC048W-032-P-PH-S4	3/16-24 BSW (4.762mm)	31.8 <i>1.252</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	1.058 <i>0.042</i>
# SC048W-038-P-PH-S4	3/16-24 BSW (4.762mm)	38.1 <i>1.500</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	1.058 <i>0.042</i>
# SC048W-045-P-PH-S4	3/16-24 BSW (4.762mm)	44.50 <i>1.752</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	
# SC048W-051-P-PH-S4	3/16-24 BSW (4.762mm)	50.8 <i>2.000</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	1.058 <i>0.042</i>
# SC048W-064-P-PH-S4	3/16-24 BSW (4.762mm)	63.5 <i>2.500</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	1.058 <i>0.042</i>
# SC048W-076-P-PH-S4	3/16-24 BSW (4.762mm)	76.2 <i>3.000</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	1.058 <i>0.042</i>
# SC048F-006-P-PH-S4	10-32 UNF (4.762mm)	6.40 <i>0.252</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	
# SC048F-010-P-PH-S4	10-32 UNF (4.762mm)	9.50 <i>0.374</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	
# SC048F-013-P-PH-S4	10-32 UNF (4.762mm)	12.70 <i>0.500</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 17 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC048F-016-P-PH-S4	10-32 UNF (4.762mm)	15.90 <i>0.626</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	
# SC048F-019-P-PH-S4	10-32 UNF (4.762mm)	19.10 <i>0.752</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	
# SC048F-025-P-PH-S4	10-32 UNF (4.762mm)	25.40 <i>1.000</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	
# SC048F-051-P-PH-S4	10-32 UNF (4.762mm)	50.80 <i>2.000</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	
# SC048F-076-P-PH-S4	10-32 UNF (4.762mm)	76.20 <i>3.000</i>	304 Stainless	9.5 <i>0.374</i>	2.8 <i>0.110</i>	Pan / Philips	
# SC050M-006-P-PH-S4	M5x0.8 (5mm Standard)	6.00 <i>0.236</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>
# SC050M-008-P-PH-S4	M5x0.8 (5mm Standard)	8 <i>0.315</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>
SC050M-010-P-PH-S4	M5x0.8 (5mm Standard)	10 <i>0.394</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>
# SC050M-012-P-PH-S4	M5x0.8 (5mm Standard)	12 <i>0.472</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 18 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC050M-016-P-PH-S4	M5x0.8 (5mm Standard)	16 <i>0.630</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>
SC050M-020-P-PH-S4	M5x0.8 (5mm Standard)	20 <i>0.787</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>
SC050M-025-P-PH-S4	M5x0.8 (5mm Standard)	25 <i>0.984</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>
# SC050M-030-P-PH-S4	M5x0.8 (5mm Standard)	30 <i>1.181</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>
# SC050M-035-P-PH-S4	M5x0.8 (5mm Standard)	35 <i>1.378</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>
SC050M-040-P-PH-S4	M5x0.8 (5mm Standard)	40 <i>1.575</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>
# SC050M-045-P-PH-S4	M5x0.8 (5mm Standard)	45 <i>1.772</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>
# SC050M-050-P-PH-S4	M5x0.8 (5mm Standard)	50 <i>1.969</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 19 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC050M-055-P-PH-S4	M5x0.8 (5mm Standard)	55.00 <i>2.165</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>
# SC050M-060-P-PH-S4	M5x0.8 (5mm Standard)	60.00 <i>2.362</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>
# SC050M-065-P-PH-S4	M5x0.8 (5mm Standard)	65 <i>2.559</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>
# SC050M-070-P-PH-S4	M5x0.8 (5mm Standard)	70.00 <i>2.756</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>
# SC050M-075-P-PH-S4	M5x0.8 (5mm Standard)	75 <i>2.953</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>
# SC050M-080-P-PH-S4	M5x0.8 (5mm Standard)	80.00 <i>3.150</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>
# SC050M-090-P-PH-S4	M5x0.8 (5mm Standard)	90.00 <i>3.543</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>
# SC050M-100-P-PH-S4	M5x0.8 (5mm Standard)	100.00 <i>3.937</i>	304 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Philips	0.800 <i>0.031</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 20 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC055C-010-P-PH-S4	12-24 UNC (5.486mm)	9.50 <i>0.374</i>	304 Stainless	10.8 <i>0.425</i>	3.2 <i>0.126</i>	Pan / Philips	
# SC055C-013-P-PH-S4	12-24 UNC (5.486mm)	12.70 <i>0.500</i>	304 Stainless	10.8 <i>0.425</i>	3.2 <i>0.126</i>	Pan / Philips	
SC055C-016-P-PH-S4	12-24 UNC (5.486mm)	15.90 <i>0.626</i>	304 Stainless	10.8 <i>0.425</i>	3.2 <i>0.126</i>	Pan / Philips	1.058 <i>0.042</i>
# SC055C-019-P-PH-S4	12-24 UNC (5.486mm)	19.10 <i>0.752</i>	304 Stainless	10.8 <i>0.425</i>	3.2 <i>0.126</i>	Pan / Philips	
SC055C-025-P-PH-S4	12-24 UNC (5.486mm)	25.40 <i>1.000</i>	304 Stainless	10.8 <i>0.425</i>	3.2 <i>0.126</i>	Pan / Philips	
# SC055C-051-P-PH-S4	12-24 UNC (5.486mm)	50.80 <i>2.000</i>	304 Stainless	10.8 <i>0.425</i>	3.2 <i>0.126</i>	Pan / Philips	
# SC060M-008-P-PH-S4	M6x1 (6mm Standard)	8 <i>0.315</i>	304 Stainless	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>
SC060M-010-P-PH-S4	M6x1 (6mm Standard)	10 <i>0.394</i>	304 Stainless	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>
# SC060M-012-P-PH-S4	M6x1 (6mm Standard)	12 <i>0.472</i>	304 Stainless	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>
SC060M-016-P-PH-S4	M6x1 (6mm Standard)	16 <i>0.630</i>	304 Stainless	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 21 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC060M-020-P-PH-S4	M6x1 (6mm Standard)	20 <i>0.787</i>	304 Stainless	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>
# SC060M-025-P-PH-S4	M6x1 (6mm Standard)	25 <i>0.984</i>	304 Stainless	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>
# SC060M-030-P-PH-S4	M6x1 (6mm Standard)	30 <i>1.181</i>	304 Stainless	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>
# SC060M-035-P-PH-S4	M6x1 (6mm Standard)	35 <i>1.378</i>	304 Stainless	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>
# SC060M-040-P-PH-S4	M6x1 (6mm Standard)	40 <i>1.575</i>	304 Stainless	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>
# SC060M-045-P-PH-S4	M6x1 (6mm Standard)	45 <i>1.772</i>	304 Stainless	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>
# SC060M-050-P-PH-S4	M6x1 (6mm Standard)	50 <i>1.969</i>	304 Stainless	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>
# SC060M-055-P-PH-S4	M6x1 (6mm Standard)	55.00 <i>2.165</i>	304 Stainless	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>
# SC060M-060-P-PH-S4	M6x1 (6mm Standard)	60 <i>2.362</i>	304 Stainless	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>
# SC060M-065-P-PH-S4	M6x1 (6mm Standard)	65 <i>2.559</i>	304 Stainless	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 22 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC060M-070-P-PH-S4	M6x1 (6mm Standard)	70.00 <i>2.756</i>		12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>
# SC060M-075-P-PH-S4	M6x1 (6mm Standard)	75 <i>2.953</i>	304 Stainless	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>
SC060M-080-P-PH-S4	M6x1 (6mm Standard)	80.00 <i>3.150</i>		12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>
# SC060M-090-P-PH-S4	M6x1 (6mm Standard)	90.00 <i>3.543</i>		12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>
# SC060M-100-P-PH-S4	M6x1 (6mm Standard)	100.00 <i>3.937</i>		12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Philips	1.000 <i>0.039</i>
# SC064W-006-P-PH-S4	1/4-20 BSW (6.35mm)	6.40 <i>0.252</i>	304 Stainless	12.5 <i>0.492</i>	3.7 <i>0.146</i>	Pan / Philips	
SC064W-007-P-PH-S4	1/4-20 BSW (6.35mm)	7.9 <i>0.311</i>	304 Stainless	12.5 <i>0.492</i>	3.7 <i>0.146</i>	Pan / Philips	1.270 <i>0.050</i>
# SC064W-010-P-PH-S4	1/4-20 BSW (6.35mm)	9.5 <i>0.374</i>	304 Stainless	12.5 <i>0.492</i>	3.7 <i>0.146</i>	Pan / Philips	1.270 <i>0.050</i>
# SC064W-013-P-PH-S4	1/4-20 BSW (6.35mm)	12.7 <i>0.500</i>	304 Stainless	12.5 <i>0.492</i>	3.7 <i>0.146</i>	Pan / Philips	1.270 <i>0.050</i>
# SC064W-016-P-PH-S4	1/4-20 BSW (6.35mm)	15.9 <i>0.626</i>	304 Stainless	12.5 <i>0.492</i>	3.7 <i>0.146</i>	Pan / Philips	1.270 <i>0.050</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 23 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC064W-019-P-PH-S4	1/4-20 BSW (6.35mm)	19.1 <i>0.752</i>	304 Stainless	12.5 <i>0.492</i>	3.7 <i>0.146</i>	Pan / Philips	1.270 <i>0.050</i>
# SC064W-025-P-PH-S4	1/4-20 BSW (6.35mm)	25.4 <i>1.000</i>	304 Stainless	12.5 <i>0.492</i>	3.7 <i>0.146</i>	Pan / Philips	1.270 <i>0.050</i>
# SC064W-032-P-PH-S4	1/4-20 BSW (6.35mm)	31.8 <i>1.252</i>	304 Stainless	12.5 <i>0.492</i>	3.7 <i>0.146</i>	Pan / Philips	1.270 <i>0.050</i>
# SC064W-038-P-PH-S4	1/4-20 BSW (6.35mm)	38.1 <i>1.500</i>	304 Stainless	12.5 <i>0.492</i>	3.7 <i>0.146</i>	Pan / Philips	1.270 <i>0.050</i>
# SC064W-045-P-PH-S4	1/4-20 BSW (6.35mm)	44.50 <i>1.752</i>	304 Stainless	12.5 <i>0.492</i>	3.7 <i>0.146</i>	Pan / Philips	
# SC064W-051-P-PH-S4	1/4-20 BSW (6.35mm)	50.8 <i>2.000</i>	304 Stainless	12.5 <i>0.492</i>	3.7 <i>0.146</i>	Pan / Philips	1.270 <i>0.050</i>
# SC064W-064-P-PH-S4	1/4-20 BSW (6.35mm)	63.5 <i>2.500</i>	304 Stainless	12.5 <i>0.492</i>	3.7 <i>0.146</i>	Pan / Philips	1.270 <i>0.050</i>
# SC064W-076-P-PH-S4	1/4-20 BSW (6.35mm)	76.2 <i>3.000</i>	304 Stainless	12.5 <i>0.492</i>	3.7 <i>0.146</i>	Pan / Philips	1.270 <i>0.050</i>
# SC064W-089-P-PH-S4	1/4-20 BSW (6.35mm)	88.90 <i>3.500</i>	304 Stainless	12.5 <i>0.492</i>	3.7 <i>0.146</i>	Pan / Philips	
# SC064W-102-P-PH-S4	1/4-20 BSW (6.35mm)	101.60 <i>4.000</i>	304 Stainless	12.5 <i>0.492</i>	3.7 <i>0.146</i>	Pan / Philips	

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 24 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC079W-019-P-PH-S4	5/16-18 BSW (7.938mm)	19.10 <i>0.752</i>	304 Stainless	15.6 <i>0.614</i>	4.5 <i>0.177</i>	Pan / Philips	
# SC079W-025-P-PH-S4	5/16-18 BSW (7.938mm)	25.40 <i>1.000</i>	304 Stainless	15.6 <i>0.614</i>	4.5 <i>0.177</i>	Pan / Philips	
# SC079W-032-P-PH-S4	5/16-18 BSW (7.938mm)	31.80 <i>1.252</i>	304 Stainless	15.6 <i>0.614</i>	4.5 <i>0.177</i>	Pan / Philips	
# SC079W-038-P-PH-S4	5/16-18 BSW (7.938mm)	38.10 <i>1.500</i>	304 Stainless	15.6 <i>0.614</i>	4.5 <i>0.177</i>	Pan / Philips	
# SC079W-045-P-PH-S4	5/16-18 BSW (7.938mm)	44.50 <i>1.752</i>	304 Stainless	15.6 <i>0.614</i>	4.5 <i>0.177</i>	Pan / Philips	1.411 <i>0.056</i>
# SC079W-051-P-PH-S4	5/16-18 BSW (7.938mm)	50.80 <i>2.000</i>	304 Stainless	15.6 <i>0.614</i>	4.5 <i>0.177</i>	Pan / Philips	1.411 <i>0.056</i>
# SC079W-064-P-PH-S4	5/16-18 BSW (7.938mm)	63.50 <i>2.500</i>	304 Stainless	15.6 <i>0.614</i>	4.5 <i>0.177</i>	Pan / Philips	
# SC079W-076-P-PH-S4	5/16-18 BSW (7.938mm)	76.20 <i>3.000</i>	304 Stainless	15.6 <i>0.614</i>	4.5 <i>0.177</i>	Pan / Philips	

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 25 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC080M-016-P-PH-S4	M8x1.25 (8mm Standard)	16.00 <i>0.630</i>		16.0 <i>0.630</i>	6.0 <i>0.236</i>	Pan / Philips	1.250 <i>0.049</i>
# SC080M-020-P-PH-S4	M8x1.25 (8mm Standard)	20.00 <i>0.787</i>		16.0 <i>0.630</i>	6.0 <i>0.236</i>	Pan / Philips	1.250 <i>0.049</i>
# SC080M-025-P-PH-S4	M8x1.25 (8mm Standard)	25.00 <i>0.984</i>		16.0 <i>0.630</i>	6.0 <i>0.236</i>	Pan / Philips	1.250 <i>0.049</i>
SC080M-030-P-PH-S4	M8x1.25 (8mm Standard)	30.00 <i>1.181</i>		16.0 <i>0.630</i>	6.0 <i>0.236</i>	Pan / Philips	1.250 <i>0.049</i>
# SC080M-035-P-PH-S4	M8x1.25 (8mm Standard)	35.00 <i>1.378</i>		16.0 <i>0.630</i>	6.0 <i>0.236</i>	Pan / Philips	1.250 <i>0.049</i>
# SC080M-040-P-PH-S4	M8x1.25 (8mm Standard)	40.00 <i>1.575</i>		16.0 <i>0.630</i>	6.0 <i>0.236</i>	Pan / Philips	1.250 <i>0.049</i>
# SC080M-050-P-PH-S4	M8x1.25 (8mm Standard)	50 <i>1.969</i>		16.0 <i>0.630</i>	6.0 <i>0.236</i>	Pan / Philips	1.250 <i>0.049</i>
# SC080M-060-P-PH-S4	M8x1.25 (8mm Standard)	60.00 <i>2.362</i>		16.0 <i>0.630</i>	6.0 <i>0.236</i>	Pan / Philips	1.250 <i>0.049</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 26 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Pan Head - 303/304 Stainless - Philips

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC080M-070-P-PH-S4	M8x1.25 (8mm Standard)	70.00 <i>2.756</i>		16.0 <i>0.630</i>	6.0 <i>0.236</i>	Pan / Philips	1.250 <i>0.049</i>
# SC080M-080-P-PH-S4	M8x1.25 (8mm Standard)	80.00 <i>3.150</i>		16.0 <i>0.630</i>	6.0 <i>0.236</i>	Pan / Philips	1.250 <i>0.049</i>
# SC080M-090-P-PH-S4	M8x1.25 (8mm Standard)	90.00 <i>3.543</i>		16.0 <i>0.630</i>	6.0 <i>0.236</i>	Pan / Philips	1.250 <i>0.049</i>
# SC080M-100-P-PH-S4	M8x1.25 (8mm Standard)	100.00 <i>3.937</i>		16.0 <i>0.630</i>	6.0 <i>0.236</i>	Pan / Philips	1.250 <i>0.049</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 27 of 27

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

