



Screws - Pan Head - 303/304 Stainless - Slotted

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 7

INFORMATION

Metric Only


Nuts sold seperately - See Nuts.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/categories/nuts/all/pics/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - 303/304 Stainless - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC020M-006-P-SL-S3	M2x0.4 (2mm Standard)	6 <i>0.236</i>	303 Stainless	4.0 <i>0.157</i>	1.6 <i>0.063</i>	Pan / Slotted	0.400 <i>0.016</i>
SC020M-010-P-SL-S3	M2x0.4 (2mm Standard)	10 <i>0.394</i>	303 Stainless	4.0 <i>0.157</i>	1.6 <i>0.063</i>	Pan / Slotted	0.400 <i>0.016</i>
SC025M-006-P-SL-S3	M2.5x0.45 (2.5mm Standard)	6 <i>0.236</i>	303 Stainless	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
SC025M-008-P-SL-S3	M2.5x0.45 (2.5mm Standard)	8 <i>0.315</i>	303 Stainless	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
SC025M-010-P-SL-S3	M2.5x0.45 (2.5mm Standard)	10 <i>0.394</i>	303 Stainless	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
# SC025M-012-P-SL-S3	M2.5x0.45 (2.5mm Standard)	12 <i>0.472</i>	303 Stainless	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
# SC025M-016-P-SL-S3	M2.5x0.45 (2.5mm Standard)	16 <i>0.630</i>	303 Stainless	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
# SC025M-020-P-SL-S3	M2.5x0.45 (2.5mm Standard)	20 <i>0.787</i>	303 Stainless	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 7

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - 303/304 Stainless - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC025M-025-P-SL-S3	M2.5x0.45 (2.5mm Standard)	25 <i>0.984</i>	303 Stainless	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
SC030M-006-P-SL-S3	M3x0.5 (3mm Standard)	6 <i>0.236</i>	303 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
SC030M-008-P-SL-S3	M3x0.5 (3mm Standard)	8 <i>0.315</i>	303 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
SC030M-016-P-SL-S3	M3x0.5 (3mm Standard)	16 <i>0.630</i>	303 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
# SC030M-020-P-SL-S3	M3x0.5 (3mm Standard)	20 <i>0.787</i>	303 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
# SC030M-030-P-SL-S3	M3x0.5 (3mm Standard)	30 <i>1.181</i>	303 Stainless	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
# SC040M-006-P-SL-S3	M4x0.7 (4mm Standard)	6 <i>0.236</i>	303 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
SC040M-010-P-SL-S3	M4x0.7 (4mm Standard)	10 <i>0.394</i>	303 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 7

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - 303/304 Stainless - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC040M-012-P-SL-S3	M4x0.7 (4mm Standard)	12 <i>0.472</i>	303 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
SC040M-016-P-SL-S3	M4x0.7 (4mm Standard)	16 <i>0.630</i>	303 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
SC040M-020-P-SL-S3	M4x0.7 (4mm Standard)	20 <i>0.787</i>	303 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
SC040M-025-P-SL-S3	M4x0.7 (4mm Standard)	25 <i>0.984</i>	303 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-030-P-SL-S3	M4x0.7 (4mm Standard)	30 <i>1.181</i>	303 Stainless	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC050M-008-P-SL-S3	M5x0.8 (5mm Standard)	8 <i>0.315</i>	303 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-010-P-SL-S3	M5x0.8 (5mm Standard)	10 <i>0.394</i>	303 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-012-P-SL-S3	M5x0.8 (5mm Standard)	12 <i>0.472</i>	303 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 7

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - 303/304 Stainless - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC050M-016-P-SL-S3	M5x0.8 (5mm Standard)	16 <i>0.630</i>	303 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-020-P-SL-S3	M5x0.8 (5mm Standard)	20 <i>0.787</i>	303 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-025-P-SL-S3	M5x0.8 (5mm Standard)	25 <i>0.984</i>	303 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-030-P-SL-S3	M5x0.8 (5mm Standard)	30 <i>1.181</i>	303 Stainless	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC060M-012-P-SL-S3	M6x1 (6mm Standard)	12 <i>0.472</i>	303 Stainless	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>
# SC060M-030-P-SL-S3	M6x1 (6mm Standard)	30 <i>1.181</i>	303 Stainless	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 7

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

