



Screws - Pan Head - Brass - Slotted

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

INFORMATION

Brass metal thread machine screws METRIC


Nuts sold seperately - See Nuts.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au//categories/nuts/all/pics/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - Brass - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC025M-006-P-SL-BR	M2.5x0.45 (2.5mm Standard)	6 <i>0.236</i>	Brass	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
# SC025M-008-P-SL-BR	M2.5x0.45 (2.5mm Standard)	8 <i>0.315</i>	Brass	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
# SC025M-010-P-SL-BR	M2.5x0.45 (2.5mm Standard)	10 <i>0.394</i>	Brass	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
# SC025M-012-P-SL-BR	M2.5x0.45 (2.5mm Standard)	12 <i>0.472</i>	Brass	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
SC025M-016-P-SL-BR	M2.5x0.45 (2.5mm Standard)	16 <i>0.630</i>	Brass	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
# SC025M-020-P-SL-BR	M2.5x0.45 (2.5mm Standard)	20 <i>0.787</i>	Brass	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
# SC025M-025-P-SL-BR	M2.5x0.45 (2.5mm Standard)	25 <i>0.984</i>	Brass	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
# SC030M-005-P-SL-BR	M3x0.5 (3mm Standard)	5 <i>0.197</i>	Brass	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - Brass - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC030M-006-P-SL-BR	M3x0.5 (3mm Standard)	6 <i>0.236</i>	Brass	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
# SC030M-008-P-SL-BR	M3x0.5 (3mm Standard)	8 <i>0.315</i>	Brass	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
# SC030M-010-P-SL-BR	M3x0.5 (3mm Standard)	10 <i>0.394</i>	Brass	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
SC030M-012-P-SL-BR	M3x0.5 (3mm Standard)	12 <i>0.472</i>	Brass	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
SC030M-016-P-SL-BR	M3x0.5 (3mm Standard)	16 <i>0.630</i>	Brass	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
# SC030M-020-P-SL-BR	M3x0.5 (3mm Standard)	20 <i>0.787</i>	Brass	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
# SC030M-025-P-SL-BR	M3x0.5 (3mm Standard)	25 <i>0.984</i>	Brass	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
# SC030M-030-P-SL-BR	M3x0.5 (3mm Standard)	30 <i>1.181</i>	Brass	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - Brass - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC030M-040-P-SL-BR	M3x0.5 (3mm Standard)	40 <i>1.575</i>	Brass	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
# SC030M-050-P-SL-BR	M3x0.5 (3mm Standard)	50 <i>1.969</i>	Brass	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
# SC040M-006-P-SL-BR	M4x0.7 (4mm Standard)	6 <i>0.236</i>	Brass	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-008-P-SL-BR	M4x0.7 (4mm Standard)	8 <i>0.315</i>	Brass	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-010-P-SL-BR	M4x0.7 (4mm Standard)	10 <i>0.394</i>	Brass	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-012-P-SL-BR	M4x0.7 (4mm Standard)	12 <i>0.472</i>	Brass	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-016-P-SL-BR	M4x0.7 (4mm Standard)	16 <i>0.630</i>	Brass	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-020-P-SL-BR	M4x0.7 (4mm Standard)	20 <i>0.787</i>	Brass	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - Brass - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC040M-025-P-SL-BR	M4x0.7 (4mm Standard)	25 <i>0.984</i>	Brass	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-030-P-SL-BR	M4x0.7 (4mm Standard)	30 <i>1.181</i>	Brass	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-040-P-SL-BR	M4x0.7 (4mm Standard)	40 <i>1.575</i>	Brass	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-050-P-SL-BR	M4x0.7 (4mm Standard)	50 <i>1.969</i>	Brass	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-065-P-SL-BR	M4x0.7 (4mm Standard)	65 <i>2.559</i>	Brass	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC050M-006-P-SL-BR	M5x0.8 (5mm Standard)	6 <i>0.236</i>	Brass	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-008-P-SL-BR	M5x0.8 (5mm Standard)	8 <i>0.315</i>	Brass	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-010-P-SL-BR	M5x0.8 (5mm Standard)	10 <i>0.394</i>	Brass	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - Brass - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC050M-012-P-SL-BR	M5x0.8 (5mm Standard)	12 <i>0.472</i>	Brass	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-016-P-SL-BR	M5x0.8 (5mm Standard)	16 <i>0.630</i>	Brass	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-020-P-SL-BR	M5x0.8 (5mm Standard)	20 <i>0.787</i>	Brass	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-025-P-SL-BR	M5x0.8 (5mm Standard)	25 <i>0.984</i>	Brass	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-030-P-SL-BR	M5x0.8 (5mm Standard)	30 <i>1.181</i>	Brass	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-040-P-SL-BR	M5x0.8 (5mm Standard)	40 <i>1.575</i>	Brass	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-050-P-SL-BR	M5x0.8 (5mm Standard)	50 <i>1.969</i>	Brass	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC060M-010-P-SL-BR	M6x1 (6mm Standard)	10 <i>0.394</i>	Brass	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 8 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - Brass - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC060M-012-P-SL-BR	M6x1 (6mm Standard)	12 <i>0.472</i>	Brass	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>
# SC060M-016-P-SL-BR	M6x1 (6mm Standard)	16 <i>0.630</i>	Brass	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>
# SC060M-020-P-SL-BR	M6x1 (6mm Standard)	20 <i>0.787</i>	Brass	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>
# SC060M-025-P-SL-BR	M6x1 (6mm Standard)	25 <i>0.984</i>	Brass	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>
# SC060M-030-P-SL-BR	M6x1 (6mm Standard)	30 <i>1.181</i>	Brass	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>
# SC060M-040-P-SL-BR	M6x1 (6mm Standard)	40 <i>1.575</i>	Brass	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>
# SC060M-050-P-SL-BR	M6x1 (6mm Standard)	50 <i>1.969</i>	Brass	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>
# SC080M-020-P-SL-BR	M8x1.25 (8mm Standard)	20 <i>0.787</i>	Brass	16.0 <i>0.630</i>	6.0 <i>0.236</i>	Pan / Slotted	1.250 <i>0.049</i>
# SC080M-025-P-SL-BR	M8x1.25 (8mm Standard)	25 <i>0.984</i>	Brass	16.0 <i>0.630</i>	6.0 <i>0.236</i>	Pan / Slotted	1.250 <i>0.049</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - Brass - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC080M-030-P-SL-BR	M8x1.25 (8mm Standard)	30 <i>1.181</i>	Brass	16.0 <i>0.630</i>	6.0 <i>0.236</i>	Pan / Slotted	1.250 <i>0.049</i>
# SC080M-040-P-SL-BR	M8x1.25 (8mm Standard)	40 <i>1.575</i>	Brass	16.0 <i>0.630</i>	6.0 <i>0.236</i>	Pan / Slotted	1.250 <i>0.049</i>
# SC080M-050-P-SL-BR	M8x1.25 (8mm Standard)	50 <i>1.969</i>	Brass	16.0 <i>0.630</i>	6.0 <i>0.236</i>	Pan / Slotted	1.250 <i>0.049</i>
# SC100M-020-P-SL-BR	M10x1.5 (10mm Standard)	20 <i>0.787</i>	Brass	20.0 <i>0.787</i>	7.5 <i>0.295</i>	Pan / Slotted	1.500 <i>0.059</i>
# SC100M-025-P-SL-BR	M10x1.5 (10mm Standard)	25 <i>0.984</i>	Brass	20.0 <i>0.787</i>	7.5 <i>0.295</i>	Pan / Slotted	1.500 <i>0.059</i>
# SC100M-030-P-SL-BR	M10x1.5 (10mm Standard)	30 <i>1.181</i>	Brass	20.0 <i>0.787</i>	7.5 <i>0.295</i>	Pan / Slotted	1.500 <i>0.059</i>
# SC100M-040-P-SL-BR	M10x1.5 (10mm Standard)	40 <i>1.575</i>	Brass	20.0 <i>0.787</i>	7.5 <i>0.295</i>	Pan / Slotted	1.500 <i>0.059</i>
# SC100M-050-P-SL-BR	M10x1.5 (10mm Standard)	50 <i>1.969</i>	Brass	20.0 <i>0.787</i>	7.5 <i>0.295</i>	Pan / Slotted	1.500 <i>0.059</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 10 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

