



Screws - Pan Head - Steel - Slotted

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

INFORMATION

Metal Thread Screws. Metric only.


Nuts sold seperately - See Nuts.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au//categories/nuts/all/pics/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - Steel - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC025M-005-P-SL-CZ	M2.5x0.45 (2.5mm Standard)	5 <i>0.197</i>	Zinc Plated Steel	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
# SC025M-006-P-SL-CZ	M2.5x0.45 (2.5mm Standard)	6 <i>0.236</i>	Zinc Plated Steel	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
SC025M-008-P-SL-CZ	M2.5x0.45 (2.5mm Standard)	8 <i>0.315</i>	Zinc Plated Steel	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
# SC025M-010-P-SL-CZ	M2.5x0.45 (2.5mm Standard)	10 <i>0.394</i>	Zinc Plated Steel	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
# SC025M-012-P-SL-CZ	M2.5x0.45 (2.5mm Standard)	12 <i>0.472</i>	Zinc Plated Steel	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
# SC025M-016-P-SL-CZ	M2.5x0.45 (2.5mm Standard)	16 <i>0.630</i>	Zinc Plated Steel	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
# SC025M-020-P-SL-CZ	M2.5x0.45 (2.5mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>
SC025M-025-P-SL-CZ	M2.5x0.45 (2.5mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Pan / Slotted	0.450 <i>0.018</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - Steel - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC028B-025-P-SL-CZ	6BA (2.794mm)	25.4 <i>1.000</i>	Nickel Plated Brass	-	-	Pan / Slotted	0.530 <i>0.021</i>
SC030M-005-P-SL-CZ	M3x0.5 (3mm Standard)	5 <i>0.197</i>	Zinc Plated Steel	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
SC030M-006-P-SL-CZ	M3x0.5 (3mm Standard)	6 <i>0.236</i>	Zinc Plated Steel	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
# SC030M-008-P-SL-CZ	M3x0.5 (3mm Standard)	8 <i>0.315</i>	Zinc Plated Steel	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
SC030M-010-P-SL-CZ	M3x0.5 (3mm Standard)	10 <i>0.394</i>	Zinc Plated Steel	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
SC030M-012-P-SL-CZ	M3x0.5 (3mm Standard)	12 <i>0.472</i>	Zinc Plated Steel	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
SC030M-016-P-SL-CZ	M3x0.5 (3mm Standard)	16 <i>0.630</i>	Zinc Plated Steel	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
# SC030M-020-P-SL-CZ	M3x0.5 (3mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - Steel - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC030M-025-P-SL-CZ	M3x0.5 (3mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
SC030M-030-P-SL-CZ	M3x0.5 (3mm Standard)	30 <i>1.181</i>	Zinc Plated Steel	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
# SC030M-035-P-SL-CZ	M3x0.5 (3mm Standard)	35 <i>1.378</i>	Zinc Plated Steel	6.0 <i>0.236</i>	2.4 <i>0.094</i>	Pan / Slotted	0.500 <i>0.020</i>
# SC035M-006-P-SL-CZ	M3.5x0.6 (3.5mm Standard)	6 <i>0.236</i>	Zinc Plated Steel	7.0 <i>0.276</i>	2.7 <i>0.106</i>	Pan / Slotted	0.600 <i>0.024</i>
# SC035M-008-P-SL-CZ	M3.5x0.6 (3.5mm Standard)	8 <i>0.315</i>	Zinc Plated Steel	7.0 <i>0.276</i>	2.7 <i>0.106</i>	Pan / Slotted	0.600 <i>0.024</i>
SC035M-010-P-SL-CZ	M3.5x0.6 (3.5mm Standard)	10 <i>0.394</i>	Zinc Plated Steel	7.0 <i>0.276</i>	2.7 <i>0.106</i>	Pan / Slotted	0.600 <i>0.024</i>
# SC035M-012-P-SL-CZ	M3.5x0.6 (3.5mm Standard)	12 <i>0.472</i>	Zinc Plated Steel	7.0 <i>0.276</i>	2.7 <i>0.106</i>	Pan / Slotted	0.600 <i>0.024</i>
# SC035M-016-P-SL-CZ	M3.5x0.6 (3.5mm Standard)	16 <i>0.630</i>	Zinc Plated Steel	7.0 <i>0.276</i>	2.7 <i>0.106</i>	Pan / Slotted	0.600 <i>0.024</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - Steel - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC035M-020-P-SL-CZ	M3.5x0.6 (3.5mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	7.0 <i>0.276</i>	2.7 <i>0.106</i>	Pan / Slotted	0.600 <i>0.024</i>
SC035M-025-P-SL-CZ	M3.5x0.6 (3.5mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	7.0 <i>0.276</i>	2.7 <i>0.106</i>	Pan / Slotted	0.600 <i>0.024</i>
# SC040M-006-P-SL-CZ	M4x0.7 (4mm Standard)	6 <i>0.236</i>	Zinc Plated Steel	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-008-P-SL-CZ	M4x0.7 (4mm Standard)	8 <i>0.315</i>	Zinc Plated Steel	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-010-P-SL-CZ	M4x0.7 (4mm Standard)	10 <i>0.394</i>	Zinc Plated Steel	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-012-P-SL-CZ	M4x0.7 (4mm Standard)	12 <i>0.472</i>	Zinc Plated Steel	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-016-P-SL-CZ	M4x0.7 (4mm Standard)	16 <i>0.630</i>	Zinc Plated Steel	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-020-P-SL-CZ	M4x0.7 (4mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - Steel - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC040M-025-P-SL-CZ	M4x0.7 (4mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
SC040M-030-P-SL-CZ	M4x0.7 (4mm Standard)	30 <i>1.181</i>	Zinc Plated Steel	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-035-P-SL-CZ	M4x0.7 (4mm Standard)	35 <i>1.378</i>	Zinc Plated Steel	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-040-P-SL-CZ	M4x0.7 (4mm Standard)	40 <i>1.575</i>	Zinc Plated Steel	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
# SC040M-050-P-SL-CZ	M4x0.7 (4mm Standard)	50 <i>1.969</i>	Zinc Plated Steel	8.0 <i>0.315</i>	3.1 <i>0.122</i>	Pan / Slotted	0.700 <i>0.028</i>
SC050M-008-P-SL-CZ	M5x0.8 (5mm Standard)	8 <i>0.315</i>	Zinc Plated Steel	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-010-P-SL-CZ	M5x0.8 (5mm Standard)	10 <i>0.394</i>	Zinc Plated Steel	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-012-P-SL-CZ	M5x0.8 (5mm Standard)	12 <i>0.472</i>	Zinc Plated Steel	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 8 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - Steel - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC050M-016-P-SL-CZ	M5x0.8 (5mm Standard)	16 <i>0.630</i>	Zinc Plated Steel	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-020-P-SL-CZ	M5x0.8 (5mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-025-P-SL-CZ	M5x0.8 (5mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-030-P-SL-CZ	M5x0.8 (5mm Standard)	30 <i>1.181</i>	Zinc Plated Steel	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-040-P-SL-CZ	M5x0.8 (5mm Standard)	40 <i>1.575</i>	Zinc Plated Steel	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-050-P-SL-CZ	M5x0.8 (5mm Standard)	50 <i>1.969</i>	Zinc Plated Steel	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-065-P-SL-CZ	M5x0.8 (5mm Standard)	65 <i>2.559</i>	Zinc Plated Steel	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>
# SC050M-075-P-SL-CZ	M5x0.8 (5mm Standard)	75 <i>2.953</i>	Zinc Plated Steel	10.0 <i>0.394</i>	3.8 <i>0.150</i>	Pan / Slotted	0.800 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - Steel - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC060M-010-P-SL-CZ	M6x1 (6mm Standard)	10 <i>0.394</i>	Zinc Plated Steel	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>
# SC060M-012-P-SL-CZ	M6x1 (6mm Standard)	12 <i>0.472</i>	Zinc Plated Steel	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>
# SC060M-016-P-SL-CZ	M6x1 (6mm Standard)	16 <i>0.630</i>	Zinc Plated Steel	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>
# SC060M-020-P-SL-CZ	M6x1 (6mm Standard)	20 <i>0.787</i>	Zinc Plated Steel	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>
# SC060M-025-P-SL-CZ	M6x1 (6mm Standard)	25 <i>0.984</i>	Zinc Plated Steel	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>
# SC060M-030-P-SL-CZ	M6x1 (6mm Standard)	30 <i>1.181</i>	Zinc Plated Steel	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>
# SC060M-035-P-SL-CZ	M6x1 (6mm Standard)	35 <i>1.378</i>	Zinc Plated Steel	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>
# SC060M-040-P-SL-CZ	M6x1 (6mm Standard)	40 <i>1.575</i>	Zinc Plated Steel	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>
# SC060M-050-P-SL-CZ	M6x1 (6mm Standard)	50 <i>1.969</i>	Zinc Plated Steel	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>
# SC060M-065-P-SL-CZ	M6x1 (6mm Standard)	65 <i>2.559</i>	Zinc Plated Steel	12.0 <i>0.472</i>	4.6 <i>0.181</i>	Pan / Slotted	1.000 <i>0.039</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 10 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Pan Head - Steel - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC060M-075-P-SL-CZ	M6x1 (6mm Standard)	75	Zinc Plated Steel	12.0	4.6	Pan / Slotted	1.000
		<i>2.953</i>		<i>0.472</i>	<i>0.181</i>		<i>0.039</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

