



Screws - Round Head - Brass - Slotted

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 10

INFORMATION

Brass metal thread machine screws BSW - UNF - UNC


Nuts sold seperately - See Nuts.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au//categories/nuts/all/pics/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Brass - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC012F-006-R-SL-BR	00-90 UNF (1.19mm)	6.4 <i>0.252</i>	Brass	2.26 <i>0.089</i>	0.79 <i>0.031</i>	Round / Slotted	0.282 <i>0.011</i>
SC012F-010-R-SL-BR	00-90 UNF (1.19mm)	9.5 <i>0.374</i>	Brass	2.26 <i>0.089</i>	0.79 <i>0.031</i>	Round / Slotted	0.282 <i>0.011</i>
SC015F-006-R-SL-BR	0-80 UNF (1.524mm)	6.3 <i>0.248</i>	Brass	2.87 <i>0.113</i>	1.35 <i>0.053</i>	Round / Slotted	0.318 <i>0.013</i>
# SC015F-010-R-SL-BR	0-80 UNF (1.524mm)	9.5 <i>0.374</i>	Brass	2.87 <i>0.113</i>	1.35 <i>0.053</i>	Round / Slotted	0.318 <i>0.013</i>
# SC015F-013-R-SL-BR	0-80 UNF (1.524mm)	12.7 <i>0.500</i>	Brass	2.87 <i>0.113</i>	1.35 <i>0.053</i>	Round / Slotted	0.318 <i>0.013</i>
# SC015F-019-R-SL-BR	0-80 UNF (1.524mm)	19.1 <i>0.752</i>	Brass	2.87 <i>0.113</i>	1.35 <i>0.053</i>	Round / Slotted	0.318 <i>0.013</i>
SC015F-025-R-SL-BR	0-80 UNF (1.524mm)	25.4 <i>1.000</i>	Brass	2.87 <i>0.113</i>	1.35 <i>0.053</i>	Round / Slotted	0.318 <i>0.013</i>
# SC019F-010-R-SL-BR	1-72 UNF (1.854mm)	9.5 <i>0.374</i>	Brass	3.51 <i>0.138</i>	1.55 <i>0.061</i>	Round / Slotted	0.353 <i>0.014</i>
# SC022C-006-R-SL-BR	2-56 UNC (2.184mm)	6.4 <i>0.252</i>	Brass	4.12 <i>0.162</i>	1.75 <i>0.069</i>	Round / Slotted	0.454 <i>0.018</i>
# SC022C-013-R-SL-BR	2-56 UNC (2.184mm)	12.7 <i>0.500</i>	Brass	4.12 <i>0.162</i>	1.75 <i>0.069</i>	Round / Slotted	0.454 <i>0.018</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Brass - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC022C-019-R-SL-BR	2-56 UNC (2.184mm)	19.1 <i>0.752</i>	Brass	4.12 <i>0.162</i>	1.75 <i>0.069</i>	Round / Slotted	0.454 <i>0.018</i>
SC022C-025-R-SL-BR	2-56 UNC (2.184mm)	25.4 <i>1.000</i>	Brass	4.12 <i>0.162</i>	1.75 <i>0.069</i>	Round / Slotted	0.454 <i>0.018</i>
SC025C-006-R-SL-BR	3-48 UNC (2.515mm)	6.4 <i>0.252</i>	Brass	4.75 <i>0.187</i>	1.98 <i>0.078</i>	Round / Slotted	0.529 <i>0.021</i>
# SC028C-019-R-SL-BR	4-40 UNC (2.845mm)	19.1 <i>0.752</i>	Brass	5.36 <i>0.211</i>	2.18 <i>0.086</i>	Round / Slotted	0.635 <i>0.025</i>
# SC032W-006-R-SL-BR	1/8-40 BSW (3.175mm)	6.4 <i>0.252</i>	Brass	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>
# SC032W-010-R-SL-BR	1/8-40 BSW (3.175mm)	9.5 <i>0.374</i>	Brass	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>
# SC032W-013-R-SL-BR	1/8-40 BSW (3.175mm)	12.7 <i>0.500</i>	Brass	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>
# SC032W-016-R-SL-BR	1/8-40 BSW (3.175mm)	15.9 <i>0.626</i>	Brass	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>
# SC032W-019-R-SL-BR	1/8-40 BSW (3.175mm)	19.1 <i>0.752</i>	Brass	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Brass - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC032W-025-R-SL-BR	1/8-40 BSW (3.175mm)	25.4 <i>1.000</i>	Brass	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>
# SC032W-032-R-SL-BR	1/8-40 BSW (3.175mm)	31.8 <i>1.252</i>	Brass	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>
# SC032W-038-R-SL-BR	1/8-40 BSW (3.175mm)	38.1 <i>1.500</i>	Brass	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>
# SC032W-051-R-SL-BR	1/8-40 BSW (3.175mm)	50.8 <i>2.000</i>	Brass	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>
SC039W-006-R-SL-BR	5/32-32 BSW (3.969mm)	6.4 <i>0.252</i>	Brass	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>
SC039W-010-R-SL-BR	5/32-32 BSW (3.969mm)	9.5 <i>0.374</i>	Brass	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>
# SC039W-013-R-SL-BR	5/32-32 BSW (3.969mm)	12.7 <i>0.500</i>	Brass	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>
# SC039W-016-R-SL-BR	5/32-32 BSW (3.969mm)	15.9 <i>0.626</i>	Brass	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Brass - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC039W-019-R-SL-BR	5/32-32 BSW (3.969mm)	19.1 <i>0.752</i>	Brass	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>
# SC039W-025-R-SL-BR	5/32-32 BSW (3.969mm)	25.4 <i>1.000</i>	Brass	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>
# SC039W-032-R-SL-BR	5/32-32 BSW (3.969mm)	31.8 <i>1.252</i>	Brass	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>
# SC039W-038-R-SL-BR	5/32-32 BSW (3.969mm)	38.1 <i>1.500</i>	Brass	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>
# SC039W-051-R-SL-BR	5/32-32 BSW (3.969mm)	50.8 <i>2.000</i>	Brass	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>
# SC048W-006-R-SL-BR	3/16-24 BSW (4.762mm)	6.4 <i>0.252</i>	Brass	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-010-R-SL-BR	3/16-24 BSW (4.762mm)	9.5 <i>0.374</i>	Brass	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-013-R-SL-BR	3/16-24 BSW (4.762mm)	12.7 <i>0.500</i>	Brass	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Brass - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC048W-016-R-SL-BR	3/16-24 BSW (4.762mm)	15.9 <i>0.626</i>	Brass	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-019-R-SL-BR	3/16-24 BSW (4.762mm)	19.1 <i>0.752</i>	Brass	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-025-R-SL-BR	3/16-24 BSW (4.762mm)	25.4 <i>1.000</i>	Brass	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-032-R-SL-BR	3/16-24 BSW (4.762mm)	31.8 <i>1.252</i>	Brass	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-038-R-SL-BR	3/16-24 BSW (4.762mm)	38.1 <i>1.500</i>	Brass	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-045-R-SL-BR	3/16-24 BSW (4.762mm)	44.5 <i>1.752</i>	Brass	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-051-R-SL-BR	3/16-24 BSW (4.762mm)	50.8 <i>2.000</i>	Brass	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-064-R-SL-BR	3/16-24 BSW (4.762mm)	63.5 <i>2.500</i>	Brass	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 8 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Brass - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC048W-076-R-SL-BR	3/16-24 BSW (4.762mm)	76.2 <i>3.000</i>	Brass	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC064W-010-R-SL-BR	1/4-20 BSW (6.35mm)	9.5 <i>0.374</i>	Brass	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064W-013-R-SL-BR	1/4-20 BSW (6.35mm)	12.7 <i>0.500</i>	Brass	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064W-016-R-SL-BR	1/4-20 BSW (6.35mm)	15.9 <i>0.626</i>	Brass	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064W-019-R-SL-BR	1/4-20 BSW (6.35mm)	19.1 <i>0.752</i>	Brass	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064W-025-R-SL-BR	1/4-20 BSW (6.35mm)	25.4 <i>1.000</i>	Brass	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064W-032-R-SL-BR	1/4-20 BSW (6.35mm)	31.8 <i>1.252</i>	Brass	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064W-038-R-SL-BR	1/4-20 BSW (6.35mm)	38.1 <i>1.500</i>	Brass	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064W-051-R-SL-BR	1/4-20 BSW (6.35mm)	50.8 <i>2.000</i>	Brass	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064W-064-R-SL-BR	1/4-20 BSW (6.35mm)	63.5 <i>2.500</i>	Brass	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Brass - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC064W-076-R-SL-BR	1/4-20 BSW (6.35mm)	76.2 <i>3.000</i>	Brass	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC079W-019-R-SL-BR	5/16-18 BSW (7.938mm)	19.1 <i>0.752</i>	Brass	14.99 <i>0.590</i>	5.49 <i>0.216</i>	Round / Slotted	1.411 <i>0.056</i>
# SC079W-025-R-SL-BR	5/16-18 BSW (7.938mm)	25.4 <i>1.000</i>	Brass	14.99 <i>0.590</i>	5.49 <i>0.216</i>	Round / Slotted	1.411 <i>0.056</i>
# SC079W-038-R-SL-BR	5/16-18 BSW (7.938mm)	38.1 <i>1.500</i>	Brass	14.99 <i>0.590</i>	5.49 <i>0.216</i>	Round / Slotted	1.411 <i>0.056</i>
# SC079W-051-R-SL-BR	5/16-18 BSW (7.938mm)	50.8 <i>2.000</i>	Brass	14.99 <i>0.590</i>	5.49 <i>0.216</i>	Round / Slotted	1.411 <i>0.056</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 10 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

