



Screws - Round Head - Nylon - Slotted

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 10

INFORMATION

UNC - UNF

Non Conductive.

Non Corrosive.

Non Magnetic.

Lightweight.


Vibration Resistant.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au/categories/nuts/all/pics/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Nylon - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC022C-003-R-SL-N	2-56 UNC (2.184mm)	3.2 <i>0.126</i>	Nylon (Zytel 101)	4.12 <i>0.162</i>	1.75 <i>0.069</i>	Round / Slotted	0.454 <i>0.018</i>
SC022C-005-R-SL-N	2-56 UNC (2.184mm)	4.8 <i>0.189</i>	Nylon (Zytel 101)	4.12 <i>0.162</i>	1.75 <i>0.069</i>	Round / Slotted	0.454 <i>0.018</i>
# SC022C-006-R-SL-N	2-56 UNC (2.184mm)	6.4 <i>0.252</i>	Nylon (Zytel 101)	4.12 <i>0.162</i>	1.75 <i>0.069</i>	Round / Slotted	0.454 <i>0.018</i>
# SC022C-007-R-SL-N	2-56 UNC (2.184mm)	7.9 <i>0.311</i>	Nylon (Zytel 101)	4.12 <i>0.162</i>	1.75 <i>0.069</i>	Round / Slotted	0.454 <i>0.018</i>
SC022C-010-R-SL-N	2-56 UNC (2.184mm)	9.5 <i>0.374</i>	Nylon (Zytel 101)	4.12 <i>0.162</i>	1.75 <i>0.069</i>	Round / Slotted	0.454 <i>0.018</i>
# SC022C-013-R-SL-N	2-56 UNC (2.184mm)	12.7 <i>0.500</i>	Nylon (Zytel 101)	4.12 <i>0.162</i>	1.75 <i>0.069</i>	Round / Slotted	0.454 <i>0.018</i>
# SC022C-016-R-SL-N	2-56 UNC (2.184mm)	15.9 <i>0.626</i>	Nylon (Zytel 101)	4.12 <i>0.162</i>	1.75 <i>0.069</i>	Round / Slotted	0.454 <i>0.018</i>
# SC022C-019-R-SL-N	2-56 UNC (2.184mm)	19.1 <i>0.752</i>	Nylon (Zytel 101)	4.12 <i>0.162</i>	1.75 <i>0.069</i>	Round / Slotted	0.454 <i>0.018</i>
# SC022C-025-R-SL-N	2-56 UNC (2.184mm)	25.4 <i>1.000</i>	Nylon (Zytel 101)	4.12 <i>0.162</i>	1.75 <i>0.069</i>	Round / Slotted	0.454 <i>0.018</i>
# SC028C-003-R-SL-N	4-40 UNC (2.845mm)	3.2 <i>0.126</i>	Nylon (Zytel 101)	5.36 <i>0.211</i>	2.18 <i>0.086</i>	Round / Slotted	0.635 <i>0.025</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Nylon - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC028C-005-R-SL-N	4-40 UNC (2.845mm)	4.8 <i>0.189</i>	Nylon (Zytel 101)	5.36 <i>0.211</i>	2.18 <i>0.086</i>	Round / Slotted	0.635 <i>0.025</i>
# SC028C-006-R-SL-N	4-40 UNC (2.845mm)	6.4 <i>0.252</i>	Nylon (Zytel 101)	5.36 <i>0.211</i>	2.18 <i>0.086</i>	Round / Slotted	0.635 <i>0.025</i>
# SC028C-007-R-SL-N	4-40 UNC (2.845mm)	7.9 <i>0.311</i>	Nylon (Zytel 101)	5.36 <i>0.211</i>	2.18 <i>0.086</i>	Round / Slotted	0.635 <i>0.025</i>
# SC028C-010-R-SL-N	4-40 UNC (2.845mm)	9.5 <i>0.374</i>	Nylon (Zytel 101)	5.36 <i>0.211</i>	2.18 <i>0.086</i>	Round / Slotted	0.635 <i>0.025</i>
# SC028C-013-R-SL-N	4-40 UNC (2.845mm)	12.7 <i>0.500</i>	Nylon (Zytel 101)	5.36 <i>0.211</i>	2.18 <i>0.086</i>	Round / Slotted	0.635 <i>0.025</i>
# SC028C-016-R-SL-N	4-40 UNC (2.845mm)	15.9 <i>0.626</i>	Nylon (Zytel 101)	5.36 <i>0.211</i>	2.18 <i>0.086</i>	Round / Slotted	0.635 <i>0.025</i>
# SC028C-019-R-SL-N	4-40 UNC (2.845mm)	19.1 <i>0.752</i>	Nylon (Zytel 101)	5.36 <i>0.211</i>	2.18 <i>0.086</i>	Round / Slotted	0.635 <i>0.025</i>
# SC028C-022-R-SL-N	4-40 UNC (2.845mm)	22.2 <i>0.874</i>	Nylon (Zytel 101)	5.36 <i>0.211</i>	2.18 <i>0.086</i>	Round / Slotted	0.635 <i>0.025</i>
# SC028C-025-R-SL-N	4-40 UNC (2.845mm)	25.4 <i>1.000</i>	Nylon (Zytel 101)	5.36 <i>0.211</i>	2.18 <i>0.086</i>	Round / Slotted	0.635 <i>0.025</i>
SC035C-005-R-SL-N	6-32 UNC (3.5mm)	4.8 <i>0.189</i>	Nylon (Zytel 101)	6.61 <i>0.260</i>	2.62 <i>0.103</i>	Round / Slotted	0.794 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Nylon - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC035C-006-R-SL-N	6-32 UNC (3.5mm)	6.4 <i>0.252</i>	Nylon (Zytel 101)	6.61 <i>0.260</i>	2.62 <i>0.103</i>	Round / Slotted	0.794 <i>0.031</i>
# SC035C-007-R-SL-N	6-32 UNC (3.5mm)	7.9 <i>0.311</i>	Nylon (Zytel 101)	6.61 <i>0.260</i>	2.62 <i>0.103</i>	Round / Slotted	0.794 <i>0.031</i>
# SC035C-010-R-SL-N	6-32 UNC (3.5mm)	9.5 <i>0.374</i>	Nylon (Zytel 101)	6.61 <i>0.260</i>	2.62 <i>0.103</i>	Round / Slotted	0.794 <i>0.031</i>
# SC035C-011-R-SL-N	6-32 UNC (3.5mm)	11.1 <i>0.437</i>	Nylon (Zytel 101)	6.61 <i>0.260</i>	2.62 <i>0.103</i>	Round / Slotted	0.794 <i>0.031</i>
# SC035C-013-R-SL-N	6-32 UNC (3.5mm)	12.7 <i>0.500</i>	Nylon (Zytel 101)	6.61 <i>0.260</i>	2.62 <i>0.103</i>	Round / Slotted	0.794 <i>0.031</i>
# SC035C-016-R-SL-N	6-32 UNC (3.5mm)	15.9 <i>0.626</i>	Nylon (Zytel 101)	6.61 <i>0.260</i>	2.62 <i>0.103</i>	Round / Slotted	0.794 <i>0.031</i>
SC035C-019-R-SL-N	6-32 UNC (3.5mm)	19.1 <i>0.752</i>	Nylon (Zytel 101)	6.61 <i>0.260</i>	2.62 <i>0.103</i>	Round / Slotted	0.794 <i>0.031</i>
# SC035C-022-R-SL-N	6-32 UNC (3.5mm)	22.2 <i>0.874</i>	Nylon (Zytel 101)	6.61 <i>0.260</i>	2.62 <i>0.103</i>	Round / Slotted	0.794 <i>0.031</i>
# SC035C-025-R-SL-N	6-32 UNC (3.5mm)	25.4 <i>1.000</i>	Nylon (Zytel 101)	6.61 <i>0.260</i>	2.62 <i>0.103</i>	Round / Slotted	0.794 <i>0.031</i>
# SC035C-032-R-SL-N	6-32 UNC (3.5mm)	31.8 <i>1.252</i>	Nylon (Zytel 101)	6.61 <i>0.260</i>	2.62 <i>0.103</i>	Round / Slotted	0.794 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Nylon - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC042C-003-R-SL-N	8-32 UNC (4.166mm)	3.2 <i>0.126</i>	Nylon (Zytel 101)	7.85 <i>0.309</i>	3.05 <i>0.120</i>	Round / Slotted	0.794 <i>0.031</i>
# SC042C-006-R-SL-N	8-32 UNC (4.166mm)	6.4 <i>0.252</i>	Nylon (Zytel 101)	7.85 <i>0.309</i>	3.05 <i>0.120</i>	Round / Slotted	0.794 <i>0.031</i>
# SC042C-007-R-SL-N	8-32 UNC (4.166mm)	7.9 <i>0.311</i>	Nylon (Zytel 101)	7.85 <i>0.309</i>	3.05 <i>0.120</i>	Round / Slotted	0.794 <i>0.031</i>
# SC042C-010-R-SL-N	8-32 UNC (4.166mm)	9.5 <i>0.374</i>	Nylon (Zytel 101)	7.85 <i>0.309</i>	3.05 <i>0.120</i>	Round / Slotted	0.794 <i>0.031</i>
# SC042C-013-R-SL-N	8-32 UNC (4.166mm)	12.7 <i>0.500</i>	Nylon (Zytel 101)	7.85 <i>0.309</i>	3.05 <i>0.120</i>	Round / Slotted	0.794 <i>0.031</i>
# SC042C-016-R-SL-N	8-32 UNC (4.166mm)	15.9 <i>0.626</i>	Nylon (Zytel 101)	7.85 <i>0.309</i>	3.05 <i>0.120</i>	Round / Slotted	0.794 <i>0.031</i>
# SC042C-019-R-SL-N	8-32 UNC (4.166mm)	19.1 <i>0.752</i>	Nylon (Zytel 101)	7.85 <i>0.309</i>	3.05 <i>0.120</i>	Round / Slotted	0.794 <i>0.031</i>
# SC042C-022-R-SL-N	8-32 UNC (4.166mm)	22.2 <i>0.874</i>	Nylon (Zytel 101)	7.85 <i>0.309</i>	3.05 <i>0.120</i>	Round / Slotted	0.794 <i>0.031</i>
# SC042C-025-R-SL-N	8-32 UNC (4.166mm)	25.4 <i>1.000</i>	Nylon (Zytel 101)	7.85 <i>0.309</i>	3.05 <i>0.120</i>	Round / Slotted	0.794 <i>0.031</i>
# SC042C-032-R-SL-N	8-32 UNC (4.166mm)	31.8 <i>1.252</i>	Nylon (Zytel 101)	7.85 <i>0.309</i>	3.05 <i>0.120</i>	Round / Slotted	0.794 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Nylon - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC042C-038-R-SL-N	8-32 UNC (4.166mm)	38.1 <i>1.500</i>	Nylon (Zytel 101)	7.85 <i>0.309</i>	3.05 <i>0.120</i>	Round / Slotted	0.794 <i>0.031</i>
# SC048C-006-R-SL-N	10-24 UNC (4.762mm)	6.4 <i>0.252</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048C-007-R-SL-N	10-24 UNC (4.762mm)	7.9 <i>0.311</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048C-010-R-SL-N	10-24 UNC (4.762mm)	9.5 <i>0.374</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048C-013-R-SL-N	10-24 UNC (4.762mm)	12.7 <i>0.500</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048C-016-R-SL-N	10-24 UNC (4.762mm)	15.9 <i>0.626</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
SC048C-019-R-SL-N	10-24 UNC (4.762mm)	19.1 <i>0.752</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048C-025-R-SL-N	10-24 UNC (4.762mm)	25.4 <i>1.000</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048C-038-R-SL-N	10-24 UNC (4.762mm)	38.1 <i>1.500</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048F-006-R-SL-N	10-32 UNF (4.762mm)	6.4 <i>0.252</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	0.794 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 8 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Nylon - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC048F-007-R-SL-N	10-32 UNF (4.762mm)	7.9 <i>0.311</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	0.794 <i>0.031</i>
SC048F-010-R-SL-N	10-32 UNF (4.762mm)	9.5 <i>0.374</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	0.794 <i>0.031</i>
# SC048F-013-R-SL-N	10-32 UNF (4.762mm)	12.7 <i>0.500</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	0.794 <i>0.031</i>
SC048F-016-R-SL-N	10-32 UNF (4.762mm)	15.9 <i>0.626</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	0.794 <i>0.031</i>
SC048F-019-R-SL-N	10-32 UNF (4.762mm)	19.1 <i>0.752</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	0.794 <i>0.031</i>
# SC048F-025-R-SL-N	10-32 UNF (4.762mm)	25.4 <i>1.000</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	0.794 <i>0.031</i>
# SC048F-032-R-SL-N	10-32 UNF (4.762mm)	31.8 <i>1.252</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	0.794 <i>0.031</i>
# SC048F-038-R-SL-N	10-32 UNF (4.762mm)	38.1 <i>1.500</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	0.794 <i>0.031</i>
# SC048F-045-R-SL-N	10-32 UNF (4.762mm)	44.5 <i>1.752</i>	Nylon (Zytel 101)	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	0.794 <i>0.031</i>
# SC064C-006-R-SL-N	1/4-20 UNC (6.35mm)	6.4 <i>0.252</i>	Nylon (Zytel 101)	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Nylon - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC064C-010-R-SL-N	1/4-20 UNC (6.35mm)	9.5 <i>0.374</i>	Nylon (Zytel 101)	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064C-013-R-SL-N	1/4-20 UNC (6.35mm)	12.7 <i>0.500</i>	Nylon (Zytel 101)	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064C-016-R-SL-N	1/4-20 UNC (6.35mm)	15.9 <i>0.626</i>	Nylon (Zytel 101)	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064C-019-R-SL-N	1/4-20 UNC (6.35mm)	19.1 <i>0.752</i>	Nylon (Zytel 101)	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064C-025-R-SL-N	1/4-20 UNC (6.35mm)	25.4 <i>1.000</i>	Nylon (Zytel 101)	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064C-032-R-SL-N	1/4-20 UNC (6.35mm)	31.8 <i>1.252</i>	Nylon (Zytel 101)	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064C-038-R-SL-N	1/4-20 UNC (6.35mm)	38.1 <i>1.500</i>	Nylon (Zytel 101)	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064C-051-R-SL-N	1/4-20 UNC (6.35mm)	50.8 <i>2.000</i>	Nylon (Zytel 101)	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 10 of 10

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

