



Screws - Round Head - Steel - Slotted

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

INFORMATION

Metal Thread Screws. Metric and BSW only. Supplied with nut.


Nuts sold seperately - See Nuts.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au//categories/nuts/all/pics/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Steel - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC028B-013-R-SL-BN	6BA (2.794mm)	12.7 <i>0.500</i>	Nickel Plated Brass	4.93 <i>0.194</i>	1.98 <i>0.078</i>	Round / Slotted	0.530 <i>0.021</i>
SC028B-019-R-SL-BN	6BA (2.794mm)	19.1 <i>0.752</i>	Nickel Plated Brass	4.93 <i>0.194</i>	1.98 <i>0.078</i>	Round / Slotted	0.530 <i>0.021</i>
SC028B-025-R-SL-BN	6BA (2.794mm)	25.4 <i>1.000</i>	Nickel Plated Brass	4.93 <i>0.194</i>	1.98 <i>0.078</i>	Round / Slotted	0.530 <i>0.021</i>
SC032W-005-R-SL-CZ	1/8-40 BSW (3.175mm)	4.8 <i>0.189</i>	Zinc Plated Steel	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>
SC032W-006-R-SL-CZ	1/8-40 BSW (3.175mm)	6.4 <i>0.252</i>	Zinc Plated Steel	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>
# SC032W-010-R-SL-CZ	1/8-40 BSW (3.175mm)	9.5 <i>0.374</i>	Zinc Plated Steel	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>
SC032W-013-R-SL-CZ	1/8-40 BSW (3.175mm)	12.7 <i>0.500</i>	Zinc Plated Steel	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>
# SC032W-016-R-SL-CZ	1/8-40 BSW (3.175mm)	15.9 <i>0.626</i>	Zinc Plated Steel	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>
SC032W-019-R-SL-CZ	1/8-40 BSW (3.175mm)	19.1 <i>0.752</i>	Zinc Plated Steel	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 9

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Steel - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC032W-025-R-SL-CZ	1/8-40 BSW (3.175mm)	25.4 <i>1.000</i>	Zinc Plated Steel	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>
# SC032W-032-R-SL-CZ	1/8-40 BSW (3.175mm)	31.8 <i>1.252</i>	Zinc Plated Steel	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>
# SC032W-038-R-SL-CZ	1/8-40 BSW (3.175mm)	38.1 <i>1.500</i>	Zinc Plated Steel	5.99 <i>0.236</i>	2.41 <i>0.095</i>	Round / Slotted	0.635 <i>0.025</i>
SC036B-013-R-SL-BN	4 BA (3.607mm)	12.7 <i>0.500</i>	Nickel Plated Brass	6.40 <i>0.252</i>	2.57 <i>0.101</i>	Round / Slotted	0.660 <i>0.026</i>
SC039W-006-R-SL-CZ	5/32-32 BSW (3.969mm)	6.4 <i>0.252</i>	Zinc Plated Steel	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>
# SC039W-010-R-SL-CZ	5/32-32 BSW (3.969mm)	9.5 <i>0.374</i>	Zinc Plated Steel	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>
# SC039W-013-R-SL-CZ	5/32-32 BSW (3.969mm)	12.7 <i>0.500</i>	Zinc Plated Steel	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>
# SC039W-016-R-SL-CZ	5/32-32 BSW (3.969mm)	15.9 <i>0.626</i>	Zinc Plated Steel	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 9

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Steel - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC039W-019-R-SL-CZ	5/32-32 BSW (3.969mm)	19.1 <i>0.752</i>	Zinc Plated Steel	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>
# SC039W-025-R-SL-CZ	5/32-32 BSW (3.969mm)	25.4 <i>1.000</i>	Zinc Plated Steel	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>
# SC039W-032-R-SL-CZ	5/32-32 BSW (3.969mm)	31.8 <i>1.252</i>	Zinc Plated Steel	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>
SC039W-038-R-SL-CZ	5/32-32 BSW (3.969mm)	38.1 <i>1.500</i>	Zinc Plated Steel	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>
# SC039W-045-R-SL-CZ	5/32-32 BSW (3.969mm)	44.5 <i>1.752</i>	Zinc Plated Steel	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>
# SC039W-051-R-SL-CZ	5/32-32 BSW (3.969mm)	50.8 <i>2.000</i>	Zinc Plated Steel	6.73 <i>0.265</i>	3.18 <i>0.125</i>	Round / Slotted	0.794 <i>0.031</i>
SC047B-010-R-SL-BN	2BA (4.7mm)	9.5 <i>0.374</i>	Nickel Plated Brass	8.10 <i>0.319</i>	3.30 <i>0.130</i>	Round / Slotted	0.812 <i>0.032</i>
SC047B-019-R-SL-BN	2BA (4.7mm)	19.1 <i>0.752</i>	Nickel Plated Brass	8.10 <i>0.319</i>	3.30 <i>0.130</i>	Round / Slotted	0.812 <i>0.032</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 9

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Steel - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
SC048W-006-R-SL-CZ	3/16-24 BSW (4.762mm)	6.4 <i>0.252</i>	Zinc Plated Steel	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-010-R-SL-CZ	3/16-24 BSW (4.762mm)	9.5 <i>0.374</i>	Zinc Plated Steel	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-013-R-SL-CZ	3/16-24 BSW (4.762mm)	12.7 <i>0.500</i>	Zinc Plated Steel	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-016-R-SL-CZ	3/16-24 BSW (4.762mm)	15.9 <i>0.626</i>	Zinc Plated Steel	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-019-R-SL-CZ	3/16-24 BSW (4.762mm)	19.1 <i>0.752</i>	Zinc Plated Steel	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-025-R-SL-CZ	3/16-24 BSW (4.762mm)	25.4 <i>1.000</i>	Zinc Plated Steel	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-032-R-SL-CZ	3/16-24 BSW (4.762mm)	31.8 <i>1.252</i>	Zinc Plated Steel	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-038-R-SL-CZ	3/16-24 BSW (4.762mm)	38.1 <i>1.500</i>	Zinc Plated Steel	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 9

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Steel - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC048W-045-R-SL-CZ	3/16-24 BSW (4.762mm)	44.5 <i>1.752</i>	Zinc Plated Steel	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-051-R-SL-CZ	3/16-24 BSW (4.762mm)	50.8 <i>2.000</i>	Zinc Plated Steel	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-064-R-SL-CZ	3/16-24 BSW (4.762mm)	63.5 <i>2.500</i>	Zinc Plated Steel	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
# SC048W-076-R-SL-CZ	3/16-24 BSW (4.762mm)	76.2 <i>3.000</i>	Zinc Plated Steel	9.12 <i>0.359</i>	3.48 <i>0.137</i>	Round / Slotted	1.058 <i>0.042</i>
SC064W-010-R-SL-CZ	1/4-20 BSW (6.35mm)	9.5 <i>0.374</i>	Zinc Plated Steel	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
SC064W-013-R-SL-CZ	1/4-20 BSW (6.35mm)	12.7 <i>0.500</i>	Zinc Plated Steel	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064W-016-R-SL-CZ	1/4-20 BSW (6.35mm)	15.9 <i>0.626</i>	Zinc Plated Steel	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064W-019-R-SL-CZ	1/4-20 BSW (6.35mm)	19.1 <i>0.752</i>	Zinc Plated Steel	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064W-025-R-SL-CZ	1/4-20 BSW (6.35mm)	25.4 <i>1.000</i>	Zinc Plated Steel	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 8 of 9

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Round Head - Steel - Slotted

Part Number	Thread Size (C)	Thread Length mm	Material	Max Head Diameter mm	Max Head Height mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>	<i>inches</i>		<i>inches</i>
# SC064W-032-R-SL-CZ	1/4-20 BSW (6.35mm)	31.8 <i>1.252</i>	Zinc Plated Steel	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064W-038-R-SL-CZ	1/4-20 BSW (6.35mm)	38.1 <i>1.500</i>	Zinc Plated Steel	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064W-045-R-SL-CZ	1/4-20 BSW (6.35mm)	44.5 <i>1.752</i>	Zinc Plated Steel	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
SC064W-051-R-SL-CZ	1/4-20 BSW (6.35mm)	50.8 <i>2.000</i>	Zinc Plated Steel	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064W-064-R-SL-CZ	1/4-20 BSW (6.35mm)	63.5 <i>2.500</i>	Zinc Plated Steel	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>
# SC064W-076-R-SL-CZ	1/4-20 BSW (6.35mm)	76.2 <i>3.000</i>	Zinc Plated Steel	11.99 <i>0.472</i>	4.45 <i>0.175</i>	Round / Slotted	1.270 <i>0.050</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 9

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

