



Screws - Thumb - Dog Point

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd


MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

INFORMATION

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Thumb - Dog Point

Part Number	Thread Size (A)	Thread Length (B) mm	Material mm	Head Diameter (E) mm	Head Height (D) mm	Finish	Pitch mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>
# THS048C-019-K-CS-DP	10-24 UNC (4.762mm)	19.050 <i>0.750</i>	Steel	19.050 <i>0.750</i>	6.350 <i>0.250</i>	Black Oxide	1.058 <i>0.042</i>
# THS048C-032-K-CS-DP	10-24 UNC (4.762mm)	31.750 <i>1.250</i>	Steel	19.050 <i>0.750</i>	6.350 <i>0.250</i>	Black Oxide	1.058 <i>0.042</i>
# THS048C-044-K-CS-DP	10-24 UNC (4.762mm)	44.450 <i>1.750</i>	Steel	19.050 <i>0.750</i>	6.350 <i>0.250</i>	Black Oxide	1.058 <i>0.042</i>
# THS064C-032-K-CS-DP	1/4-20 UNC (6.35mm)	31.750 <i>1.250</i>	Steel	645.160 <i>25.400</i>	7.938 <i>0.313</i>	Black Oxide	1.270 <i>0.050</i>
# THS064C-044-K-CS-DP	1/4-20 UNC (6.35mm)	44.450 <i>1.750</i>	Steel	645.160 <i>25.400</i>	7.938 <i>0.313</i>	Black Oxide	1.270 <i>0.050</i>
# THS064C-057-K-CS-DP	1/4-20 UNC (6.35mm)	57.150 <i>2.250</i>	Steel	645.160 <i>25.400</i>	7.938 <i>0.313</i>	Black Oxide	1.270 <i>0.050</i>
# THS079C-032-K-CS-DP	5/16-18 UNC (7.938mm)	31.750 <i>1.250</i>	Steel	28.575 <i>1.125</i>	9.525 <i>0.375</i>	Black Oxide	1.411 <i>0.056</i>
# THS079C-044-K-CS-DP	5/16-18 UNC (7.938mm)	44.450 <i>1.750</i>	Steel	28.575 <i>1.125</i>	9.525 <i>0.375</i>	Black Oxide	1.411 <i>0.056</i>
# THS079C-057-K-CS-DP	5/16-18 UNC (7.938mm)	57.150 <i>2.250</i>	Steel	28.575 <i>1.125</i>	9.525 <i>0.375</i>	Black Oxide	1.411 <i>0.056</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 5

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Thumb - Dog Point

Part Number	Thread Size (A)	Thread Length (B) mm	Material mm	Head Diameter (E) mm	Head Height (D) mm	Finish	Pitch mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>
# THS095C-044-K-CS-DP	3/8-16 UNC (9.525mm)	44.450 <i>1.750</i>	Steel	31.750 <i>1.250</i>	11.113 <i>0.438</i>	Black Oxide	1.588 <i>0.063</i>
# THS095C-070-K-CS-DP	3/8-16 UNC (9.525mm)	69.850 <i>2.750</i>	Steel	31.750 <i>1.250</i>	11.113 <i>0.438</i>	Black Oxide	1.588 <i>0.063</i>
# THS127C-070-K-CS-DP	1/2-13 UNC (12.7mm)	69.850 <i>2.750</i>	Steel	31.750 <i>1.250</i>	12.700 <i>0.500</i>	Black Oxide	1.954 <i>0.077</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 5

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

