



# Screws - Thumb - Flat Key Head - Washer Face - Steel

10/4/2018

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 5


## INFORMATION

Flat Key head malleable iron screws with an integral washer

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Thumb - Flat Key Head - Washer Face - Steel

Part Number	Thread Size	Thread Length (D) mm	Overall Length (C) mm	Head Diameter (A) mm	Washer Diameter (E) mm	Head Height (B) mm	Finish	Pitch mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>
# THS064C-013-F-CS-WF	1/4-20 UNC (6.35mm)	12.700	28.58	20.638	11.113	15.88	Tumbled	1.270
		<i>0.500</i>	<i>1.125</i>	<i>0.813</i>	<i>0.438</i>	<i>0.625</i>		<i>0.050</i>
THS064C-019-F-CS-WF	1/4-20 UNC (6.35mm)	19.050	34.93	20.638	11.113	15.88	Tumbled	1.270
		<i>0.750</i>	<i>1.375</i>	<i>0.813</i>	<i>0.438</i>	<i>0.625</i>		<i>0.050</i>
# THS064C-025-F-CS-WF	1/4-20 UNC (6.35mm)	25.400	41.28	20.638	11.113	15.88	Tumbled	1.270
		<i>1.000</i>	<i>1.625</i>	<i>0.813</i>	<i>0.438</i>	<i>0.625</i>		<i>0.050</i>
# THS064C-038-F-CS-WF	1/4-20 UNC (6.35mm)	38.100	53.98	20.638	11.113	15.88	Tumbled	1.270
		<i>1.500</i>	<i>2.125</i>	<i>0.813</i>	<i>0.438</i>	<i>0.625</i>		<i>0.050</i>
# THS064C-051-F-CS-WF	1/4-20 UNC (6.35mm)	50.800	66.68	20.638	11.113	15.88	Tumbled	1.270
		<i>2.000</i>	<i>2.625</i>	<i>0.813</i>	<i>0.438</i>	<i>0.625</i>		<i>0.050</i>
# THS079C-019-F-CS-WF	5/16-18 UNC (7.938mm)	19.050	39.69	25.400	14.289	20.64	Tumbled	1.411
		<i>0.750</i>	<i>1.563</i>	<i>1.000</i>	<i>0.563</i>	<i>0.813</i>		<i>0.056</i>
# THS079C-038-F-CS-WF	5/16-18 UNC (7.938mm)	38.100	58.74	25.400	14.289	20.64	Tumbled	1.411
		<i>1.500</i>	<i>2.313</i>	<i>1.000</i>	<i>0.563</i>	<i>0.813</i>		<i>0.056</i>
# THS095C-013-F-CS-WF	3/8-16 UNC (9.525mm)	12.700	34.93	31.750	15.875	22.23	Tumbled	1.588
		<i>0.500</i>	<i>1.375</i>	<i>1.250</i>	<i>0.625</i>	<i>0.875</i>		<i>0.063</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 5

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Screws - Thumb - Flat Key Head - Washer Face - Steel

Part Number	Thread Size	Thread Length (D) mm	Overall Length (C) mm	Head Diameter (A) mm	Washer Diameter (E) mm	Head Height (B) mm	Finish	Pitch mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>
THS095C-025-F-CS-WF	3/8-16 UNC (9.525mm)	25.400	47.63	31.750	15.875	22.23	Tumbled	1.588
		<i>1.000</i>	<i>1.875</i>	<i>1.250</i>	<i>0.625</i>	<i>0.875</i>		<i>0.063</i>
# THS095C-051-F-CS-WF	3/8-16 UNC (9.525mm)	50.800	73.03	31.750	15.875	22.23	Tumbled	1.588
		<i>2.000</i>	<i>2.875</i>	<i>1.250</i>	<i>0.625</i>	<i>0.875</i>		<i>0.063</i>
# THS127C-019-F-CS-WF	1/2-13 UNC (12.7mm)	19.050	47.63	36.513	19.050	28.58	Tumbled	1.954
		<i>0.750</i>	<i>1.875</i>	<i>1.438</i>	<i>0.750</i>	<i>1.125</i>		<i>0.077</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 5

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

