



Screws - Thumb - Knurled - Stainless - Precision Head

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.


Page 1 of 5

INFORMATION

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Thumb - Knurled - Stainless - Precision Head

Part Number	Thread Size (A)	Thread Length (D) mm	Material	Overall Length (C+D) mm	Head Type	Head Diameter (B) mm	Finish	Pitch mm
		<i>inches</i>		<i>inches</i>		<i>inches</i>		<i>inches</i>
# THS028C-025-K-3-P	4-40 UNC (2.845mm)	25.400	303 Stainless Steel	34.925	Knurled	4.763		0.635
		<i>1.000</i>		<i>1.375</i>		<i>0.188</i>		<i>0.025</i>
# THS035C-025-K-3-P	6-32 UNC (3.5mm)	25.400	303 Stainless Steel	34.925	Knurled	4.763		0.794
		<i>1.000</i>		<i>1.375</i>		<i>0.188</i>		<i>0.031</i>
# THS042C-013-K-3-P	8-32 UNC (4.166mm)	12.700	303 Stainless Steel	22.225	Knurled	4.763		0.794
		<i>0.500</i>		<i>0.875</i>		<i>0.188</i>		<i>0.031</i>
# THS042C-025-K-3-P	8-32 UNC (4.166mm)	25.400	303 Stainless Steel	34.925	Knurled	4.763		0.794
		<i>1.000</i>		<i>1.375</i>		<i>0.188</i>		<i>0.031</i>
# THS048C-013-K-3-P	10-24 UNC (4.762mm)	12.700	303 Stainless Steel	25.400	Knurled	6.350		1.058
		<i>0.500</i>		<i>1.000</i>		<i>0.250</i>		<i>0.042</i>
# THS048C-025-K-3-P	10-24 UNC (4.762mm)	25.400	303 Stainless Steel	38.100	Knurled	6.350		1.058
		<i>1.000</i>		<i>1.500</i>		<i>0.250</i>		<i>0.042</i>
# THS048F-013-K-3-P	10-32 UNF (4.762mm)	12.700	303 Stainless Steel	25.400	Knurled	6.350		0.794
		<i>0.500</i>		<i>1.000</i>		<i>0.250</i>		<i>0.031</i>
# THS048F-025-K-3-P	10-32 UNF (4.762mm)	25.400	303 Stainless Steel	38.100	Knurled	6.350		0.794
		<i>1.000</i>		<i>1.500</i>		<i>0.250</i>		<i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 5

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Thumb - Knurled - Stainless - Precision Head

Part Number	Thread Size (A)	Thread Length (D) mm	Material	Overall Length (C+D) mm	Head Type	Head Diameter (B) mm	Finish	Pitch mm
		<i>inches</i>		<i>inches</i>		<i>inches</i>		<i>inches</i>
# THS064C-013-K-3-P	1/4-20 UNC (6.35mm)	12.700	303 Stainless Steel	25.400	Knurled	7.938		1.270
		<i>0.500</i>		<i>1.000</i>		<i>0.313</i>		<i>0.050</i>
# THS064C-025-K-3-P	1/4-20 UNC (6.35mm)	25.400	303 Stainless Steel	38.100	Knurled	7.938		1.270
		<i>1.000</i>		<i>1.500</i>		<i>0.313</i>		<i>0.050</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 5

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

