



Screws - Thumb - Knurled - Stainless

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 9


INFORMATION

Stainless steel knurled head thumb screws

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Thumb - Knurled - Stainless

Part Number	Thread Size (C)	Thread Length (TI) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Head Diameter (D) mm <i>inches</i>	Head Height (H) mm <i>inches</i>	Finish	Pitch mm <i>inches</i>
THS028C-008-K-3	4-40 UNC (2.845mm)	7.938 <i>0.313</i>	12.700 <i>0.500</i>	7.938 <i>0.313</i>	4.76 <i>0.187</i>	Plain	0.635 <i>0.025</i>
THS028C-010-K-3	4-40 UNC (2.845mm)	9.525 <i>0.375</i>	14.288 <i>0.563</i>	7.938 <i>0.313</i>	4.76 <i>0.187</i>	Plain	0.635 <i>0.025</i>
# THS028C-013-K-3	4-40 UNC (2.845mm)	12.700 <i>0.500</i>	17.463 <i>0.688</i>	7.938 <i>0.313</i>	4.76 <i>0.187</i>	Plain	0.635 <i>0.025</i>
THS030M-006-K-3	M3x0.5 (3mm Standard)	6.000 <i>0.236</i>	10.500 <i>0.413</i>	12.00 <i>0.472</i>	4.50 <i>0.177</i>	Plain	0.500 <i>0.020</i>
# THS030M-008-K-3	M3x0.5 (3mm Standard)	8.000 <i>0.315</i>	12.500 <i>0.492</i>	12.00 <i>0.472</i>	4.50 <i>0.177</i>	Plain	0.500 <i>0.020</i>
THS030M-008L-K-3	M3x0.5 (3mm Standard)	8.000 <i>0.315</i>	13.000 <i>0.512</i>	8.000 <i>0.315</i>	5.00 <i>0.197</i>	Plain	0.500 <i>0.020</i>
THS030M-010-K-3	M3x0.5 (3mm Standard)	10.000 <i>0.394</i>	14.500 <i>0.571</i>	12.00 <i>0.472</i>	4.50 <i>0.177</i>	Plain	0.500 <i>0.020</i>
# THS030M-011-K-3	M3x0.5 (3mm Standard)	11.000 <i>0.433</i>	16.000 <i>0.630</i>	8.000 <i>0.315</i>	5.00 <i>0.197</i>	Plain	0.500 <i>0.020</i>
# THS030M-013-K-3	M3x0.5 (3mm Standard)	13.000 <i>0.512</i>	18.000 <i>0.709</i>	8.000 <i>0.315</i>	5.00 <i>0.197</i>	Plain	0.500 <i>0.020</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 9

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Thumb - Knurled - Stainless

Part Number	Thread Size (C)	Thread Length (TI) mm	Overall Length (L) mm	Head Diameter (D) mm	Head Height (H) mm	Finish	Pitch mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>
# THS030M-014-K-3	M3x0.5 (3mm Standard)	14.000	18.500	12.00	4.50	Plain	0.500
		<i>0.551</i>	<i>0.728</i>	<i>0.472</i>	<i>0.177</i>		<i>0.020</i>
# THS035M-008-K-3	M3.5x0.6 (3.5mm Standard)	8.000	13.000	8.000	5.00	Plain	0.600
		<i>0.315</i>	<i>0.512</i>	<i>0.315</i>	<i>0.197</i>		<i>0.024</i>
# THS035M-013-K-3	M3.5x0.6 (3.5mm Standard)	13.000	18.000	8.000	5.00	Plain	0.600
		<i>0.512</i>	<i>0.709</i>	<i>0.315</i>	<i>0.197</i>		<i>0.024</i>
THS035C-008-K-3	6-32 UNC (3.5mm)	7.938	12.700	7.938	4.76	Plain	0.794
		<i>0.313</i>	<i>0.500</i>	<i>0.313</i>	<i>0.187</i>		<i>0.031</i>
# THS035C-010-K-3	6-32 UNC (3.5mm)	9.525	14.288	7.938	4.76	Plain	0.794
		<i>0.375</i>	<i>0.563</i>	<i>0.313</i>	<i>0.187</i>		<i>0.031</i>
# THS035C-013-K-3	6-32 UNC (3.5mm)	12.700	17.463	7.938	4.76	Plain	0.794
		<i>0.500</i>	<i>0.688</i>	<i>0.313</i>	<i>0.187</i>		<i>0.031</i>
THS040M-008-K-3	M4x0.7 (4mm Standard)	8.000	13.500	16.00	5.50	Plain	0.700
		<i>0.315</i>	<i>0.531</i>	<i>0.630</i>	<i>0.217</i>		<i>0.028</i>
# THS040M-009-K-3	M4x0.7 (4mm Standard)	9.000	14.000	10.000	5.00	Plain	0.700
		<i>0.354</i>	<i>0.551</i>	<i>0.394</i>	<i>0.197</i>		<i>0.028</i>
# THS040M-010-K-3	M4x0.7 (4mm Standard)	10.000	15.500	16.00	5.50	Plain	0.700
		<i>0.394</i>	<i>0.610</i>	<i>0.630</i>	<i>0.217</i>		<i>0.028</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 9

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Thumb - Knurled - Stainless

Part Number	Thread Size (C)	Thread Length (TI) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Head Diameter (D) mm <i>inches</i>	Head Height (H) mm <i>inches</i>	Finish	Pitch mm <i>inches</i>
# THS040M-011-K-3	M4x0.7 (4mm Standard)	11.000 <i>0.433</i>	16.000 <i>0.630</i>	10.000 <i>0.394</i>	5.00 <i>0.197</i>	Plain	0.700 <i>0.028</i>
# THS040M-013-K-3	M4x0.7 (4mm Standard)	13.000 <i>0.512</i>	18.000 <i>0.709</i>	10.000 <i>0.394</i>	5.00 <i>0.197</i>	Plain	0.700 <i>0.028</i>
THS040M-014-KL-3	M4x0.7 (4mm Standard)	14.000 <i>0.551</i>	19.500 <i>0.768</i>	16.00 <i>0.630</i>	5.50 <i>0.217</i>	Plain	0.700 <i>0.028</i>
# THS040M-014-K-3	M4x0.7 (4mm Standard)	14.000 <i>0.551</i>	19.000 <i>0.748</i>	10.000 <i>0.394</i>	5.00 <i>0.197</i>	Plain	0.700 <i>0.028</i>
# THS040M-016-K-3	M4x0.7 (4mm Standard)	16.000 <i>0.630</i>	21.000 <i>0.827</i>	10.000 <i>0.394</i>	5.00 <i>0.197</i>	Plain	0.700 <i>0.028</i>
THS040M-017-K-3	M4x0.7 (4mm Standard)	17.000 <i>0.669</i>	23.500 <i>0.925</i>	16.00 <i>0.630</i>	6.50 <i>0.256</i>	Plain	0.700 <i>0.028</i>
# THS042C-010-K-3	8-32 UNC (4.166mm)	9.525 <i>0.375</i>	14.288 <i>0.563</i>	9.525 <i>0.375</i>	4.76 <i>0.187</i>	Plain	0.794 <i>0.031</i>
# THS042C-013-K-3	8-32 UNC (4.166mm)	12.700 <i>0.500</i>	17.463 <i>0.688</i>	9.525 <i>0.375</i>	4.76 <i>0.187</i>	Plain	0.794 <i>0.031</i>
# THS042C-016-K-3	8-32 UNC (4.166mm)	15.875 <i>0.625</i>	20.638 <i>0.813</i>	9.525 <i>0.375</i>	4.76 <i>0.187</i>	Plain	0.794 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 9

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Thumb - Knurled - Stainless

Part Number	Thread Size (C)	Thread Length (TL) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Head Diameter (D) mm <i>inches</i>	Head Height (H) mm <i>inches</i>	Finish	Pitch mm <i>inches</i>
THS048F-010-K-3	10-32 UNF (4.762mm)	9.525 <i>0.375</i>	14.288 <i>0.563</i>	11.113 <i>0.438</i>	4.76 <i>0.187</i>	Plain	0.794 <i>0.031</i>
# THS048F-013-K-3	10-32 UNF (4.762mm)	12.700 <i>0.500</i>	17.463 <i>0.688</i>	11.113 <i>0.438</i>	4.76 <i>0.187</i>	Plain	0.794 <i>0.031</i>
# THS048F-016-K-3	10-32 UNF (4.762mm)	15.875 <i>0.625</i>	20.638 <i>0.813</i>	11.113 <i>0.438</i>	4.76 <i>0.187</i>	Plain	0.794 <i>0.031</i>
THS050M-009-K-3	M5x0.8 (5mm Standard)	9.000 <i>0.354</i>	14.000 <i>0.551</i>	11.000 <i>0.433</i>	5.00 <i>0.197</i>	Plain	0.800 <i>0.031</i>
THS050M-010-K-3	M5x0.8 (5mm Standard)	10.000 <i>0.394</i>	16.000 <i>0.630</i>	20.00 <i>0.787</i>	6.00 <i>0.236</i>	Plain	0.800 <i>0.031</i>
# THS050M-011-K-3	M5x0.8 (5mm Standard)	11.000 <i>0.433</i>	16.000 <i>0.630</i>	11.000 <i>0.433</i>	5.00 <i>0.197</i>	Plain	0.800 <i>0.031</i>
# THS050M-013-K-3	M5x0.8 (5mm Standard)	13.000 <i>0.512</i>	18.000 <i>0.709</i>	11.000 <i>0.433</i>	5.00 <i>0.197</i>	Plain	0.800 <i>0.031</i>
THS050M-014-K-3	M5x0.8 (5mm Standard)	14.000 <i>0.551</i>	20.000 <i>0.787</i>	20.00 <i>0.787</i>	6.00 <i>0.236</i>	Plain	0.800 <i>0.031</i>
# THS050M-016-K-3	M5x0.8 (5mm Standard)	16.000 <i>0.630</i>	21.000 <i>0.827</i>	11.000 <i>0.433</i>	5.00 <i>0.197</i>	Plain	0.800 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 9

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Thumb - Knurled - Stainless

Part Number	Thread Size (C)	Thread Length (TI) mm	Overall Length (L) mm	Head Diameter (D) mm	Head Height (H) mm	Finish	Pitch mm
		<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>		<i>inches</i>
# THS050M-017-K-3	M5x0.8 (5mm Standard)	17.000	24.000	20.00	7.00	Plain	0.800
		<i>0.669</i>	<i>0.945</i>	<i>0.787</i>	<i>0.276</i>		<i>0.031</i>
THS050M-022-K-3	M5x0.8 (5mm Standard)	22.000	29.000	20.00	7.00	Plain	0.800
		<i>0.866</i>	<i>1.142</i>	<i>0.787</i>	<i>0.276</i>		<i>0.031</i>
# THS050M-027-K-3	M5x0.8 (5mm Standard)	27.000	34.000	20.00	7.00	Plain	0.800
		<i>1.063</i>	<i>1.339</i>	<i>0.787</i>	<i>0.276</i>		<i>0.031</i>
THS060M-013-K-3	M6x1 (6mm Standard)	13.000	19.000	13.000	6.00	Plain	1.000
		<i>0.512</i>	<i>0.748</i>	<i>0.512</i>	<i>0.236</i>		<i>0.039</i>
THS060M-014-KL-3	M6x1 (6mm Standard)	14.000	21.000	24.00	7.00	Plain	1.000
		<i>0.551</i>	<i>0.827</i>	<i>0.945</i>	<i>0.276</i>		<i>0.039</i>
# THS060M-014-K-3	M6x1 (6mm Standard)	14.000	21.000	13.000	7.00	Plain	1.000
		<i>0.551</i>	<i>0.827</i>	<i>0.512</i>	<i>0.276</i>		<i>0.039</i>
# THS060M-016-KL-3	M6x1 (6mm Standard)	16.000	25.000	24.00	9.00	Plain	1.000
		<i>0.630</i>	<i>0.984</i>	<i>0.945</i>	<i>0.354</i>		<i>0.039</i>
# THS060M-016-K-3	M6x1 (6mm Standard)	16.000	22.000	13.000	6.00	Plain	1.000
		<i>0.630</i>	<i>0.866</i>	<i>0.512</i>	<i>0.236</i>		<i>0.039</i>
# THS060M-018-K-3	M6x1 (6mm Standard)	18.000	24.000	13.000	6.00	Plain	1.000
		<i>0.709</i>	<i>0.945</i>	<i>0.512</i>	<i>0.236</i>		<i>0.039</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 8 of 9

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Screws - Thumb - Knurled - Stainless

Part Number	Thread Size (C)	Thread Length (TI) mm <i>inches</i>	Overall Length (L) mm <i>inches</i>	Head Diameter (D) mm <i>inches</i>	Head Height (H) mm <i>inches</i>	Finish	Pitch mm <i>inches</i>
# THS060M-019-K-3	M6x1 (6mm Standard)	19.000 <i>0.748</i>	25.000 <i>0.984</i>	13.000 <i>0.512</i>	6.00 <i>0.236</i>	Plain	1.000 <i>0.039</i>
# THS060M-021-K-3	M6x1 (6mm Standard)	21.000 <i>0.827</i>	30.000 <i>1.181</i>	24.00 <i>0.945</i>	9.00 <i>0.354</i>	Plain	1.000 <i>0.039</i>
THS060M-026-K-3	M6x1 (6mm Standard)	26.000 <i>1.024</i>	35.000 <i>1.378</i>	24.00 <i>0.945</i>	9.00 <i>0.354</i>	Plain	1.000 <i>0.039</i>
# THS064C-013-K-3	1/4-20 UNC (6.35mm)	12.700 <i>0.500</i>	19.050 <i>0.750</i>	12.700 <i>0.500</i>	6.35 <i>0.250</i>	Plain	1.270 <i>0.050</i>
# THS064C-016-K-3	1/4-20 UNC (6.35mm)	15.875 <i>0.625</i>	22.225 <i>0.875</i>	12.700 <i>0.500</i>	6.35 <i>0.250</i>	Plain	1.270 <i>0.050</i>
THS064C-019-K-3	1/4-20 UNC (6.35mm)	19.050 <i>0.750</i>	25.400 <i>1.000</i>	12.700 <i>0.500</i>	6.35 <i>0.250</i>	Plain	1.270 <i>0.050</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 9

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

