



# Slings - Chain - Adjustable

10/4/2018

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## INFORMATION

Very easily adjustable chain slings. Ideal for machine shop or maintenance departments.

Made with grade 80 alloy chain. Proof tested and certified to comply with OSHA.

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

**# Indicates item not stocked at time of printing - Please enquire for lead time**

**E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd**

**MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.**

## Slings - Chain - Adjustable

Part Number	Chain Size	Rate Capacity Single at 90 Deg Kg	Rate Capacity Double at 60 Deg Kg	Length Mtr
# LIF-102RS	1/2	5440	9434	4.2
# LIF-101RS	1/2	5440	9434	3.0
# LIF-99RS	3/8	3220	5579	3.0
# LIF-100RS	3/8	3220	5579	4.2
# LIF-96RS	7/32	952	1630	3.0
# LIF-95RS	7/32	952	1630	1.8
# LIF-98RS	9/32	1580	2760	3.0
# LIF-97RS	9/32	1580	2760	1.8

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

