



Slings - Wire Rope - Permaloc

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.


INFORMATION

For general purpose lifting in environments too rugged for synthetic slings. Tuff-Tag identification on every sling for capacity ratings.

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Slings - Wire Rope - Permaloc

Part Number	Rope Diameter mm <i>inches</i>	Rate Capacity - Vertical Kg	Rate Capacity - Choke Kg	Rate Capacity - Basket Kg	Length Mtr
# LIF-67RS	6.350 <i>0.250</i>	590	435	1179	1.8
# LIF-68RS	6.350 <i>0.250</i>	590	435	1179	2.4
# LIF-69RS	6.350 <i>0.250</i>	590	435	1179	3.0
# LIF-70RS	6.350 <i>0.250</i>	590	435	1179	3.6
# LIF-66RS	6.350 <i>0.250</i>	590	435	1179	1.2
# LIF-71RS	9.525 <i>0.375</i>	1270	998	2631	1.2
# LIF-72RS	9.525 <i>0.375</i>	1270	998	2631	1.8
# LIF-73RS	9.525 <i>0.375</i>	1270	998	2631	2.4
# LIF-74RS	9.525 <i>0.375</i>	1270	998	2631	3.0
# LIF-75RS	9.525 <i>0.375</i>	1270	998	2631	3.6

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Slings - Wire Rope - Permaloc

Part Number	Rope Diameter mm <i>inches</i>	Rate Capacity - Vertical Kg	Rate Capacity - Choke Kg	Rate Capacity - Basket Kg	Length Mtr
# LIF-80RS	12.700 <i>0.500</i>	2268	1724	4627	3.6
# LIF-76RS	12.700 <i>0.500</i>	2268	1724	4627	1.2
# LIF-77RS	12.700 <i>0.500</i>	2268	1724	4627	1.8
# LIF-78RS	12.700 <i>0.500</i>	2268	1724	4627	2.4
# LIF-79RS	12.700 <i>0.500</i>	2268	1724	4627	3.0
# LIF-82RS	15.875 <i>0.625</i>	3538	2631	7076	1.8
# LIF-83RS	15.875 <i>0.625</i>	3538	2631	7076	2.4
# LIF-84RS	15.875 <i>0.625</i>	3538	2631	7076	3.0
# LIF-85RS	15.875 <i>0.625</i>	3538	2631	7076	3.6
# LIF-81RS	15.875 <i>0.625</i>	3538	2631	7076	1.2

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Slings - Wire Rope - Permaloc

Part Number	Rope Diameter mm <i>inches</i>	Rate Capacity - Vertical Kg	Rate Capacity - Choke Kg	Rate Capacity - Basket Kg	Length Mtr
# LIF-86RS	19.050 <i>0.750</i>	5080	3719	9979	1.2
# LIF-87RS	19.050 <i>0.750</i>	5080	3719	9979	1.8
# LIF-88RS	19.050 <i>0.750</i>	5080	3719	9979	2.4
# LIF-89RS	19.050 <i>0.750</i>	5080	3719	9979	3.0
# LIF-90RS	19.050 <i>0.750</i>	5080	3719	9979	3.6
# LIF-94RS	25.400 <i>1.000</i>	8890	6532	18144	3.6
# LIF-91RS	25.400 <i>1.000</i>	8890	6532	18144	1.8
# LIF-92RS	25.400 <i>1.000</i>	8890	6532	18144	2.4
# LIF-93RS	25.400 <i>1.000</i>	8890	6532	18144	3.0

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

