



Socket Set Screws - Cone Point

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

INFORMATION


Cone point grub screws

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au//partslist/toolssetsfoldup/tools/all/1/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Socket Set Screws - Cone Point

Part Number	Thread Size	Thread Length (L) mm	Hex Key Size mm	Material	Type	Pitch mm
		<i>inches</i>	<i>inches</i>			<i>inches</i>
SS030M-0030-AS-CP	M3x0.5 (3mm Standard)	3.0 <i>0.118</i>	1.5 <i>0.059</i>	Alloy Steel	Cone Point	0.500 <i>0.020</i>
SS030M-0040-AS-CP	M3x0.5 (3mm Standard)	4.0 <i>0.157</i>	1.5 <i>0.059</i>	Alloy Steel	Cone Point	0.500 <i>0.020</i>
SS030M-0050-AS-CP	M3x0.5 (3mm Standard)	5.0 <i>0.197</i>	1.5 <i>0.059</i>	Alloy Steel	Cone Point	0.500 <i>0.020</i>
SS030M-0060-AS-CP	M3x0.5 (3mm Standard)	6.0 <i>0.236</i>	1.5 <i>0.059</i>	Alloy Steel	Cone Point	0.500 <i>0.020</i>
SS030M-0080-AS-CP	M3x0.5 (3mm Standard)	8.0 <i>0.315</i>	1.5 <i>0.059</i>	Alloy Steel	Cone Point	0.500 <i>0.020</i>
# SS030M-0100-AS-CP	M3x0.5 (3mm Standard)	10.0 <i>0.394</i>	1.5 <i>0.059</i>	Alloy Steel	Cone Point	0.500 <i>0.020</i>
SS030M-0120-AS-CP	M3x0.5 (3mm Standard)	12.0 <i>0.472</i>	1.5 <i>0.059</i>	Alloy Steel	Cone Point	0.500 <i>0.020</i>
# SS030M-0160-AS-CP	M3x0.5 (3mm Standard)	16.0 <i>0.630</i>	1.5 <i>0.059</i>	Alloy Steel	Cone Point	0.500 <i>0.020</i>
# SS030M-0200-AS-CP	M3x0.5 (3mm Standard)	20.0 <i>0.787</i>	1.5 <i>0.059</i>	Alloy Steel	Cone Point	0.500 <i>0.020</i>
# SS030M-0250-AS-CP	M3x0.5 (3mm Standard)	25.0 <i>0.984</i>	1.5 <i>0.059</i>	Alloy Steel	Cone Point	0.500 <i>0.020</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Socket Set Screws - Cone Point

Part Number	Thread Size	Thread Length (L) mm <i>inches</i>	Hex Key Size mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# SS035C-0048-AS-CP	6-32 UNC (3.5mm)	4.8 <i>0.189</i>	1.57 <i>0.062</i>	Alloy Steel	Cone Point	0.794 <i>0.031</i>
SS040M-0040-AS-CP	M4x0.7 (4mm Standard)	4.0 <i>0.157</i>	2.0 <i>0.079</i>	Alloy Steel	Cone Point	0.700 <i>0.028</i>
# SS040M-0050-AS-CP	M4x0.7 (4mm Standard)	5.0 <i>0.197</i>	2.0 <i>0.079</i>	Alloy Steel	Cone Point	0.700 <i>0.028</i>
SS040M-0060-AS-CP	M4x0.7 (4mm Standard)	6.0 <i>0.236</i>	2.0 <i>0.079</i>	Alloy Steel	Cone Point	0.700 <i>0.028</i>
# SS040M-0080-AS-CP	M4x0.7 (4mm Standard)	8.0 <i>0.315</i>	2.0 <i>0.079</i>	Alloy Steel	Cone Point	0.700 <i>0.028</i>
SS040M-0100-AS-CP	M4x0.7 (4mm Standard)	10.0 <i>0.394</i>	2.0 <i>0.079</i>	Alloy Steel	Cone Point	0.700 <i>0.028</i>
SS040M-0120-AS-CP	M4x0.7 (4mm Standard)	12.0 <i>0.472</i>	2.0 <i>0.079</i>	Alloy Steel	Cone Point	0.700 <i>0.028</i>
# SS040M-0160-AS-CP	M4x0.7 (4mm Standard)	16.0 <i>0.630</i>	2.0 <i>0.079</i>	Alloy Steel	Cone Point	0.700 <i>0.028</i>
# SS040M-0200-AS-CP	M4x0.7 (4mm Standard)	20.0 <i>0.787</i>	2.0 <i>0.079</i>	Alloy Steel	Cone Point	0.700 <i>0.028</i>
# SS040M-0250-AS-CP	M4x0.7 (4mm Standard)	25.0 <i>0.984</i>	2.0 <i>0.079</i>	Alloy Steel	Cone Point	0.700 <i>0.028</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Socket Set Screws - Cone Point

Part Number	Thread Size	Thread Length (L) mm <i>inches</i>	Hex Key Size mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# SS042C-0064-AS-CP	8-32 UNC (4.166mm)	6.4 <i>0.252</i>	1.98 <i>0.078</i>	Alloy Steel	Cone Point	0.794 <i>0.031</i>
# SS048C-0095-AS-CP	10-24 UNC (4.762mm)	9.5 <i>0.374</i>	2.38 <i>0.094</i>	Alloy Steel	Cone Point	1.058 <i>0.042</i>
# SS048C-0127-AS-CP	10-24 UNC (4.762mm)	12.7 <i>0.500</i>	2.38 <i>0.094</i>	Alloy Steel	Cone Point	1.058 <i>0.042</i>
# SS048F-0064-AS-CP	10-32 UNF (4.762mm)	6.4 <i>0.252</i>	2.38 <i>0.094</i>	Alloy Steel	Cone Point	0.794 <i>0.031</i>
SS050M-0050-AS-CP	M5x0.8 (5mm Standard)	5.0 <i>0.197</i>	2.5 <i>0.098</i>	Alloy Steel	Cone Point	0.800 <i>0.031</i>
# SS050M-0060-AS-CP	M5x0.8 (5mm Standard)	6.0 <i>0.236</i>	2.5 <i>0.098</i>	Alloy Steel	Cone Point	0.800 <i>0.031</i>
SS050M-0080-AS-CP	M5x0.8 (5mm Standard)	8.0 <i>0.315</i>	2.5 <i>0.098</i>	Alloy Steel	Cone Point	0.800 <i>0.031</i>
SS050M-0100-AS-CP	M5x0.8 (5mm Standard)	10.0 <i>0.394</i>	2.5 <i>0.098</i>	Alloy Steel	Cone Point	0.800 <i>0.031</i>
# SS050M-0120-AS-CP	M5x0.8 (5mm Standard)	12.0 <i>0.472</i>	2.5 <i>0.098</i>	Alloy Steel	Cone Point	0.800 <i>0.031</i>
SS050M-0160-AS-CP	M5x0.8 (5mm Standard)	16.0 <i>0.630</i>	2.5 <i>0.098</i>	Alloy Steel	Cone Point	0.800 <i>0.031</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Socket Set Screws - Cone Point

Part Number	Thread Size	Thread Length (L) mm <i>inches</i>	Hex Key Size mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
SS050M-0200-AS-CP	M5x0.8 (5mm Standard)	20.0 <i>0.787</i>	2.5 <i>0.098</i>	Alloy Steel	Cone Point	0.800 <i>0.031</i>
# SS050M-0250-AS-CP	M5x0.8 (5mm Standard)	25.0 <i>0.984</i>	2.5 <i>0.098</i>	Alloy Steel	Cone Point	0.800 <i>0.031</i>
# SS050M-0300-AS-CP	M5x0.8 (5mm Standard)	30.0 <i>1.181</i>	2.5 <i>0.098</i>	Alloy Steel	Cone Point	0.800 <i>0.031</i>
SS060M-0060-AS-CP	M6x1 (6mm Standard)	6.0 <i>0.236</i>	3.0 <i>0.118</i>	Alloy Steel	Cone Point	1.000 <i>0.039</i>
# SS060M-0080-AS-CP	M6x1 (6mm Standard)	8.0 <i>0.315</i>	3.0 <i>0.118</i>	Alloy Steel	Cone Point	1.000 <i>0.039</i>
# SS060M-0100-AS-CP	M6x1 (6mm Standard)	10.0 <i>0.394</i>	3.0 <i>0.118</i>	Alloy Steel	Cone Point	1.000 <i>0.039</i>
# SS060M-0120-AS-CP	M6x1 (6mm Standard)	12.0 <i>0.472</i>	3.0 <i>0.118</i>	Alloy Steel	Cone Point	1.000 <i>0.039</i>
# SS060M-0160-AS-CP	M6x1 (6mm Standard)	16.0 <i>0.630</i>	3.0 <i>0.118</i>	Alloy Steel	Cone Point	1.000 <i>0.039</i>
# SS060M-0200-AS-CP	M6x1 (6mm Standard)	20.0 <i>0.787</i>	3.0 <i>0.118</i>	Alloy Steel	Cone Point	1.000 <i>0.039</i>
# SS060M-0250-AS-CP	M6x1 (6mm Standard)	25.0 <i>0.984</i>	3.0 <i>0.118</i>	Alloy Steel	Cone Point	1.000 <i>0.039</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Socket Set Screws - Cone Point

Part Number	Thread Size	Thread Length (L) mm <i>inches</i>	Hex Key Size mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# SS060M-0300-AS-CP	M6x1 (6mm Standard)	30.0 <i>1.181</i>	3.0 <i>0.118</i>	Alloy Steel	Cone Point	1.000 <i>0.039</i>
# SS064C-0064-AS-CP	1/4-20 UNC (6.35mm)	6.4 <i>0.252</i>	3.18 <i>0.125</i>	Alloy Steel	Cone Point	1.270 <i>0.050</i>
# SS064C-0079-AS-CP	1/4-20 UNC (6.35mm)	7.9 <i>0.311</i>	3.18 <i>0.125</i>	Alloy Steel	Cone Point	1.270 <i>0.050</i>
# SS064C-0095-AS-CP	1/4-20 UNC (6.35mm)	9.5 <i>0.374</i>	3.18 <i>0.125</i>	Alloy Steel	Cone Point	1.270 <i>0.050</i>
# SS064C-0127-AS-CP	1/4-20 UNC (6.35mm)	12.7 <i>0.500</i>	3.18 <i>0.125</i>	Alloy Steel	Cone Point	1.270 <i>0.050</i>
# SS064C-0318-AS-CP	1/4-20 UNC (6.35mm)	28.6 <i>1.126</i>	3.18 <i>0.125</i>	Alloy Steel	Cone Point	1.270 <i>0.050</i>
# SS064F-0064-AS-CP	1/4-28 UNF (6.35mm)	6.4 <i>0.252</i>	3.18 <i>0.125</i>	Alloy Steel	Cone Point	0.907 <i>0.036</i>
# SS079C-0095-AS-CP	5/16-18 UNC (7.938mm)	9.5 <i>0.374</i>	3.96 <i>0.156</i>	Alloy Steel	Cone Point	1.411 <i>0.056</i>
# SS080M-0080-AS-CP	M8x1.25 (8mm Standard)	8.0 <i>0.315</i>	4.0 <i>0.157</i>	Alloy Steel	Cone Point	1.250 <i>0.049</i>
SS080M-0100-AS-CP	M8x1.25 (8mm Standard)	10.0 <i>0.394</i>	4.0 <i>0.157</i>	Alloy Steel	Cone Point	1.250 <i>0.049</i>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Socket Set Screws - Cone Point

Part Number	Thread Size	Thread Length (L) mm <i>inches</i>	Hex Key Size mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# SS080M-0120-AS-CP	M8x1.25 (8mm Standard)	12.0 <i>0.472</i>	4.0 <i>0.157</i>	Alloy Steel	Cone Point	1.250 <i>0.049</i>
# SS080M-0160-AS-CP	M8x1.25 (8mm Standard)	16.0 <i>0.630</i>	4.0 <i>0.157</i>	Alloy Steel	Cone Point	1.250 <i>0.049</i>
# SS080M-0200-AS-CP	M8x1.25 (8mm Standard)	20.0 <i>0.787</i>	4.0 <i>0.157</i>	Alloy Steel	Cone Point	1.250 <i>0.049</i>
# SS080M-0250-AS-CP	M8x1.25 (8mm Standard)	25.0 <i>0.984</i>	4.0 <i>0.157</i>	Alloy Steel	Cone Point	1.250 <i>0.049</i>
SS080M-0300-AS-CP	M8x1.25 (8mm Standard)	30.0 <i>1.181</i>	4.0 <i>0.157</i>	Alloy Steel	Cone Point	1.250 <i>0.049</i>
# SS080M-0350-AS-CP	M8x1.25 (8mm Standard)	35.0 <i>1.378</i>	4.0 <i>0.157</i>	Alloy Steel	Cone Point	1.250 <i>0.049</i>
# SS080M-0400-AS-CP	M8x1.25 (8mm Standard)	40.0 <i>1.575</i>	4.0 <i>0.157</i>	Alloy Steel	Cone Point	1.250 <i>0.049</i>
# SS080M-0450-AS-CP	M8x1.25 (8mm Standard)	45.0 <i>1.772</i>	4.0 <i>0.157</i>	Alloy Steel	Cone Point	1.250 <i>0.049</i>
# SS095C-0127-AS-CP	3/8-16 UNC (9.525mm)	12.7 <i>0.500</i>	4.76 <i>0.187</i>	Alloy Steel	Cone Point	1.588 <i>0.063</i>
# SS100M-0100-AS-CP	M10x1.5 (10mm Standard)	10.0 <i>0.394</i>	5.0 <i>0.197</i>	Alloy Steel	Cone Point	1.500 <i>0.059</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Socket Set Screws - Cone Point

Part Number	Thread Size	Thread Length (L) mm <i>inches</i>	Hex Key Size mm <i>inches</i>	Material	Type	Pitch mm <i>inches</i>
# SS100M-0120-AS-CP	M10x1.5 (10mm Standard)	12.0 <i>0.472</i>	5.0 <i>0.197</i>	Alloy Steel	Cone Point	1.500 <i>0.059</i>
# SS100M-0160-AS-CP	M10x1.5 (10mm Standard)	16.0 <i>0.630</i>	5.0 <i>0.197</i>	Alloy Steel	Cone Point	1.500 <i>0.059</i>
# SS100M-0200-AS-CP	M10x1.5 (10mm Standard)	20.0 <i>0.787</i>	5.0 <i>0.197</i>	Alloy Steel	Cone Point	1.500 <i>0.059</i>
# SS100M-0250-AS-CP	M10x1.5 (10mm Standard)	25.0 <i>0.984</i>	5.0 <i>0.197</i>	Alloy Steel	Cone Point	1.500 <i>0.059</i>
# SS100M-0300-AS-CP	M10x1.5 (10mm Standard)	30.0 <i>1.181</i>	5.0 <i>0.197</i>	Alloy Steel	Cone Point	1.500 <i>0.059</i>
# SS100M-0350-AS-CP	M10x1.5 (10mm Standard)	35.0 <i>1.378</i>	5.0 <i>0.197</i>	Alloy Steel	Cone Point	1.500 <i>0.059</i>
# SS100M-0400-AS-CP	M10x1.5 (10mm Standard)	40.0 <i>1.575</i>	5.0 <i>0.197</i>	Alloy Steel	Cone Point	1.500 <i>0.059</i>
# SS120M-0120-AS-CP	M12x1.75 (12mm Standard)	12.0 <i>0.472</i>	6.0 <i>0.236</i>	Alloy Steel	Cone Point	1.750 <i>0.069</i>
# SS120M-0160-AS-CP	M12x1.75 (12mm Standard)	16.0 <i>0.630</i>	6.0 <i>0.236</i>	Alloy Steel	Cone Point	1.750 <i>0.069</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 10 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Socket Set Screws - Cone Point

Part Number	Thread Size	Thread Length (L) mm	Hex Key Size mm	Material	Type	Pitch mm
		<i>inches</i>	<i>inches</i>			<i>inches</i>
# SS120M-0200-AS-CP	M12x1.75 (12mm Standard)	20.0 <i>0.787</i>	6.0 <i>0.236</i>	Alloy Steel	Cone Point	1.750 <i>0.069</i>
# SS120M-0250-AS-CP	M12x1.75 (12mm Standard)	25.0 <i>0.984</i>	6.0 <i>0.236</i>	Alloy Steel	Cone Point	1.750 <i>0.069</i>
# SS120M-0300-AS-CP	M12x1.75 (12mm Standard)	30.0 <i>1.181</i>	6.0 <i>0.236</i>	Alloy Steel	Cone Point	1.750 <i>0.069</i>
# SS120M-0350-AS-CP	M12x1.75 (12mm Standard)	35.0 <i>1.378</i>	6.0 <i>0.236</i>	Alloy Steel	Cone Point	1.750 <i>0.069</i>
# SS120M-0400-AS-CP	M12x1.75 (12mm Standard)	40.0 <i>1.575</i>	6.0 <i>0.236</i>	Alloy Steel	Cone Point	1.750 <i>0.069</i>
# SS120M-0450-AS-CP	M12x1.75 (12mm Standard)	45.0 <i>1.772</i>	6.0 <i>0.236</i>	Alloy Steel	Cone Point	1.750 <i>0.069</i>

Indicates item not stocked at time of printing - Please enquire for lead time

Page 11 of 11

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

