



# Socket Set Screws - Flat Tip

10/4/2018

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 12

## INFORMATION


Flat tip grub screws

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au//partslist/toolssetsfoldup/tools/all/1/>

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Flat Tip

Part Number	Thread Size	Thread Length (L) mm	Material	Hex Key Size mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>		<i>inches</i>
SS030M-0030-AS-FT	M3x0.5 (3mm Standard)	3.0 <i>0.118</i>	Hardened Steel, Black Oxide Finish	1.5 <i>0.059</i>		
SS030M-0040-AS-FT	M3x0.5 (3mm Standard)	4.0 <i>0.157</i>	Hardened Steel, Black Oxide Finish	1.5 <i>0.059</i>		
SS030M-0050-AS-FT	M3x0.5 (3mm Standard)	5.0 <i>0.197</i>	Hardened Steel, Black Oxide Finish	1.5 <i>0.059</i>		
SS030M-0060-AS-FT	M3x0.5 (3mm Standard)	6.0 <i>0.236</i>	Hardened Steel, Black Oxide Finish	1.5 <i>0.059</i>		
SS030M-0080-AS-FT	M3x0.5 (3mm Standard)	8.0 <i>0.315</i>	Hardened Steel, Black Oxide Finish	1.5 <i>0.059</i>		
SS030M-0100-AS-FT	M3x0.5 (3mm Standard)	10.0 <i>0.394</i>	Hardened Steel, Black Oxide Finish	1.5 <i>0.059</i>		
# SS030M-0120-AS-FT	M3x0.5 (3mm Standard)	12.0 <i>0.472</i>	Hardened Steel, Black Oxide Finish	1.5 <i>0.059</i>		
# SS030M-0160-AS-FT	M3x0.5 (3mm Standard)	16.0 <i>0.630</i>	Hardened Steel, Black Oxide Finish	1.5 <i>0.059</i>		

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Flat Tip

Part Number	Thread Size	Thread Length (L) mm	Material	Hex Key Size mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>		<i>inches</i>
# SS030M-0200-AS-FT	M3x0.5 (3mm Standard)	20.0	Hardened Steel, Black Oxide Finish	1.5		
		<i>0.787</i>		<i>0.059</i>		
SS040M-0040-AS-FT	M4x0.7 (4mm Standard)	4.0	Hardened Steel, Black Oxide Finish	2.0	Cup Point	0.700
		<i>0.157</i>		<i>0.079</i>		<i>0.028</i>
SS040M-0050-AS-FT	M4x0.7 (4mm Standard)	5.0	Hardened Steel, Black Oxide Finish	2.0	Cup Point	0.700
		<i>0.197</i>		<i>0.079</i>		<i>0.028</i>
SS040M-0060-AS-FT	M4x0.7 (4mm Standard)	6.0	Hardened Steel, Black Oxide Finish	2.0	Cup Point	0.700
		<i>0.236</i>		<i>0.079</i>		<i>0.028</i>
SS040M-0080-AS-FT	M4x0.7 (4mm Standard)	8.0	Hardened Steel, Black Oxide Finish	2.0	Cup Point	0.700
		<i>0.315</i>		<i>0.079</i>		<i>0.028</i>
# SS040M-0100-AS-FT	M4x0.7 (4mm Standard)	10.0	Hardened Steel, Black Oxide Finish	2.0	Cup Point	0.700
		<i>0.394</i>		<i>0.079</i>		<i>0.028</i>
SS040M-0120-AS-FT	M4x0.7 (4mm Standard)	12.0	Hardened Steel, Black Oxide Finish	2.0	Flat Tip	0.700
		<i>0.472</i>		<i>0.079</i>		<i>0.028</i>
SS040M-0160-AS-FT	M4x0.7 (4mm Standard)	16.0	Hardened Steel, Black Oxide Finish	2.0	Cup Point	0.700
		<i>0.630</i>		<i>0.079</i>		<i>0.028</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 5 of 12

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Flat Tip

Part Number	Thread Size	Thread Length (L) mm <i>inches</i>	Material	Hex Key Size mm <i>inches</i>	Type	Pitch mm <i>inches</i>
# SS040M-0200-AS-FT	M4x0.7 (4mm Standard)	20.0 <i>0.787</i>	Hardened Steel, Black Oxide Finish	2.0 <i>0.079</i>		
# SS040M-0250-AS-FT	M4x0.7 (4mm Standard)	25.0 <i>0.984</i>	Hardened Steel, Black Oxide Finish	2.0 <i>0.079</i>		
# SS040M-0300-AS-FT	M4x0.7 (4mm Standard)	30.0 <i>1.181</i>	Hardened Steel, Black Oxide Finish	2.0 <i>0.079</i>		
# SS048F-0064-AS-FT	10-32 UNF (4.762mm)	6.35 <i>0.250</i>	Hardened Steel, Black Oxide Finish	2.38 <i>0.094</i>		
SS050M-0050-AS-FT	M5x0.8 (5mm Standard)	5.0 <i>0.197</i>	Hardened Steel, Black Oxide Finish	2.5 <i>0.098</i>	Cup Point	0.800 <i>0.031</i>
SS050M-0060-AS-FT	M5x0.8 (5mm Standard)	6.0 <i>0.236</i>	Hardened Steel, Black Oxide Finish	2.5 <i>0.098</i>	Cup Point	0.800 <i>0.031</i>
SS050M-0080-AS-FT	M5x0.8 (5mm Standard)	8.0 <i>0.315</i>	Hardened Steel, Black Oxide Finish	2.5 <i>0.098</i>	Cup Point	0.800 <i>0.031</i>
SS050M-0100-AS-FT	M5x0.8 (5mm Standard)	10.0 <i>0.394</i>	Hardened Steel, Black Oxide Finish	2.5 <i>0.098</i>	Cup Point	0.800 <i>0.031</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 6 of 12

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Flat Tip

Part Number	Thread Size	Thread Length (L) mm	Material	Hex Key Size mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>		<i>inches</i>
SS050M-0120-AS-FT	M5x0.8 (5mm Standard)	12.0	Hardened Steel, Black Oxide Finish	2.5	Cup Point	0.800
		<i>0.472</i>		<i>0.098</i>		<i>0.031</i>
# SS050M-0160-AS-FT	M5x0.8 (5mm Standard)	16.0	Hardened Steel, Black Oxide Finish	2.5	Cup Point	0.800
		<i>0.630</i>		<i>0.098</i>		<i>0.031</i>
# SS050M-0200-AS-FT	M5x0.8 (5mm Standard)	20.0	Hardened Steel, Black Oxide Finish	2.5	Cup Point	0.800
		<i>0.787</i>		<i>0.098</i>		<i>0.031</i>
# SS050M-0250-AS-FT	M5x0.8 (5mm Standard)	25.0	Hardened Steel, Black Oxide Finish	2.5	Cup Point	0.800
		<i>0.984</i>		<i>0.098</i>		<i>0.031</i>
# SS050M-0300-AS-FT	M5x0.8 (5mm Standard)	30.0	Hardened Steel, Black Oxide Finish	2.5	Cup Point	0.800
		<i>1.181</i>		<i>0.098</i>		<i>0.031</i>
# SS050M-0350-AS-FT	M5x0.8 (5mm Standard)	35.0	Hardened Steel, Black Oxide Finish	2.5	Cup Point	0.800
		<i>1.378</i>		<i>0.098</i>		<i>0.031</i>
# SS050M-0400-AS-FT	M5x0.8 (5mm Standard)	40.0	Hardened Steel, Black Oxide Finish	2.5	Cup Point	0.800
		<i>1.575</i>		<i>0.098</i>		<i>0.031</i>
SS060M-0060-AS-FT	M6x1 (6mm Standard)	6.0	Hardened Steel, Black Oxide Finish	3.0	Cup Point	1.000
		<i>0.236</i>		<i>0.118</i>		<i>0.039</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 7 of 12

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Flat Tip

Part Number	Thread Size	Thread Length (L) mm	Material	Hex Key Size mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>		<i>inches</i>
# SS060M-0080-AS-FT	M6x1 (6mm Standard)	8.0 <i>0.315</i>	Hardened Steel, Black Oxide Finish	3.0 <i>0.118</i>	Cup Point	1.000 <i>0.039</i>
# SS060M-0100-AS-FT	M6x1 (6mm Standard)	10.0 <i>0.394</i>	Hardened Steel, Black Oxide Finish	3.0 <i>0.118</i>	Cup Point	1.000 <i>0.039</i>
# SS060M-0120-AS-FT	M6x1 (6mm Standard)	12.0 <i>0.472</i>	Hardened Steel, Black Oxide Finish	3.0 <i>0.118</i>	Cup Point	1.000 <i>0.039</i>
SS060M-0160-AS-FT	M6x1 (6mm Standard)	16.0 <i>0.630</i>	Hardened Steel, Black Oxide Finish	3.0 <i>0.118</i>	Cup Point	1.000 <i>0.039</i>
SS060M-0200-AS-FT	M6x1 (6mm Standard)	20.0 <i>0.787</i>	Hardened Steel, Black Oxide Finish	3.0 <i>0.118</i>	Cup Point	1.000 <i>0.039</i>
# SS060M-0250-AS-FT	M6x1 (6mm Standard)	25.0 <i>0.984</i>	Hardened Steel, Black Oxide Finish	3.0 <i>0.118</i>	Cup Point	1.000 <i>0.039</i>
# SS060M-0300-AS-FT	M6x1 (6mm Standard)	30.0 <i>1.181</i>	Hardened Steel, Black Oxide Finish	3.0 <i>0.118</i>		
# SS060M-0350-AS-FT	M6x1 (6mm Standard)	35.0 <i>1.378</i>	Hardened Steel, Black Oxide Finish	3.0 <i>0.118</i>	Cup Point	1.000 <i>0.039</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 8 of 12

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



## Socket Set Screws - Flat Tip

Part Number	Thread Size	Thread Length (L) mm	Material	Hex Key Size mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>		<i>inches</i>
# SS064C-0191-AS-FT	1/4-20 UNC (6.35mm)	19.1	Hardened Steel, Black Oxide Finish	3.18		
		<i>0.752</i>		<i>0.125</i>		
SS080M-0080-AS-FT	M8x1.25 (8mm Standard)	8.0	Hardened Steel, Black Oxide Finish	4.0	Cup Point	1.250
		<i>0.315</i>		<i>0.157</i>		<i>0.049</i>
# SS080M-0100-AS-FT	M8x1.25 (8mm Standard)	10.0	Hardened Steel, Black Oxide Finish	4.0	Cup Point	1.250
		<i>0.394</i>		<i>0.157</i>		<i>0.049</i>
# SS080M-0120-AS-FT	M8x1.25 (8mm Standard)	12.0	Hardened Steel, Black Oxide Finish	4.0	Cup Point	1.250
		<i>0.472</i>		<i>0.157</i>		<i>0.049</i>
# SS080M-0160-AS-FT	M8x1.25 (8mm Standard)	16.0	Hardened Steel, Black Oxide Finish	4.0	Cup Point	1.250
		<i>0.630</i>		<i>0.157</i>		<i>0.049</i>
# SS080M-0200-AS-FT	M8x1.25 (8mm Standard)	20.0	Hardened Steel, Black Oxide Finish	4.0	Cup Point	1.250
		<i>0.787</i>		<i>0.157</i>		<i>0.049</i>
# SS080M-0250-AS-FT	M8x1.25 (8mm Standard)	25.0	Hardened Steel, Black Oxide Finish	4.0	Cup Point	1.250
		<i>0.984</i>		<i>0.157</i>		<i>0.049</i>
# SS080M-0300-AS-FT	M8x1.25 (8mm Standard)	30.0	Hardened Steel, Black Oxide Finish	4.0	Cup Point	1.250
		<i>1.181</i>		<i>0.157</i>		<i>0.049</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 9 of 12

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Flat Tip

Part Number	Thread Size	Thread Length (L) mm <i>inches</i>	Material	Hex Key Size mm <i>inches</i>	Type	Pitch mm <i>inches</i>
# SS080M-0350-AS-FT	M8x1.25 (8mm Standard)	35.0 <i>1.378</i>	Hardened Steel, Black Oxide Finish	4.0 <i>0.157</i>	Cup Point	1.250 <i>0.049</i>
# SS095C-0064-AS-FT	3/8-16 UNC (9.525mm)	6.35 <i>0.250</i>	Hardened Steel, Black Oxide Finish	4.76 <i>0.187</i>		
SS100M-0100-AS-FT	M10x1.5 (10mm Standard)	10.0 <i>0.394</i>	Hardened Steel, Black Oxide Finish	5.0 <i>0.197</i>	Cup Point	1.500 <i>0.059</i>
# SS100M-0120-AS-FT	M10x1.5 (10mm Standard)	12.0 <i>0.472</i>	Hardened Steel, Black Oxide Finish	5.0 <i>0.197</i>	Cup Point	1.500 <i>0.059</i>
# SS100M-0160-AS-FT	M10x1.5 (10mm Standard)	16.0 <i>0.630</i>	Hardened Steel, Black Oxide Finish	5.0 <i>0.197</i>	Cup Point	1.500 <i>0.059</i>
# SS100M-0200-AS-FT	M10x1.5 (10mm Standard)	20.0 <i>0.787</i>	Hardened Steel, Black Oxide Finish	5.0 <i>0.197</i>	Cup Point	1.500 <i>0.059</i>
# SS100M-0250-AS-FT	M10x1.5 (10mm Standard)	25.0 <i>0.984</i>	Hardened Steel, Black Oxide Finish	5.0 <i>0.197</i>	Cup Point	1.500 <i>0.059</i>
# SS100M-0300-AS-FT	M10x1.5 (10mm Standard)	30.0 <i>1.181</i>	Hardened Steel, Black Oxide Finish	5.0 <i>0.197</i>	Cup Point	1.500 <i>0.059</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 10 of 12

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Flat Tip

Part Number	Thread Size	Thread Length (L) mm	Material	Hex Key Size mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>		<i>inches</i>
# SS100M-0350-AS-FT	M10x1.5 (10mm Standard)	35.0 <i>1.378</i>	Hardened Steel, Black Oxide Finish	5.0 <i>0.197</i>	Cup Point	1.500 <i>0.059</i>
# SS100M-0400-AS-FT	M10x1.5 (10mm Standard)	40.0 <i>1.575</i>	Hardened Steel, Black Oxide Finish	5.0 <i>0.197</i>	Cup Point	1.500 <i>0.059</i>
# SS120M-0120-AS-FT	M12x1.75 (12mm Standard)	12.0 <i>0.472</i>	Hardened Steel, Black Oxide Finish	6.0 <i>0.236</i>	Cup Point	1.750 <i>0.069</i>
# SS120M-0160-AS-FT	M12x1.75 (12mm Standard)	16.0 <i>0.630</i>	Hardened Steel, Black Oxide Finish	6.0 <i>0.236</i>	Cup Point	1.750 <i>0.069</i>
# SS120M-0200-AS-FT	M12x1.75 (12mm Standard)	20.0 <i>0.787</i>	Hardened Steel, Black Oxide Finish	6.0 <i>0.236</i>	Cup Point	1.750 <i>0.069</i>
# SS120M-0250-AS-FT	M12x1.75 (12mm Standard)	25.0 <i>0.984</i>	Hardened Steel, Black Oxide Finish	6.0 <i>0.236</i>	Cup Point	1.750 <i>0.069</i>
# SS120M-0300-AS-FT	M12x1.75 (12mm Standard)	30.0 <i>1.181</i>	Hardened Steel, Black Oxide Finish	6.0 <i>0.236</i>	Cup Point	1.750 <i>0.069</i>
# SS120M-0350-AS-FT	M12x1.75 (12mm Standard)	35.0 <i>1.378</i>	Hardened Steel, Black Oxide Finish	6.0 <i>0.236</i>	Cup Point	1.750 <i>0.069</i>

# Indicates item not stocked at time of printing - Please enquire for lead time

Page 11 of 12

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Socket Set Screws - Flat Tip

Part Number	Thread Size	Thread Length (L) mm	Material	Hex Key Size mm	Type	Pitch mm
		<i>inches</i>		<i>inches</i>		<i>inches</i>
# SS120M-0400-AS-FT	M12x1.75 (12mm Standard)	40.0 <i>1.575</i>	Hardened Steel, Black Oxide Finish	6.0 <i>0.236</i>	Cup Point	1.750 <i>0.069</i>
# SS120M-0450-AS-FT	M12x1.75 (12mm Standard)	45.0 <i>1.772</i>	Hardened Steel, Black Oxide Finish	6.0 <i>0.236</i>	Cup Point	1.750 <i>0.069</i>
# SS127C-0127-AS-FT	1/2-13 UNC (12.7mm)	12.7 <i>0.500</i>	Hardened Steel, Black Oxide Finish	6.35 <i>0.250</i>		
# SS127C-0191-AS-FT	1/2-13 UNC (12.7mm)	19.1 <i>0.752</i>	Hardened Steel, Black Oxide Finish	6.35 <i>0.250</i>		

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

