



# Spacers - Round - Threaded

10/4/2018

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.


## INFORMATION

Brass or 303 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spacers - Round - Threaded

Part Number	OD (D) mm <i>inches</i>	Thread Size	Length (L) mm <i>inches</i>	Material
SRD-T-0285C-05-006-S3	4-40 UNC (2.845mm)	4.762	6.35 <i>0.250</i>	303 Stainless Steel
SRD-T-0285C-05-006-B	4-40 UNC (2.845mm)	4.762	6.35 <i>0.250</i>	Brass
SRD-T-0285C-05-013-S3	4-40 UNC (2.845mm)	4.762	12.7 <i>0.500</i>	303 Stainless Steel
# SRD-T-0350C-06-006-B	6-32 UNC (3.5mm)	6.35	6.35 <i>0.250</i>	Brass
# SRD-T-0350C-06-006-S3	6-32 UNC (3.5mm)	6.35	6.35 <i>0.250</i>	303 Stainless Steel
# SRD-T-0350C-06-010-B	6-32 UNC (3.5mm)	6.35	9.652 <i>0.380</i>	Brass
SRD-T-0350C-06-010-S3	6-32 UNC (3.5mm)	6.35	9.652 <i>0.380</i>	303 Stainless Steel
# SRD-T-0350C-06-013-B	6-32 UNC (3.5mm)	6.35	12.7 <i>0.500</i>	Brass
SRD-T-0350C-06-013-S3	6-32 UNC (3.5mm)	6.35	12.7 <i>0.500</i>	303 Stainless Steel
# SRD-T-0350C-06-016-S3	6-32 UNC (3.5mm)	6.35	16.002 <i>0.630</i>	303 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spacers - Round - Threaded

Part Number	OD (D) mm <i>inches</i>	Thread Size	Length (L) mm <i>inches</i>	Material
SRD-T-0350C-06-016-B	6-32 UNC (3.5mm)	6.35	16.002 <i>0.630</i>	Brass
SRD-T-0350C-06-019-S3	6-32 UNC (3.5mm)	6.35	19.05 <i>0.750</i>	303 Stainless Steel
# SRD-T-0350C-06-019-B	6-32 UNC (3.5mm)	6.35	19.05 <i>0.750</i>	Brass
SRD-T-0350C-06-025-S3	6-32 UNC (3.5mm)	6.35	25.4 <i>1.000</i>	303 Stainless Steel
# SRD-T-0350C-10-010-S3	6-32 UNC (3.5mm)	9.525	9.652 <i>0.380</i>	303 Stainless Steel
# SRD-T-0417C-06-013-S3	8-32 UNC (4.166mm)	6.35	12.7 <i>0.500</i>	303 Stainless Steel
# SRD-T-0417C-06-016-S3	8-32 UNC (4.166mm)	6.35	16.002 <i>0.630</i>	303 Stainless Steel
# SRD-T-0417C-10-010-B	8-32 UNC (4.166mm)	9.525	9.652 <i>0.380</i>	Brass
SRD-T-0417C-10-013-B	8-32 UNC (4.166mm)	9.525	12.7 <i>0.500</i>	Brass
# SRD-T-0417C-10-016-B	8-32 UNC (4.166mm)	9.525	16.002 <i>0.630</i>	Brass

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spacers - Round - Threaded

Part Number	OD (D) mm <i>inches</i>	Thread Size	Length (L) mm <i>inches</i>	Material
SRD-T-0417C-10-019-B	8-32 UNC (4.166mm)	9.525	19.050 <i>0.750</i>	Brass
SRD-T-0417C-10-025-S3	8-32 UNC (4.166mm)	9.525	25.4 <i>1.000</i>	303 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

