



# Spacers - Round - Through Bore - Brass

10/4/2018

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 13


## INFORMATION

Shaft spacers - Brass

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Spacers may be short like washers or long like tube.

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spacers - Round - Through Bore - Brass

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material
W0020-F-004-010-BN	2 <i>0.079</i>	4 <i>0.157</i>	1 <i>0.039</i>	Brass - Nickel Plated
# W0020-F-004-020-BN	2 <i>0.079</i>	4 <i>0.157</i>	2 <i>0.079</i>	Brass - Nickel Plated
# W0020-F-004-030-BN	2 <i>0.079</i>	4 <i>0.157</i>	3 <i>0.118</i>	Brass - Nickel Plated
W0020-F-004-040-BN	2 <i>0.079</i>	4 <i>0.157</i>	4 <i>0.157</i>	Brass - Nickel Plated
W0020-F-004-050-BN	2 <i>0.079</i>	4 <i>0.157</i>	5 <i>0.197</i>	Brass - Nickel Plated
# W0020-F-004-060-BN	2 <i>0.079</i>	4 <i>0.157</i>	6 <i>0.236</i>	Brass - Nickel Plated
W0020-F-004-080-BN	2 <i>0.079</i>	4 <i>0.157</i>	8 <i>0.315</i>	Brass - Nickel Plated
# W0020-F-004-100-BN	2 <i>0.079</i>	4 <i>0.157</i>	10 <i>0.394</i>	Brass - Nickel Plated
W0020-F-004-120-BN	2 <i>0.079</i>	4 <i>0.157</i>	12 <i>0.472</i>	Brass - Nickel Plated
W0020-F-004-150-BN	2 <i>0.079</i>	4 <i>0.157</i>	15 <i>0.591</i>	Brass - Nickel Plated

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spacers - Round - Through Bore - Brass

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material
W0020-F-004-180-BN	2 <i>0.079</i>	4 <i>0.157</i>	18 <i>0.709</i>	Brass - Nickel Plated
# W0020-F-004-200-BN	2 <i>0.079</i>	4 <i>0.157</i>	20 <i>0.787</i>	Brass - Nickel Plated
# W0020-F-004-250-BN	2 <i>0.079</i>	4 <i>0.157</i>	25 <i>0.984</i>	Brass - Nickel Plated
# W0020-F-004-300-BN	2 <i>0.079</i>	4 <i>0.157</i>	30 <i>1.181</i>	Brass - Nickel Plated
# W0025-F-005-010-BN	2.5 <i>0.098</i>	5 <i>0.197</i>	1 <i>0.039</i>	Brass - Nickel Plated
W0025-F-005-020-BN	2.5 <i>0.098</i>	5 <i>0.197</i>	2 <i>0.079</i>	Brass - Nickel Plated
W0025-F-005-030-BN	2.5 <i>0.098</i>	5 <i>0.197</i>	3 <i>0.118</i>	Brass - Nickel Plated
# W0025-F-005-040-BN	2.5 <i>0.098</i>	5 <i>0.197</i>	4 <i>0.157</i>	Brass - Nickel Plated
W0025-F-005-050-BN	2.5 <i>0.098</i>	5 <i>0.197</i>	5 <i>0.197</i>	Brass - Nickel Plated
W0025-F-005-060-BN	2.5 <i>0.098</i>	5 <i>0.197</i>	6 <i>0.236</i>	Brass - Nickel Plated

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spacers - Round - Through Bore - Brass

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material
W0025-F-005-080-BN	2.5 <i>0.098</i>	5 <i>0.197</i>	8 <i>0.315</i>	Brass - Nickel Plated
# W0025-F-005-100-BN	2.5 <i>0.098</i>	5 <i>0.197</i>	10 <i>0.394</i>	Brass - Nickel Plated
# W0025-F-005-120-BN	2.5 <i>0.098</i>	5 <i>0.197</i>	12 <i>0.472</i>	Brass - Nickel Plated
# W0025-F-005-150-BN	2.5 <i>0.098</i>	5 <i>0.197</i>	15 <i>0.591</i>	Brass - Nickel Plated
# W0025-F-005-180-BN	2.5 <i>0.098</i>	5 <i>0.197</i>	18 <i>0.709</i>	Brass - Nickel Plated
# W0025-F-005-200-BN	2.5 <i>0.098</i>	5 <i>0.197</i>	20 <i>0.787</i>	Brass - Nickel Plated
# W0025-F-005-250-BN	2.5 <i>0.098</i>	5 <i>0.197</i>	25 <i>0.984</i>	Brass - Nickel Plated
W0025-F-005-300-BN	2.5 <i>0.098</i>	5 <i>0.197</i>	30 <i>1.181</i>	Brass - Nickel Plated
# W0029-F-005-064-BR	2.92 <i>0.115</i>	4.762 <i>0.187</i>	6.35 <i>0.250</i>	Brass - Bright Dip
# W0029-F-005-097-BR	2.92 <i>0.115</i>	4.762 <i>0.187</i>	9.65 <i>0.380</i>	Brass - Bright Dip

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spacers - Round - Through Bore - Brass

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material
# W0030-F-006-010-BN	3 <i>0.118</i>	6 <i>0.236</i>	1 <i>0.039</i>	Brass - Nickel Plated
W0030-F-006-020-BN	3 <i>0.118</i>	6 <i>0.236</i>	2 <i>0.079</i>	Brass - Nickel Plated
W0030-F-006-030-BN	3 <i>0.118</i>	6 <i>0.236</i>	3 <i>0.118</i>	Brass - Nickel Plated
W0030-F-006-040-BN	3 <i>0.118</i>	6 <i>0.236</i>	4 <i>0.157</i>	Brass - Nickel Plated
W0030-F-006-050-BN	3 <i>0.118</i>	6 <i>0.236</i>	5 <i>0.197</i>	Brass - Nickel Plated
# W0030-F-006-060-BN	3 <i>0.118</i>	6 <i>0.236</i>	6 <i>0.236</i>	Brass - Nickel Plated
# W0030-F-006-080-BN	3 <i>0.118</i>	6 <i>0.236</i>	8 <i>0.315</i>	Brass - Nickel Plated
# W0030-F-006-090-BN	3 <i>0.118</i>	6 <i>0.236</i>	9 <i>0.354</i>	Brass - Nickel Plated
# W0030-F-006-100-BN	3 <i>0.118</i>	6 <i>0.236</i>	10 <i>0.394</i>	Brass - Nickel Plated
W0030-F-006-120-BN	3 <i>0.118</i>	6 <i>0.236</i>	12 <i>0.472</i>	Brass - Nickel Plated

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spacers - Round - Through Bore - Brass

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material
# W0030-F-006-150-BN	3 <i>0.118</i>	6 <i>0.236</i>	15 <i>0.591</i>	Brass - Nickel Plated
# W0030-F-006-180-BN	3 <i>0.118</i>	6 <i>0.236</i>	18 <i>0.709</i>	Brass - Nickel Plated
# W0030-F-006-200-BN	3 <i>0.118</i>	6 <i>0.236</i>	20 <i>0.787</i>	Brass - Nickel Plated
# W0030-F-006-250-BN	3 <i>0.118</i>	6 <i>0.236</i>	25 <i>0.984</i>	Brass - Nickel Plated
# W0030-F-006-300-BN	3 <i>0.118</i>	6 <i>0.236</i>	30 <i>1.181</i>	Brass - Nickel Plated
# W0030-F-006-350-BN	3 <i>0.118</i>	6 <i>0.236</i>	35 <i>1.378</i>	Brass - Nickel Plated
# W0030-F-006-400-BN	3 <i>0.118</i>	6 <i>0.236</i>	40 <i>1.575</i>	Brass - Nickel Plated
W0030-F-006-450-BN	3 <i>0.118</i>	6 <i>0.236</i>	45 <i>1.772</i>	Brass - Nickel Plated
# W0030-F-006-500-BN	3 <i>0.118</i>	6 <i>0.236</i>	50 <i>1.969</i>	Brass - Nickel Plated
# W0036-F-006-064-BR	3.56 <i>0.140</i>	6.35 <i>0.250</i>	6.35 <i>0.250</i>	Brass - Bright Dip

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



## Spacers - Round - Through Bore - Brass

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material
# W0036-F-006-254-BR	3.56 <i>0.140</i>	6.35 <i>0.250</i>	25.4 <i>1.000</i>	Brass - Bright Dip
W0040-F-008-010-BN	4 <i>0.157</i>	8 <i>0.315</i>	1 <i>0.039</i>	Brass - Nickel Plated
# W0040-F-008-020-BN	4 <i>0.157</i>	8 <i>0.315</i>	2 <i>0.079</i>	Brass - Nickel Plated
W0040-F-008-030-BN	4 <i>0.157</i>	8 <i>0.315</i>	3 <i>0.118</i>	Brass - Nickel Plated
W0040-F-008-040-BN	4 <i>0.157</i>	8 <i>0.315</i>	4 <i>0.157</i>	Brass - Nickel Plated
W0040-F-008-050-BN	4 <i>0.157</i>	8 <i>0.315</i>	5 <i>0.197</i>	Brass - Nickel Plated
# W0040-F-008-060-BN	4 <i>0.157</i>	8 <i>0.315</i>	6 <i>0.236</i>	Brass - Nickel Plated
# W0040-F-008-080-BN	4 <i>0.157</i>	8 <i>0.315</i>	8 <i>0.315</i>	Brass - Nickel Plated
W0040-F-008-100-BN	4 <i>0.157</i>	8 <i>0.315</i>	10 <i>0.394</i>	Brass - Nickel Plated
W0040-F-008-120-BN	4 <i>0.157</i>	8 <i>0.315</i>	12 <i>0.472</i>	Brass - Nickel Plated

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spacers - Round - Through Bore - Brass

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material
# W0040-F-008-150-BN	4 <i>0.157</i>	8 <i>0.315</i>	15 <i>0.591</i>	Brass - Nickel Plated
# W0040-F-008-180-BN	4 <i>0.157</i>	8 <i>0.315</i>	18 <i>0.709</i>	Brass - Nickel Plated
# W0040-F-008-200-BN	4 <i>0.157</i>	8 <i>0.315</i>	20 <i>0.787</i>	Brass - Nickel Plated
W0040-F-008-250-BN	4 <i>0.157</i>	8 <i>0.315</i>	25 <i>0.984</i>	Brass - Nickel Plated
# W0040-F-008-300-BN	4 <i>0.157</i>	8 <i>0.315</i>	30 <i>1.181</i>	Brass - Nickel Plated
# W0040-F-008-350-BN	4 <i>0.157</i>	8 <i>0.315</i>	35 <i>1.378</i>	Brass - Nickel Plated
# W0040-F-008-400-BN	4 <i>0.157</i>	8 <i>0.315</i>	40 <i>1.575</i>	Brass - Nickel Plated
# W0040-F-008-450-BN	4 <i>0.157</i>	8 <i>0.315</i>	45 <i>1.772</i>	Brass - Nickel Plated
# W0040-F-008-500-BN	4 <i>0.157</i>	8 <i>0.315</i>	50 <i>1.969</i>	Brass - Nickel Plated
# W0041-F-008-191-BR	4.06 <i>0.160</i>	7.938 <i>0.313</i>	19.05 <i>0.750</i>	Brass

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spacers - Round - Through Bore - Brass

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material
# W0042-F-006-127-BR	4.22 <i>0.166</i>	6.35 <i>0.250</i>	12.7 <i>0.500</i>	Brass
# W0042-F-008-064-BR	4.22 <i>0.166</i>	7.938 <i>0.313</i>	6.35 <i>0.250</i>	Brass
# W0042-F-010-127-BR	4.22 <i>0.166</i>	9.525 <i>0.375</i>	12.7 <i>0.500</i>	Brass
# W0042-F-010-191-BR	4.22 <i>0.166</i>	9.525 <i>0.375</i>	19.05 <i>0.750</i>	Brass
W0043-F-006-048-BR	4.34 <i>0.171</i>	6.35 <i>0.250</i>	4.83 <i>0.190</i>	Brass - Bright Dip
# W0049-F-008-064-BR	4.88 <i>0.192</i>	7.938 <i>0.313</i>	6.35 <i>0.250</i>	Brass
# W0049-F-008-095-BR	4.88 <i>0.192</i>	7.938 <i>0.313</i>	9.53 <i>0.375</i>	Brass
# W0049-F-008-127-BR	4.88 <i>0.192</i>	7.938 <i>0.313</i>	12.7 <i>0.500</i>	Brass
# W0049-F-008-191-BR	4.88 <i>0.192</i>	7.938 <i>0.313</i>	19.05 <i>0.750</i>	Brass
# W0049-F-010-064-BR	4.88 <i>0.192</i>	9.525 <i>0.375</i>	6.35 <i>0.250</i>	Brass

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spacers - Round - Through Bore - Brass

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material
# W0049-F-010-095-BR	4.88 <i>0.192</i>	9.525 <i>0.375</i>	9.53 <i>0.375</i>	Brass
# W0049-F-010-127-BR	4.88 <i>0.192</i>	9.525 <i>0.375</i>	12.7 <i>0.500</i>	Brass
# W0049-F-010-191-BR	4.88 <i>0.192</i>	9.525 <i>0.375</i>	19.05 <i>0.750</i>	Brass
W0050-F-010-010-BN	5 <i>0.197</i>	10 <i>0.394</i>	1 <i>0.039</i>	Brass - Nickel Plated
W0050-F-010-020-BN	5 <i>0.197</i>	10 <i>0.394</i>	2 <i>0.079</i>	Brass - Nickel Plated
# W0050-F-010-030-BN	5 <i>0.197</i>	10 <i>0.394</i>	3 <i>0.118</i>	Brass - Nickel Plated
W0050-F-010-040-BN	5 <i>0.197</i>	10 <i>0.394</i>	4 <i>0.157</i>	Brass - Nickel Plated
W0050-F-010-050-BN	5 <i>0.197</i>	10 <i>0.394</i>	5 <i>0.197</i>	Brass - Nickel Plated
W0050-F-010-060-BN	5 <i>0.197</i>	10 <i>0.394</i>	6 <i>0.236</i>	Brass - Nickel Plated
# W0050-F-010-080-BN	5 <i>0.197</i>	10 <i>0.394</i>	8 <i>0.315</i>	Brass - Nickel Plated

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spacers - Round - Through Bore - Brass

Part Number	ID (d) mm <i>inches</i>	OD (D) mm <i>inches</i>	Length (L) mm <i>inches</i>	Material
W0050-F-010-100-BN	5 <i>0.197</i>	10 <i>0.394</i>	10 <i>0.394</i>	Brass - Nickel Plated
# W0050-F-010-120-BN	5 <i>0.197</i>	10 <i>0.394</i>	12 <i>0.472</i>	Brass - Nickel Plated
W0050-F-010-150-BN	5 <i>0.197</i>	10 <i>0.394</i>	15 <i>0.591</i>	Brass - Nickel Plated
W0050-F-010-180-BN	5 <i>0.197</i>	10 <i>0.394</i>	18 <i>0.709</i>	Brass - Nickel Plated
# W0050-F-010-200-BN	5 <i>0.197</i>	10 <i>0.394</i>	20 <i>0.787</i>	Brass - Nickel Plated
# W0050-F-010-250-BN	5 <i>0.197</i>	10 <i>0.394</i>	25 <i>0.984</i>	Brass - Nickel Plated
W0050-F-010-300-BN	5 <i>0.197</i>	10 <i>0.394</i>	30 <i>1.181</i>	Brass - Nickel Plated
# W0050-F-010-350-BN	5 <i>0.197</i>	10 <i>0.394</i>	35 <i>1.378</i>	Brass - Nickel Plated
# W0050-F-010-400-BN	5 <i>0.197</i>	10 <i>0.394</i>	40 <i>1.575</i>	Brass - Nickel Plated
# W0050-F-010-500-BN	5 <i>0.197</i>	10 <i>0.394</i>	50 <i>1.969</i>	Brass - Nickel Plated

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

