



# Spacers - Round - Through Bore - Steel

10/4/2018

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.


## INFORMATION

Shaft spacers - Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Spacers may be short like washers or long like tube.

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spacers - Round - Through Bore - Steel

| Part Number               | ID (d) mm<br><i>inches</i> | OD (D) mm<br><i>inches</i> | Length (L) mm<br><i>inches</i> | Material |
|---------------------------|----------------------------|----------------------------|--------------------------------|----------|
| # W0030-F-006-003-C       | 3<br><i>0.118</i>          | 6<br><i>0.236</i>          | 0.25<br><i>0.010</i>           | Steel    |
| # W0030-F-006-005-C       | 3<br><i>0.118</i>          | 6<br><i>0.236</i>          | 0.5<br><i>0.020</i>            | Steel    |
| # W0030-F-006-010-C       | 3<br><i>0.118</i>          | 6<br><i>0.236</i>          | 1<br><i>0.039</i>              | Steel    |
| # W0030-F-006-030-C       | 3<br><i>0.118</i>          | 6<br><i>0.236</i>          | 3<br><i>0.118</i>              | Steel    |
| # W0030-F-006-050-C       | 3<br><i>0.118</i>          | 6<br><i>0.236</i>          | 5<br><i>0.197</i>              | Steel    |
| # W0030-F-006-100-C       | 3<br><i>0.118</i>          | 6<br><i>0.236</i>          | 10<br><i>0.394</i>             | Steel    |
| # W0034-F-005-060-C-PK100 | 3.40<br><i>0.134</i>       | 4.7<br><i>0.185</i>        | 6<br><i>0.236</i>              |          |
| # W0034-F-005-060-C-PK8   | 3.40<br><i>0.134</i>       | 4.7<br><i>0.185</i>        | 6<br><i>0.236</i>              |          |
| # W0034-F-005-090-C-PK8   | 3.40<br><i>0.134</i>       | 4.7<br><i>0.185</i>        | 9<br><i>0.354</i>              |          |
| # W0034-F-005-120-C-PK100 | 3.40<br><i>0.134</i>       | 4.7<br><i>0.185</i>        | 12<br><i>0.472</i>             |          |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spacers - Round - Through Bore - Steel

| Part Number               | ID (d) mm<br><i>inches</i> | OD (D) mm<br><i>inches</i> | Length (L) mm<br><i>inches</i> | Material |
|---------------------------|----------------------------|----------------------------|--------------------------------|----------|
| # W0034-F-005-120-C-PK6   | 3.40<br><i>0.134</i>       | 4.7<br><i>0.185</i>        | 12<br><i>0.472</i>             |          |
| # W0034-F-005-250-C-PK100 | 3.40<br><i>0.134</i>       | 4.7<br><i>0.185</i>        | 25<br><i>0.984</i>             |          |
| # W0034-F-005-250-C-PK4   | 3.40<br><i>0.134</i>       | 4.7<br><i>0.185</i>        | 25<br><i>0.984</i>             |          |
| # W0040-F-008-005-C       | 4<br><i>0.157</i>          | 8<br><i>0.315</i>          | 0.5<br><i>0.020</i>            | Steel    |
| W0040-F-008-010-C         | 4<br><i>0.157</i>          | 8<br><i>0.315</i>          | 1<br><i>0.039</i>              | Steel    |
| # W0040-F-008-030-C       | 4<br><i>0.157</i>          | 8<br><i>0.315</i>          | 3<br><i>0.118</i>              | Steel    |
| # W0040-F-008-050-C       | 4<br><i>0.157</i>          | 8<br><i>0.315</i>          | 5<br><i>0.197</i>              | Steel    |
| # W0040-F-008-100-C       | 4<br><i>0.157</i>          | 8<br><i>0.315</i>          | 10<br><i>0.394</i>             | Steel    |
| W0050-F-010-003-C         | 5<br><i>0.197</i>          | 10<br><i>0.394</i>         | 0.25<br><i>0.010</i>           | Steel    |
| W0050-F-010-005-C         | 5<br><i>0.197</i>          | 10<br><i>0.394</i>         | 0.5<br><i>0.020</i>            | Steel    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spacers - Round - Through Bore - Steel

| Part Number         | ID (d) mm<br><i>inches</i> | OD (D) mm<br><i>inches</i> | Length (L) mm<br><i>inches</i> | Material |
|---------------------|----------------------------|----------------------------|--------------------------------|----------|
| W0050-F-010-010A-C  | 5<br><i>0.197</i>          | 10<br><i>0.394</i>         | 1<br><i>0.039</i>              | Steel    |
| W0050-F-010-030-C   | 5<br><i>0.197</i>          | 10<br><i>0.394</i>         | 3<br><i>0.118</i>              | Steel    |
| # W0050-F-010-050-C | 5<br><i>0.197</i>          | 10<br><i>0.394</i>         | 5<br><i>0.197</i>              | Steel    |
| # W0050-F-010-100-C | 5<br><i>0.197</i>          | 10<br><i>0.394</i>         | 10<br><i>0.394</i>             | Steel    |
| W0060-F-012-003-C   | 6<br><i>0.236</i>          | 12<br><i>0.472</i>         | 0.25<br><i>0.010</i>           | Steel    |
| W0060-F-012-005-C   | 6<br><i>0.236</i>          | 12<br><i>0.472</i>         | 0.5<br><i>0.020</i>            | Steel    |
| # W0060-F-012-010-C | 6<br><i>0.236</i>          | 12<br><i>0.472</i>         | 1<br><i>0.039</i>              | Steel    |
| W0060-F-012-030-C   | 6<br><i>0.236</i>          | 12<br><i>0.472</i>         | 3<br><i>0.118</i>              | Steel    |
| W0060-F-012-050-C   | 6<br><i>0.236</i>          | 12<br><i>0.472</i>         | 5<br><i>0.197</i>              | Steel    |
| W0060-F-012-100-C   | 6<br><i>0.236</i>          | 12<br><i>0.472</i>         | 10<br><i>0.394</i>             | Steel    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spacers - Round - Through Bore - Steel

| Part Number         | ID (d) mm<br><i>inches</i> | OD (D) mm<br><i>inches</i> | Length (L) mm<br><i>inches</i> | Material |
|---------------------|----------------------------|----------------------------|--------------------------------|----------|
| W0080-F-014-003-C   | 8<br><i>0.315</i>          | 14<br><i>0.551</i>         | 0.25<br><i>0.010</i>           | Steel    |
| W0080-F-014-005-C   | 8<br><i>0.315</i>          | 14<br><i>0.551</i>         | 0.5<br><i>0.020</i>            | Steel    |
| # W0080-F-014-010-C | 8<br><i>0.315</i>          | 14<br><i>0.551</i>         | 1<br><i>0.039</i>              | Steel    |
| W0080-F-014-030-C   | 8<br><i>0.315</i>          | 14<br><i>0.551</i>         | 3<br><i>0.118</i>              | Steel    |
| W0080-F-014-050-C   | 8<br><i>0.315</i>          | 14<br><i>0.551</i>         | 5<br><i>0.197</i>              | Steel    |
| W0080-F-014-100-C   | 8<br><i>0.315</i>          | 14<br><i>0.551</i>         | 10<br><i>0.394</i>             | Steel    |
| W0100-F-016-003-C   | 10<br><i>0.394</i>         | 16<br><i>0.630</i>         | 0.25<br><i>0.010</i>           | Steel    |
| W0100-F-016-005-C   | 10<br><i>0.394</i>         | 16<br><i>0.630</i>         | 0.5<br><i>0.020</i>            | Steel    |
| # W0100-F-016-010-C | 10<br><i>0.394</i>         | 16<br><i>0.630</i>         | 1<br><i>0.039</i>              | Steel    |
| # W0100-F-016-030-C | 10<br><i>0.394</i>         | 16<br><i>0.630</i>         | 3<br><i>0.118</i>              | Steel    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Spacers - Round - Through Bore - Steel

| Part Number         | ID (d) mm<br><i>inches</i> | OD (D) mm<br><i>inches</i> | Length (L) mm<br><i>inches</i> | Material |
|---------------------|----------------------------|----------------------------|--------------------------------|----------|
| W0100-F-016-050-C   | 10<br><i>0.394</i>         | 16<br><i>0.630</i>         | 5<br><i>0.197</i>              | Steel    |
| W0100-F-016-100-C   | 10<br><i>0.394</i>         | 16<br><i>0.630</i>         | 10<br><i>0.394</i>             | Steel    |
| W0100-F-018-003-C   | 10<br><i>0.394</i>         | 18<br><i>0.709</i>         | 0.25<br><i>0.010</i>           | Steel    |
| # W0100-F-018-005-C | 10<br><i>0.394</i>         | 18<br><i>0.709</i>         | 0.5<br><i>0.020</i>            | Steel    |
| # W0100-F-018-010-C | 10<br><i>0.394</i>         | 18<br><i>0.709</i>         | 1<br><i>0.039</i>              | Steel    |
| # W0100-F-018-030-C | 10<br><i>0.394</i>         | 18<br><i>0.709</i>         | 3<br><i>0.118</i>              | Steel    |
| W0100-F-018-050-C   | 10<br><i>0.394</i>         | 18<br><i>0.709</i>         | 5<br><i>0.197</i>              | Steel    |
| # W0100-F-018-100-C | 10<br><i>0.394</i>         | 18<br><i>0.709</i>         | 10<br><i>0.394</i>             | Steel    |
| # W0120-F-020-003-C | 12<br><i>0.472</i>         | 20<br><i>0.787</i>         | 0.25<br><i>0.010</i>           | Steel    |
| # W0120-F-020-005-C | 12<br><i>0.472</i>         | 20<br><i>0.787</i>         | 0.5<br><i>0.020</i>            | Steel    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



## Spacers - Round - Through Bore - Steel

| Part Number         | ID (d) mm<br><i>inches</i> | OD (D) mm<br><i>inches</i> | Length (L) mm<br><i>inches</i> | Material |
|---------------------|----------------------------|----------------------------|--------------------------------|----------|
| W0120-F-020-010-C   | 12<br><i>0.472</i>         | 20<br><i>0.787</i>         | 1<br><i>0.039</i>              | Steel    |
| # W0120-F-020-030-C | 12<br><i>0.472</i>         | 20<br><i>0.787</i>         | 3<br><i>0.118</i>              | Steel    |
| W0120-F-020-050-C   | 12<br><i>0.472</i>         | 20<br><i>0.787</i>         | 5<br><i>0.197</i>              | Steel    |
| # W0120-F-020-100-C | 12<br><i>0.472</i>         | 20<br><i>0.787</i>         | 10<br><i>0.394</i>             | Steel    |
| # W0120-F-024-003-C | 12<br><i>0.472</i>         | 24<br><i>0.945</i>         | 0.25<br><i>0.010</i>           | Steel    |
| # W0120-F-024-005-C | 12<br><i>0.472</i>         | 24<br><i>0.945</i>         | 0.5<br><i>0.020</i>            | Steel    |
| # W0120-F-024-010-C | 12<br><i>0.472</i>         | 24<br><i>0.945</i>         | 1<br><i>0.039</i>              | Steel    |
| # W0120-F-024-030-C | 12<br><i>0.472</i>         | 24<br><i>0.945</i>         | 3<br><i>0.118</i>              | Steel    |
| # W0120-F-024-050-C | 12<br><i>0.472</i>         | 24<br><i>0.945</i>         | 5<br><i>0.197</i>              | Steel    |
| # W0120-F-024-100-C | 12<br><i>0.472</i>         | 24<br><i>0.945</i>         | 10<br><i>0.394</i>             | Steel    |

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

