



Splined Bushes - Unflanged - Stainless Steel

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 4

INFORMATION

Internally splined bushes. 416 stainless steel. Match with same size splined shafts.

Match bushes and shafts by Major Diameter.

Steel on Steel is not meant for sliding applications.

Steel on Bronze is OK for intermittent sliding under load.

This catalogue to be read in conjunction with information at <http://www.minibearings.com.au//partslist/splinedshaftssteel/>


<http://www.minibearings.com.au//partslist/splinedshaftsstainlesssteel/>

<http://www.minibearings.com.au//partscombined/splinedshafts/>

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Splined Bushes - Unflanged - Stainless Steel

Part Number	Nominal Size (dn) mm	Outside Diameter (OD) mm	Bush Length (L) mm	Major Diameter (D) mm	Minor Diameter (d) mm	Number of Splines No.	Material	Spline Angle Deg.	Straddled Width (A) mm
	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>inches</i>				<i>inches</i>
SPL-095-16-010B-S416	9.525	15.88	10.16	9.779	8.280	16	416 Stainless Steel	22.5	2.540 (+0.035 / - 0.000)
	<i>0.375</i>	<i>0.625</i>	<i>0.400</i>	<i>0.385</i>	<i>0.326</i>				
# SPL-095-16-025B-S416	9.525	25.4	25.40	9.779	8.280	16	416 Stainless Steel	22.5	2.540 (+0.035 / - 0.000)
	<i>0.375</i>	<i>1.000</i>	<i>1.000</i>	<i>0.385</i>	<i>0.326</i>				
# SPL-127-16-025B-S416	12.7	25.4	25.40	13.233	11.506	16	416 Stainless Steel	22.5	3.500 (+0.035 / - 0.000)
	<i>0.500</i>	<i>1.000</i>	<i>1.000</i>	<i>0.521</i>	<i>0.453</i>				
SPL-159-16-032B-S416	15.88	31.75	31.75	17.780	15.265	16	416 Stainless Steel	22.5	4.648 (+0.035 / - 0.000)
	<i>0.625</i>	<i>1.250</i>	<i>1.250</i>	<i>0.700</i>	<i>0.601</i>				
# SPL-191-16-038B-S416	19.05	38.1	38.10	20.879	18.313	16	416 Stainless Steel	22.5	5.588 (+0.035 / - 0.000)
	<i>0.750</i>	<i>1.500</i>	<i>1.500</i>	<i>0.822</i>	<i>0.721</i>				

Indicates item not stocked at time of printing - Please enquire for lead time

Page 4 of 4

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

