



Strip - Spring Steel

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

INFORMATION

Hundreds of uses.

Hardened and tempered spring steel strip


Note that the width of this strip may vary minus nothing to plus 25 percent as it is guillotine cut from sheet

If you require a closer tolerance on the strip width please contact us prior to ordering

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Strip - Spring Steel

| Part Number | Thickness (t) mm <i>inches</i> | Width (w) mm <i>inches</i> | Length (L) mm <i>inches</i> | Description | Grade |
|-----------------------|-----------------------------------|-------------------------------|--------------------------------|-------------|---------|
| STR-030-0064-0500-CST | 0.30 <i>0.012</i> | 6.4 <i>0.252</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-030-0127-0500-CST | 0.30 <i>0.012</i> | 12.7 <i>0.500</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-030-0520-0500-CST | 0.30 <i>0.012</i> | 52.0 <i>2.047</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-040-0064-0500-CST | 0.40 <i>0.016</i> | 6.4 <i>0.252</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-040-0127-0500-CST | 0.40 <i>0.016</i> | 12.7 <i>0.500</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-040-0520-0500-CST | 0.40 <i>0.016</i> | 52.0 <i>2.047</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-040-1500-0500-CST | 0.40 <i>0.016</i> | 150.0 <i>5.906</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-050-0064-0500-CST | 0.50 <i>0.020</i> | 6.4 <i>0.252</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-050-0127-0500-CST | 0.50 <i>0.020</i> | 12.7 <i>0.500</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-050-0520-0500-CST | 0.50 <i>0.020</i> | 52.0 <i>2.047</i> | 500 <i>19.685</i> | Strip | SAE1074 |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Strip - Spring Steel

| Part Number | Thickness (t) mm <i>inches</i> | Width (w) mm <i>inches</i> | Length (L) mm <i>inches</i> | Description | Grade |
|-----------------------|-----------------------------------|-------------------------------|--------------------------------|-------------|---------|
| STR-064-0064-0500-CST | 0.64 <i>0.025</i> | 6.4 <i>0.252</i> | 500 <i>19.685</i> | Strip | SAE1080 |
| STR-064-0127-0500-CST | 0.64 <i>0.025</i> | 12.7 <i>0.500</i> | 500 <i>19.685</i> | Strip | SAE1080 |
| STR-064-0520-0500-CST | 0.64 <i>0.025</i> | 52.0 <i>2.047</i> | 500 <i>19.685</i> | Strip | SAE1080 |
| STR-064-1500-0500-CST | 0.64 <i>0.025</i> | 150.0 <i>5.906</i> | 500 <i>19.685</i> | Strip | SAE1080 |
| STR-080-0064-0500-CST | 0.80 <i>0.031</i> | 6.4 <i>0.252</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-080-0127-0500-CST | 0.80 <i>0.031</i> | 12.7 <i>0.500</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-080-0520-0500-CST | 0.80 <i>0.031</i> | 52.0 <i>2.047</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-100-0064-0500-CST | 1.00 <i>0.039</i> | 6.4 <i>0.252</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-100-0127-0500-CST | 1.00 <i>0.039</i> | 12.7 <i>0.500</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-100-0520-0500-CST | 1.00 <i>0.039</i> | 52.0 <i>2.047</i> | 500 <i>19.685</i> | Strip | SAE1074 |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Strip - Spring Steel

| Part Number | Thickness (t) mm <i>inches</i> | Width (w) mm <i>inches</i> | Length (L) mm <i>inches</i> | Description | Grade |
|-----------------------|-----------------------------------|-------------------------------|--------------------------------|-------------|---------|
| STR-120-0064-0500-CST | 1.20 <i>0.047</i> | 6.4 <i>0.252</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-120-0127-0500-CST | 1.20 <i>0.047</i> | 12.7 <i>0.500</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-120-0520-0500-CST | 1.20 <i>0.047</i> | 52.0 <i>2.047</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-160-0064-0500-CST | 1.60 <i>0.063</i> | 6.4 <i>0.252</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-160-0127-0500-CST | 1.60 <i>0.063</i> | 12.7 <i>0.500</i> | 500 <i>19.685</i> | Strip | SAE1074 |
| STR-160-0520-0500-CST | 1.60 <i>0.063</i> | 52.0 <i>2.047</i> | 500 <i>19.685</i> | Strip | SAE1074 |

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

