



# Threaded Rod - Allthread - Stainless Steel - 304

10/4/2018

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 8


## INFORMATION

UNC - UNF - METRIC - 303 and 304 grades. Also known as booker rod.

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Threaded Rod - Allthread - Stainless Steel - 304

Part Number	Thread Size	Pitch in mm / Threads Per Inch	Length mm	Material
			<i>inches</i>	
AT020M-1000-S4	M2x0.4 (2mm Standard)	0.40	1000 <i>39.370</i>	304 Stainless
AT025M-1000-S4	M2.5x0.45 (2.5mm Standard)	0.450 mm / 56.44 TPI	1000 <i>39.370</i>	304 Stainless
AT029C-0914-S4	4-40 UNC (2.845mm)	0.635 mm / 40 TPI	914.4 <i>36.000</i>	304 Stainless
AT035C-0914-S4	6-32 UNC (3.5mm)	0.794 mm / 32 TPI	914.4 <i>36.000</i>	304 Stainless
AT040M-1000-S4	M4x0.7 (4mm Standard)	0.700 mm / 36.29 TPI	1000 <i>39.370</i>	304 Stainless
AT042C-0914-S4	8-32 UNC (4.166mm)	0.794 mm / 32 TPI	914.4 <i>36.000</i>	304 Stainless
AT048C-0914-S4	10-24 UNC (4.762mm)	1.058 mm / 24 TPI	914.4 <i>36.000</i>	304 Stainless
AT048F-0914-S4	10-32 UNF (4.762mm)	0.794 mm / 32 TPI	914.4 <i>36.000</i>	304 Stainless
AT050M-1000-S4	M5x0.8 (5mm Standard)	0.800 mm / 31.75 TPI	1000 <i>39.370</i>	304 Stainless
AT060M-1000-S4	M6x1 (6mm Standard)	1.000 mm / 25.4 TPI	1000 <i>39.370</i>	304 Stainless

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Threaded Rod - Allthread - Stainless Steel - 304

Part Number	Thread Size	Pitch in mm / Threads Per Inch	Length mm <i>inches</i>	Material
AT064C-0914-S4	1/4-20 UNC (6.35mm)	1.270 mm / 20 TPI	914.4 <i>36.000</i>	304 Stainless
AT064F-0914-S4	1/4-28 UNF (6.35mm)	0.907 mm / 28 TPI	914.4 <i>36.000</i>	304 Stainless
AT079C-0914-S4	5/16-18 UNC (7.938mm)	1.411 mm / 18 TPI	914.4 <i>36.000</i>	304 Stainless
AT080M-1000-S4	M8x1.25 (8mm Standard)	1.250 mm / 20.32 TPI	1000 <i>39.370</i>	304 Stainless
AT095C-0914-S4	3/8-16 UNC (9.525mm)	1.588 mm / 16 TPI	914.4 <i>36.000</i>	304 Stainless
AT100M-1000-S4	M10x1.5 (10mm Standard)	1.500 mm / 16.93 TPI	1000 <i>39.370</i>	304 Stainless
# AT111C-0914-S4	7/16-14 UNC (11.113mm)	1.814 mm / 14 TPI	914 <i>35.984</i>	303 Stainless Steel
AT120M-1000-S4	M12x1.75 (12mm Standard)	1.750 mm / 14.51 TPI	1000 <i>39.370</i>	304 Stainless
AT127C-0914-S4	1/2-13 UNC (12.7mm)	1.954 mm / 13 TPI	914.4 <i>36.000</i>	304 Stainless
# AT140M-1000-S3	M14x2 (14mm Standard)	2.000 mm / 12.7 TPI	1000 <i>39.370</i>	303 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Threaded Rod - Allthread - Stainless Steel - 304

Part Number	Thread Size	Pitch in mm / Threads Per Inch	Length mm <i>inches</i>	Material
# AT159C-0914-S4	5/8-11 UNC (15.875mm)	2.309 mm / 11 TPI	914.4 <i>36.000</i>	304 Stainless
# AT160M-1000-S4	M16x2 (16mm Standard)	2.000 mm / 12.7 TPI	1000 <i>39.370</i>	304 Stainless Steel
# AT180M-1000-S3	M18x2.5 (18mm Standard)	2.500 mm / 10.16 TPI	1000 <i>39.370</i>	303 Stainless Steel
AT191C-0914-S4	3/4-10 UNC (19.05mm)	2.540 mm / 10 TPI	914.4 <i>36.000</i>	304 Stainless
# AT200M-1000-S4	M20x2.5 (20mm Standard)	2.500 mm / 10.16 TPI	1000 <i>39.370</i>	304 Stainless Steel
# AT220M-1000-S3	M22x2.5 (22mm Standard)	2.500 mm / 10.16 TPI	1000 <i>39.370</i>	303 Stainless Steel
# AT222-0914-S4	7/8-9 UNC (22.225mm)	2.822 mm / 9 TPI	914 <i>35.984</i>	303 Stainless Steel
# AT240M-1000-S3	M24x3 (24mm Standard)	3.000 mm / 8.46 TPI	1000 <i>39.370</i>	303 Stainless Steel
AT254C-0914-S4	1-8 UNC (25.4mm)	3.175 mm / 8 TPI	914.4 <i>36.000</i>	304 Stainless
# AT270M-1000-S3	M27x3 (27mm Standard)	3.000 mm / 8.46 TPI	1000 <i>39.370</i>	303 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

## Threaded Rod - Allthread - Stainless Steel - 304

Part Number	Thread Size	Pitch in mm / Threads Per Inch	Length mm <i>inches</i>	Material
# AT286-0914-S4	1.1/8-7 UNC (28.575mm)	3.628 mm / 7 TPI	914 <i>35.984</i>	303 Stainless Steel
# AT300M-1000-S3	M30x3.5 (30mm Standard)	3.500 mm / 72.6 TPI	1000 <i>39.370</i>	303 Stainless Steel
# AT318M-0914-S4	1.1/4-7 UNC(31.75mm)	3.628 mm / 7 TPI	914 <i>35.984</i>	303 Stainless Steel
# AT330M-1000-S3	M33x3.5 (33mm Standard)	3.500 mm / 72.6 TPI	1000 <i>39.370</i>	303 Stainless Steel
# AT360M-1000-S3	M36x4 (36mm Standard)	4.000 mm / 6.35 TPI	1000 <i>39.370</i>	303 Stainless Steel
# AT381M-0914-S4	1.1/2-6 UNC (38.1mm)	4.233 mm / 6 TPI	914 <i>35.984</i>	303 Stainless Steel
# AT390M-1000-S3	M39x4 (39mm Standard)	4.000 mm / 6.35 TPI	1000 <i>39.370</i>	303 Stainless Steel
# AT420M-1000-S3	M42x4.5 (42mm Standard)	4.500 mm / 5.64 TPI	1000 <i>39.370</i>	303 Stainless Steel
# AT450M-1000-S3	M45x1.5 (45mm Extra Fine)	4.500 mm / 5.64 TPI	1000 <i>39.370</i>	303 Stainless Steel
# AT480M-1000-S3	M48x5 (48mm Standard)	5.000mm / 5.08 TPI	1000 <i>39.370</i>	303 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

**Threaded Rod - Allthread - Stainless Steel - 304**

Part Number	Thread Size	Pitch in mm / Threads Per Inch	Length mm	Material
# AT520M-1000-S3	M52x5 (52mm)	5.000mm / 5.08 TPI	1000 <i>39.370 inches</i>	303 Stainless Steel

# Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd  
 MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



DISTRIBUTED BY

Distributed By:

