



Threaded Rod - Allthread - Stainless Steel - 316

10/4/2018

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Page 1 of 5


INFORMATION

UNC - UNF - METRIC - 316 grade. Also known as booker rod.

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.



Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Threaded Rod - Allthread - Stainless Steel - 316

Part Number	Thread Size	Pitch in mm / Threads Per Inch	Length mm <i>inches</i>	Material
AT030M-1000-S6	M3x0.5 (3mm Standard)	0.500 mm / 50.8 TPI	1000 <i>39.370</i>	316 Stainless
AT040M-1000-S6	M4x0.7 (4mm Standard)	0.700 mm / 36.29 TPI	1000 <i>39.370</i>	316 Stainless
AT050M-1000-S6	M5x0.8 (5mm Standard)	0.800 mm / 31.75 TPI	1000 <i>39.370</i>	316 Stainless
AT060M-1000-S6	M6x1 (6mm Standard)	1.000 mm / 25.4 TPI	1000 <i>39.370</i>	316 Stainless
AT080M-1000-S6	M8x1.25 (8mm Standard)	1.250 mm / 20.32 TPI	1000 <i>39.370</i>	316 Stainless
AT100M-1000-S6	M10x1.5 (10mm Standard)	1.500 mm / 16.93 TPI	1000 <i>39.370</i>	316 Stainless
# AT120M-1000-S6	M12x1.75 (12mm Standard)	1.750 mm / 14.51 TPI	1000 <i>39.370</i>	316 Stainless
AT140M-1000-S6	M14x2 (14mm Standard)	2.000 mm / 12.7 TPI	1000 <i>39.370</i>	316 Stainless
AT160M-1000-S6	M16x2 (16mm Standard)	2.000 mm / 12.7 TPI	1000 <i>39.370</i>	316 Stainless
AT200M-1000-S6	M20x2.5 (20mm Standard)	2.500 mm / 10.16 TPI	1000 <i>39.370</i>	316 Stainless

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

Threaded Rod - Allthread - Stainless Steel - 316

Part Number	Thread Size	Pitch in mm / Threads Per Inch	Length mm <i>inches</i>	Material
AT240M-1000-S6	M24x3 (24mm Standard)	3.000 mm / 8.46 TPI	1000 <i>39.370</i>	316 Stainless
AT270M-1000-S6	M27x3 (27mm Standard)	3.000 mm / 8.46 TPI	1000 <i>39.370</i>	316 Stainless
AT300M-1000-S6	M30x3.5 (30mm Standard)	3.500 mm / 72.6 TPI	1000 <i>39.370</i>	316 Stainless
AT330M-1000-S6	M33x3.5 (33mm Standard)	3.500 mm / 72.6 TPI	1000 <i>39.370</i>	316 Stainless
AT360M-1000-S6	M36x4 (36mm Standard)	4.000 mm / 6.35 TPI	1000 <i>39.370</i>	316 Stainless

Indicates item not stocked at time of printing - Please enquire for lead time

E&OE Pricing and all details subject to change without notice - Copyright Miniature Bearings Australia Pty Ltd

MBA Size Listings are a guide to sizes only and must not be solely relied on for critical design information.

DISTRIBUTED BY

Distributed By:

